

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

Document Title: Archive Server Configuration

Document Reference: DEV/INF/ION/0001

Document Type: Information + Operations Notice (ION)

Release: N/A

Abstract: This document defines the configuration of the Audit/Archive servers

Document Status: APPROVED

Author & Dept: Alan Holmes

External Distribution: None

Approval Authorities:

Name	Role	Signature	Date
Graham Allen	HNG-X Development		
Steve Evans	Solution Design		

Note: See Royal Mail Group Account HNG-X Reviewers/Approvers Role Matrix (PGM/DCM/ION/0001) for guidance.



0 Document Control

0.1 Table of Contents

0	DOCUMENT CONTROL.....	2
0.1	Table of Contents.....	2
0.2	Document History.....	4
0.3	Review Details.....	4
0.4	Associated Documents (Internal & External).....	5
0.5	Abbreviations.....	6
0.6	Glossary.....	7
0.7	Changes Expected.....	7
0.8	Accuracy.....	7
0.9	Copyright.....	7
1	INTRODUCTION.....	8
2	SCOPE.....	9
3	JOB SCHEDULING.....	10
4	AUDIT SERVER FILESTORE STRUCTURE.....	11
5	AUDIT FILE NAMING STRUCTURES.....	14
5.1	Name Structure.....	14
5.2	Renaming Policies.....	15
5.2.1	TMS Files.....	15
5.2.2	Tivoli Files.....	15
5.2.3	HADDIS Specification Archived Tables.....	16
5.2.4	CAPS Files.....	16
5.2.5	FTMS Transferred Files.....	17
5.2.6	FTMS Control Files.....	18
5.2.7	RDMC.....	18
5.2.8	Standard NT.....	19
5.3	Default Naming.....	20
6	AUDIT CONFIGURATION.....	21
6.1	Configuration File Overview.....	21
6.2	General Details.....	22
6.3	Scheduling Points.....	23
6.4	Deleter Module Control.....	23
6.5	Sealer Module Control.....	23
6.6	Hoarder Module Control.....	24
6.7	Retriever Module Control.....	24
6.8	Tape Pool Configuration.....	25
6.9	Gatherer Configuration.....	25



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



6.10	Gatherer / Audit Subpoint Mapping.....	26
6.11	Audit Points & Subpoints.....	48
6.11.1	Introduction.....	49
6.11.2	Audit Point Details.....	49
6.11.3	Audit Sub Point Details.....	50
6.12	Audit Point Summary.....	51
6.12.1	Audit Point - Sub Point Mapping.....	53
6.13	SubPoint Summary.....	65



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



0.2 Document History

Version No.	Date	Summary of Changes and Reason for Issue	Associated Change - CP/PEAK/PPRR Reference
0.1	27/11/2007	Initial draft created in Dimensions. Populated from PVCS TD/ION/011	
0.2	13/03/2008	Amended to maintain synchronisation with Horizon version. Sub-points 762 to 777 added.	Horizon CP4479
0.3	31/10/2008	Schedules amended to include AD account details	
0.4	05/11/2008	Correction to account used form pway server	
0.5	22/07/2009	Change renaming policy 6 to not insist on a ':' in its time part. Make a note for renaming policy 0 that the campus id is not checked.	PC0183555 PC0181622
0.6	03/08/2009	Update of audit/subaudit configuration information consistent with HNGX	
0.7	08/10/2009	Further updates to the subpoint descriptions. Description of the subpoint PreCompress parameter added. Description of the DeletionPolicy=HOARD+nnnn parameter. Schedule design (previously in §3) moved to document DEV/INF/ION/0009	PC0183122 PC0183125
1.0	21/10/2009	Updated from comments received. Issued for approval	

0.3 Review Details

Review Comments by :	N/A		
Review Comments to :	Alan Holmes & RMGADocumentManagement	GRO	
Mandatory Review			
Role	Name		
HNG-X Architecture	Alan Holmes		
Systems Integration Manager / Solution Design	Steve Evans		
System Test	John Rogers		
SSC	Mik Peach		
Optional Review			
Role	Name		
HNG-X Audit Development	Gerald Barnes		
HNG-X Audit Development	Andrew Mansfield		
HNG-X Audit Development	Mark Gilbert		
TWS/Maestro Development	Mark Wright		



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



Test Design	George Zolkiewka
Service Support	Kirsty Gallacher
Development	Graham Allen
Core Services	Ed Ashford
Core Services	Andrew Gibson
VI & TE Manager	Mark Ascott
Tester	Hamish Munro
SV&I Manager	Sheila Bamber
Data Centre Migration	Peter Okely
RV Mig Test Manager	Graham Jennings
Issued for Information – Please restrict this distribution list to a minimum	
Position/Role	Name

(*) = Reviewers that returned comments

0.4 Associated Documents (Internal & External)

Reference	Version	Date	Title	Source
PGM/DCM/TEM/0001 (DO NOT REMOVE)	2.0	16-Apr-07	(Document Title)	Dimensions
ARC/SVS/ARC/0001			HNG-X Architecture – Support Services	Dimensions
DES/APP/HLD/0029			Audit Data Retrieval High Level Design	Dimensions
DEV/INF/ION/0001			Audit Server Configuration	Dimensions
IA/PRO/004			Audit Data Extraction Process	PVCS
ARC/GEN/REP/0001			HNG-X Glossary	Dimensions
SVM/SDM/SD/0017			Security Management Service - Service Description	Dimensions
CR/FSP/006			Audit Trail Functional Specification	PVCS
SD/IFS/014			Audit to Tivoli Cluster Information Interface Specification	PVCS
SD/HLD/001			Audit Data Collection & Storage High Level Design	PVCS
DES/PPS/PPD/0037			HNG-X Audit Workstation (AUW) - Physical Platform Design	Dimensions
DES/PPS/PPD/0035			HNG-X Audit Server (ARC) - Physical Platform Design	Dimensions
DEV/INF/ION/0008			Audit Server Migration Configurations	Dimensions
DEV/APP/SPG/0016			Audit Extraction Client Support Guide	Dimensions



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DEV/INF/ION/0009			Audit Server Schedule Design	Dimensions
ARC/APP/RTM/0005			Requirements Traceability Matrix for Support Services	Dimensions
DEV/GEN/MAN/0015			Audit Extraction Client User Manual	Dimensions
DEV/APP/SPG/0016			Audit Extraction Client Support Guide	Dimensions
DES/APP/HLD/0020			Branch Database High Level Design	Dimensions
DES/SEC/HLD/0011			HNG-X Anti Virus High Level Design	Dimensions
DES/SEC/HLD/0002			HNG-X Crypto Services High Level Design	Dimensions
DEV/APP/HLD/0071			Audit Data Retrieval Low Level Design	Dimensions
DEV/APP/SPG/0020			Audit Server Support Guide	Dimensions
TD/ION/011			Archive Server Configuration	PVCS

Unless a specific version is referred to above, reference should be made to the current approved versions of the documents.

0.5 Abbreviations

Abbreviation	Definition
ARQ	Audit Record Query
AS	Audit Server
AS (B)	Audit Server (Bootle)
AS (W)	Audit Server (Wigan)
CD-W	CD-Writable (in the instance of the Audit Server/Workstation Write Once)
COTS	Commercial Off The Shelf
CS	Correspondence Server
DB	Database
FTMS	File Transfer Managed Service
MIS	Management Information System
NAO	National Audit Office
NFS	Network File System
POL	Post Office Limited

0.6 Glossary

See HNG-X Glossary (ARC/GEN/REP/0001)

Term	Definition

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

0.7 Changes Expected

Changes
Updates for new Audit Points as required

0.8 Accuracy

Fujitsu Services endeavours to ensure that the information contained in this document is correct but, whilst every effort is made to ensure the accuracy of such information, it accepts no liability for any loss (however caused) sustained as a result of any error or omission in the same.

0.9 Copyright

© Copyright Fujitsu Services Limited 2009. All rights reserved. No part of this document may be reproduced, stored or transmitted in any form without the prior written permission of Fujitsu Services.



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



1 Introduction

This document defines the configuration of the live HNG-X Audit Servers from Weekend D onwards, and provides the definitive reference from which TWS schedules and Audit gathering configurations may be built.

This document was derived from the equivalent Horizon document TD/ION/011.

Until the roll out of HNG-X begins the PVCS document TD/ION/011 should be used as the source of reference for Audit Server configuration and the Maestro scheduling of Audit jobs.

During HNG-X roll-out this document will be subject to numerous changes, and may at times be out of synchronisation with the live environment.



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



2 Scope

This document provides a definition of the various configuration items required on the Audit Servers for the system to perform its required functions

Section 3 describes the job scheduling.

Section 4 describes how the Filestore is utilised

Section 5 describes the Audit file renaming policies

Section 6 describes the structure of and the settings required for the Audit Configuration files



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



3 Job Scheduling

This information has been moved to *Audit Server Schedule Design* (DEV/INF/ION/0009). This section will be removed at the next major revision of this document.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



4 Audit Server Filestore Structure

The following table documents the directory structure used on the Audit server.

Directory	Description
D:\ArchiveServer	The main Audit installation directory. It contains executables, DLLs and the Audit configuration files.
D:\ArchiveServer\ACTIVITY_LOGS	Holds activity log files, which are generated by all Audit modules.
D:\ArchiveServer\AUDIT_TRACKS	Contains copies of Audit data files that have been collected by the Gatherer.
D:\ArchiveServer\Check	Not used
D:\ArchiveServer\CONTROL	Contains various subdirectories that contain marker files that control the processing by Audit modules.
D:\ArchiveServer\CONTROL\ACTIVITY_LOGS_BAK	Recovery directory for activity logs required by Deleter
D:\ArchiveServer\CONTROL\CONTROLLER_MODULE	No longer used.
D:\ArchiveServer\CONTROL\CONTROLLER_MODULE_COMPLETED	No longer used.
D:\ArchiveServer\CONTROL\CONTROLLER_MODULE_PROCESS	No longer used.
D:\ArchiveServer\CONTROL\DELETER_MODULE	The initial directory for control files which require processing by the Deleter.
D:\ArchiveServer\CONTROL\DELETER_MODULE_COMPLETED	Contains control files that have completed processing by the Deleter.
D:\ArchiveServer\CONTROL\DELETER_MODULE_PROCESS	Contains control files that are currently being processed by the Deleter.
D:\ArchiveServer\CONTROL\DELETE_AT_Q	Marker file directory used by Deleter.
D:\ArchiveServer\CONTROL\EXPORT_AT_BUF	Used internally by Hoarder.
D:\ArchiveServer\CONTROL\EXTRACTOR_MODULE	No longer used.
D:\ArchiveServer\CONTROL\EXTRACTOR_MODULE_COMPLETED	No longer used.
D:\ArchiveServer\CONTROL\EXTRACTOR_MODULE_PROCESS	No longer used.
D:\ArchiveServer\CONTROL\GATHERER_MODULE	Not used.
D:\ArchiveServer\CONTROL\GATHERER_MODULE_COMPLETED	Contains control files that have completed processing by the Gatherer. These control files contain the original filename of the Audit file. They are preserved until the Audit system has completed processing of the file.
D:\ArchiveServer\CONTROL\GATHERER_MODULE_PROCESS	Contains control files that are currently being processed by the Gatherer.
D:\ArchiveServer\CONTROL\HOARDER_2_MODULE	Used internally by Hoarder.
D:\ArchiveServer\CONTROL\HOARDER_2_MODULE_COMPLETED	Used internally by Hoarder.
D:\ArchiveServer\CONTROL\HOARDER_2_MODULE_PROCESS	Used internally by Hoarder.
D:\ArchiveServer\CONTROL\HOARDER_3_MODULE	No longer used
D:\ArchiveServer\CONTROL\HOARDER_3_MODULE_COMPLETED	No longer used
D:\ArchiveServer\CONTROL\HOARDER_3_MODULE_PROCESS	No longer used
D:\ArchiveServer\CONTROL\HOARDER_4_MODULE	No longer used
D:\ArchiveServer\CONTROL\HOARDER_4_MODULE_COMPLETED	No longer used
D:\ArchiveServer\CONTROL\HOARDER_4_MODULE_PROCESS	No longer used



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



D:\ArchiveServer\CONTROL\HOARDER_MODULE	The initial directory for control files which require processing by the Hoarder.
D:\ArchiveServer\CONTROL\HOARDER_MODULE_COMPLETED	Not used.
D:\ArchiveServer\CONTROL\HOARDER_MODULE_PROCESS	Not used.
D:\ArchiveServer\CONTROL\RETRIEVER_MODULE	The initial directory for control files which require processing by the Retriever.
D:\ArchiveServer\CONTROL\RETRIEVER_MODULE_COMPLETED	Contains control files that have completed processing by the Retriever.
D:\ArchiveServer\CONTROL\RETRIEVER_MODULE_PROCESS	Contains control files that are currently being processed by the Retriever.
D:\ArchiveServer\CONTROL\SEALER_2_MODULE	The initial directory for control files which require processing by the Sealer (Retriever side).
D:\ArchiveServer\CONTROL\SEALER_2_MODULE_COMPLETED	Contains control files that have completed processing by the Sealer (Retriever side).
D:\ArchiveServer\CONTROL\SEALER_2_MODULE_PROCESS	Contains control files that are currently being processed by the Sealer (Retriever side).
D:\ArchiveServer\CONTROL\SEALER_MODULE	The initial directory for control files which require processing by the Sealer (Gathering side).
D:\ArchiveServer\CONTROL\SEALER_MODULE_COMPLETED	Contains control files that have completed processing by the Sealer (Gathering side).
D:\ArchiveServer\CONTROL\SEALER_MODULE_PROCESS	Contains control files that are currently being processed by the Sealer (Gathering side).
D:\ArchiveServer\DATABASES	Contains Audit SQL Server databases
D:\ArchiveServer\DATABASES\MSSQL	The main SQL Server installation directory
D:\ArchiveServer\DATABASES\MSSQL\BACKUP	Default location for backup files. Not used.
D:\ArchiveServer\DATABASES\MSSQL\Data	Contains the database and log files
D:\ArchiveServer\DATABASES\MSSQL\FTDATA	Full-text catalogue files. Not used.
D:\ArchiveServer\DATABASES\MSSQL\JOBS	Storage location for temporary job output files
D:\ArchiveServer\DATABASES\MSSQL\LOG	Contains SQL Server error logs
D:\ArchiveServer\DATABASES\MSSQL\REPLDATA	Working directory for replication tasks. Not used.
D:\ArchiveServer\HOARDED_AT	No longer used
D:\ArchiveServer\HOARDED_AT\TAPEPOOL_BACKUP	Temporary holding area for audit files. Used by Hoarder.
D:\ArchiveServer\HOARDED_AT\TAPEPOOL_BUFFER	No longer used
D:\ArchiveServer\HOARDED_AT\TAPEPOOL_BUFFER\Non_TMS_Pool_18mth	No longer used
D:\ArchiveServer\HOARDED_AT\TAPEPOOL_BUFFER\Non_TMS_Pool_7yr	No longer used
D:\ArchiveServer\HOARDED_AT\TAPEPOOL_BUFFER\TMS_Pool	No longer used
D:\ArchiveServer\IMPORT	Used during installation.
D:\ArchiveServer\Install	Only used during installation.
D:\ArchiveServer\INTERFACES	Contains subdirectories which represent the external interfaces provided by the Audit server.
D:\ArchiveServer\INTERFACES\AS_AUDIT_TRACK	Audit sub point used to audit the Audit server (Self Auditing)
D:\ArchiveServer\INTERFACES\AS_SYS_ADMIN	All files copied to AS_AUDIT_TRACK are also copied here for system admin purposes.
D:\ArchiveServer\INTERFACES\EXPORT_AT	No longer used.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



D:\ArchiveServer\INTERFACES\EXPORT_CAT	Subdirectories used to manage the transfer of Audit data files to the remote campus.
D:\ArchiveServer\INTERFACES\EXPORT_CAT\Data	Audit data files to be copied to the remote campus
D:\ArchiveServer\INTERFACES\EXPORT_CAT\Md5	MD5 files corresponding to files in EXPORT_CAT\Data
D:\ArchiveServer\INTERFACES\EXPORT_SEALDB	No longer used.
D:\ArchiveServer\INTERFACES\EXTRACTED_AT	No longer used
D:\ArchiveServer\INTERFACES\FTMS	No longer used.
D:\ArchiveServer\INTERFACES\IMPORT_AT	No longer used.
D:\ArchiveServer\INTERFACES\IMPORT_CAT	Subdirectories used to manage the transfer of Audit data files from the remote campus.
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Data	Audit data files which have been copied from the remote campus
D:\ArchiveServer\INTERFACES\IMPORT_CAT\DataCompleted	Remote Audit data files that have completed processing by Sealer
D:\ArchiveServer\INTERFACES\IMPORT_CAT\DataProcessing	Remote Audit data files that are being processed by Sealer
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Failures	Used to hold remote Audit data files that have failed while being processed by Sealer.
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Failures\NoMatch_Data	Used to hold Audit data files where the calculated seal value does not match that in the corresponding MD5 files.
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Failures\NoMatch_MD5	Used to hold MD5 files that do not match the seal value calculated from the corresponding data file.
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Failures\No_Data	Used to hold MD5 files where there is no corresponding data file
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Failures\No_Md5	Used to hold data files where there is no corresponding MD5 file
D:\ArchiveServer\INTERFACES\IMPORT_CAT\Md5	MD5 files corresponding to files in IMPORT_CAT\Data
D:\ArchiveServer\INTERFACES\IMPORT_CAT\MD5Completed	Remote MD5 files that have completed processing by Sealer
D:\ArchiveServer\INTERFACES\IMPORT_CAT\MD5Processing	Remote MD5 files that are being processed by Sealer
D:\ArchiveServer\INTERFACES\RESTORED_AT	No longer used
D:\ArchiveServer\PRE_CENTERA	Used as a working location by Sealer.
D:\ArchiveServer\RETRIEVED_AT	Used to store details of ARQs to be deleted
D:\ArchiveServer\RFI_DB	Used by NBX retrieval process
D:\ArchiveServer\Scripts	Only used during installation.
D:\ArchiveServer\SEALER_DB	No longer used



5 Audit File Naming Structures

5.1 Name Structure

The audit file naming structure is :-

<FNV>_<AP>_<ASP>_<Siteld>_<Info>_<Date>_<DateSubIndex>_<CV>.<ext>

The file name components are sourced as follows :-

Component	Details
FNV	Sourced from FNVariant of configuration file and set to FN01
AP	Sourced from Identifier of the Audit Point being gathered in the configuration file
ASP	Sourced from Identifier of the Audit Sub Point being gathered in the configuration file
Siteld	Sourced from Siteld in the configuration file and set to W (Wigan or IRE19) or B (Bootle or IRE11)
Info	Sourced from detail held in the renaming policy for the file being gathered. Defaults to ~ if there is renaming to the Info component Length is between 1 and 64 characters
Date	Date in CCYYMMDD format sourced from gathered file name, or generated by details in the renaming policy
DateSubIndex	Sourced from detail held in the renaming policy for the file being gathered, or generated by the renaming policy
CV	Sourced from ContentVariant in the configuration file and set to V001
ext	Sourced from gathered file as defined in the renaming policy




5.2 Renaming Policies

5.2.1 TMS Files

Renaming Policy 0

There should not be any renaming. The gathered file will have the correct name. The example below illustrates how the name is constructed by the TMS Archive agent



<Campus> must either be B or W but it is otherwise not checked.

5.2.2 Tivoli Files

Renaming Policy 1


Original format E_<from date>__<to date>{.ext}

where dates are in format DDMMCCYY_HH_MM_SS

{.ext} is any extension and may be optional

Note : There is a double underscore between <from date> and <to date>

Transformation




5.2.3 HADDIS Specification Archived Tables

Renaming Policy 2

Original format AAAXXXCCYYMMDDNNNN.arc

where AAA is the three character application alias
XXX is the three character table alias
NNNN is a sequence number within date

Transformation



5.2.4 CAPS Files

Note: This renaming policy was originally defined for files from the BES systems. It is retained for Historic purposes and is available in the future if file names were to be provided from other systems with this name structure.

Renaming Policy 3

Original format <service id>-NNNN-<type>{.CAP}
<service id>-NNNN-<type>{.dat}
<service id>NNNN<type>{.CAP}




Archive Server Configuration

COMMERCIAL IN CONFIDENCE



where service id is 4 character and type is three digit
NNNN is a four digit sequence number
extension is optional and may be .CAP or .dat
hyphens are optional

Transformation



5.2.5 FTMS Transferred Files

Renaming Policy 4

Original format `<filename>.<extension>{.ext2}{ext3}.<date>` where date is in format CCYYMMDDHHMMSS

where .ext2 and ext3 are optional additional file extensions

The ext , ext2 and ext3 filename extensions are concatenated to form the extension of the Audit file

Transformation



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



<filename>.<ext>{.ext2}{.ext3}.CCYYMMDDHHMMSS

Underscores Removed

FN01_<AP>_<ASP>_<Campus>_<filename>_CCYYMMDD_HHMMSS_V001.ext{ext2}{ext3}

5.2.6 FTMS Control Files

Renaming Policy 5

Original format <System_Identity>0000CCYYMMDD0000.ctl

Transformation

<systemid>0000CCYYMMDD0000.ctl

FN01_<AP>_<ASP>_<Campus>_<systemid>_CCYYMMDD_0000_V001.<ext>

5.2.7 RDMC

Renaming Policy 6

Original format <loader id>_<name>.<ext>.CCYYMMDD_HH:MM:SS

or

<loader id>_<name>.<ext>.CCYYMMDD_HHMMSS


where <loader id> is an alphabetic identifier of maximum 10 characters
<name> is an alphanumeric value identifying the file maximum 20 characters
neither <loaderid> or <name> may contain underscores



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



Transformation



5.2.8 Standard NT


Renaming Policy 7

Original format `<name>.{ext}{.ext2}{.ext3}`

where `<name>` is an alphanumeric value identifying the file and may contain underscores
`{.ext}` `{.ext2}` and `{.ext3}` are optional additional file extensions

The `ext` , `ext2` and `ext3` filename extensions are concatenated to form the extension of the Audit file

Transformation





Archive Server Configuration

COMMERCIAL IN CONFIDENCE



5.3 Default Naming

Should there be any file at an Audit Sub point which cannot be processed and renamed according to its renaming policy (as it does not conform to the agreed construct) then a default filename will be generated.

The format is :-

<FNE>_<AP>_<ASP>_<Siteld>_<Info>_<Date>_<DateSubIndex>_<CE>.<ext>

The file name components are sourced as follows :-

Component	Details
FNE	Sourced from FNEException of configuration file and set to NS01
AP	Sourced from Identifier of the Audit Point being gathered in the configuration file (maximum 6 characters)
ASP	Sourced from Identifier of the Audit Sub Point being gathered in the configuration file (maximum 32 characters)
Siteld	Sourced from Siteld in the configuration file and set to W (Wigan/IRE19) or B (Bootle/IRE11)
Info	Set to ~ (tilde)
Date	Date in CCYYMMDD format sourced from date gathered
DateSubIndex	Time in HHMMSShh format sourced from time gathered
CE	Sourced from ContentException in the configuration file and set to VXXX
Ext	Sourced from extension of gathered file




6 Audit Configuration

6.1 Configuration File Overview

The configuration file, which controls the operation of the Audit server, is comprised of a number of sections:

- General control details
- Delete module control
- Sealer module control
- Hoarder module control (historic, the Hoarder component is now longer used in HNG-X)
- Retriever module control
- Scheduling Points
- Gatherer configuration details
- Tape Pool details (largely historic)
- Audit Point details
- Sub point details

The five control sections are independent of each other, but the latter five sections are interrelated as show in the following diagram



6.2 General Details



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



Parameter	IRE11	IRE19	Usage
NoOfSchedulingPoints	A/R	A/R	Total Number of Scheduling Points defined
NoOfTapePools	3	3	Total number of tape pools defined
NoOfAuditPoints	A/R	A/R	Total number of Audit points defined
NoOfSubPoints	A/R	A/R	Total number of Audit subpoints defined
NoOfGatherers	A/R	A/R	Total Number of Gatherers defined
FNVariant	FN01	FN01	Defines the first element of an Audit filename
ContentVariant	V001	V001	Defines the last element of Audit filename prior to suffix
SeparatorChar	_ (underscore)	_ (underscore)	Defines the separator between elements of Audit filenames
ExceptionVariant	NS01	NS01	Defines the first element of Audit filenames which have failed to be correctly named by their renaming policy
ContentException	VXXX	VXXX	Defines the last element of Audit filename prior to suffix which have failed to be renamed by their renaming policy
Location	B	W	Defines the SiteID element of Audit filenames B is used for IRE11 W is used for IRE19
VersionMajor	1	1	Defines the code release version of the Audit Configuration file

Note : Values defined as A/R must be set and maintained to the correct values by the Configuration file developer depending on the file contents.

6.3 Scheduling Points

This table defines the scheduling points to be set up for the LIVE systems. The settings are identical for both Campuses.

ID	Mode	StartTime 1	StopTime 1	PeriodinMinutes	DurationinMinutes
1	CLOCK	00:00	23:59	N/A	N/A
2	INTERVAL	00:00	23:59	120	15
3	NONE	N/A	N/A	N/A	N/A
4	INTERVAL	00:00	23:59	60	30



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



6.4 Deleter Module Control

This section specifies the settings to be used for control of the Deleter module. The settings are specified for both Campuses

Parameter	IRE11	IRE19	Usage
AuditPointName	AUDIT	AUDIT	Defines the Audit point under which the 'Audit' Audit Track data is written
SubPointName	HxLog1	HxLog2	Defines the Auditsub point under which the 'Audit' Audit Track data is written
AuditTrackScheduling	1	1	Defines the scheduling policy under which the deleter runs
AuditTrackOnShutdown	YES	YES	Specifies that an Audit Track is to be generated when the deleter is closed
DeleteRetries	5	5	Specifies the number of times that the deleter will attempt to delete the original file from which an Audit track was generated
DeleteRetryInterval	9	9	Specifies the time in hours between attempts to delete the original file.

6.5 Sealer Module Control

This section specifies the settings for the Sealer module. They are identical at both Campuses

Parameter	Value	Usage
GenerationMode	MD5	Specifies the algorithm to use for calculating seal checksum values
MaxThreads	4	Specifies the maximum number of concurrent sealer threads
GatheredScheduling	1	Specifies the schedule to be used for processing gathered Audit Tracks
RetrievedScheduling	1	Specifies the schedule to be used for processing retrieved Audit Tracks
FTMSInScheduling	1	Specifies the schedule to be used for processing seals transferred from the alternate campus
FTMSOutScheduling	1	Specifies the schedule to be used for processing seals to be transferred to the alternate campus
BackupScheduling	1	Specifies the schedule to be used for backing up the seal database
GathererActive	YES	Specifies whether the processing of Gathered files is active
RetrieverActive	YES	Specifies whether the processing of Retrieved files is active
FTMSInActive	NO	Specifies whether the processing of seals transferred from the



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



		alternate campus is active
FTMSOutActive	NO	Specifies whether the processing of seals to be transferred to the alternate campus is active
BackupActive	NO	Specifies whether the database is to be backed up

6.6 Hoarder Module Control

This section specifies the settings for the Hoarder module. They are identical at both Campuses

Parameter	Value	Usage
TapeBackupScheduling	3	Specifies the schedule for copying the Audit Tracks to DLT
ImportTapeScheduling	3	Specifies the schedule for processing Audit Tracks received from the alternate campus
ExportTapeScheduling	3	Specifies the schedule for processing Audit Tracks to be copied to the alternate campus
ImportAuditTracks	YES	Specifies whether Audit Tracks from the Alternate campus are to be processed
ExportAuditTracks	YES	Specifies whether Audit Tracks to be sent to the Alternate campus are to be processed
TapeBackupBatchQuantity	9990	Specifies the maximum number of files to be processed in a single batch to be written to DLT

6.7 Retriever Module Control

This section specifies the settings for the Retriever module. They are identical at both Campuses

Parameter	Value	Usage
PassToSealer	YES	Historic, no longer used
PassToExtractor	YES	Historic, no longer used

6.8 Tape Pool Configuration

This section identifies the Tape Pools to be used. The use of Tape Pools is historic; this is now only used to determine the data retention period for an Audit Point – 18 months or 7 years.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



Pool	Identifier	Retention Months	Browse Months	Seal Retention Extension Days	Copy Tape
1	TMS_Pool	84	84	44	No
2	Non_TMS_Pool_18mth	18	18	16	Yes
3	Non_TMS_Pool_7yr	84	84	44	Yes

6.9 Gatherer Configuration

This section describes the characteristics of each of the gatherers invoked by the Maestro schedule

Gatherer ID	Type	Scheduler	Processing (InterCycleMinutes)
RDMC	Cyclic	1	120 minutes between each pass of Subpoints
TIP	Cyclic	1	120 minutes between each pass of Subpoints
AUDIT	Single Pass	3	
TMSA	Cyclic	1	10 minutes between each pass of Subpoints
TMSB	Cyclic	1	10 minutes between each pass of Subpoints
TIVOLI	Cyclic	1	60 minutes between each pass of Subpoints
ACDB	Single Pass	3	
OCMS	Single Pass	3	
LFS	Cyclic	1	60 minutes between each pass of Subpoints
KMS	Single Pass	3	
APC	Cyclic	1	60 minutes between each pass of Subpoints
EDG	Cyclic	1	60 minutes between each pass of Subpoints
BANKING	Single Pass	3	
DCSM	Single Pass	3	
DCSA	Single Pass	3	
SOLDB	Single Pass	3	
MAES	Single Pass	3	
MAESSAPL	Single Pass	3	
MAESSAPT	Single Pass	3	
NBX	Cyclic	1	60 minutes between each pass of subpoints
BRDB	Cyclic	1	15 minutes between each pass of subpoints

There is an additional gatherer named DUMMY (gatherer number 14) that is never invoked by the TWS scheduler. Any sub points that are not required to be actively gathered are configured onto this gatherer.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



6.10 Gatherer / Audit Subpoint Mapping

This section defines the mapping between Audit Gatherers and Subpoints.

Gatherer	Gatherer #	Audit Point	AP #	Sub Point	SP#
RDMC	1	RDMC	1	HxBDataIn	784
RDMC	1	RDMC	1	DAGDataDone1B	565
RDMC	1	RDMC	1	DAGDataDone4W	576
RDMC	1	RDMC	1	DAGDataFail2W	578
RDMC	1	RDMC	1	HxMRGCtrlO	792
RDMC	1	RDMC	1	DAGDataFail4W	580
RDMC	1	RDMC	1	DWebDataDone1B	627
RDMC	1	RDMC	1	DAGDataFail4B	572
RDMC	1	RDMC	1	HxSPRDataO	789
RDMC	1	RDMC	1	HxADDataIn	780
RDMC	1	RDMC	1	HxACtrlIn	781
RDMC	1	RDMC	1	DDataDone4W	264
RDMC	1	RDMC	1	HxBCtrlO	783
RDMC	1	RDMC	1	DAGDataDone1W	573
RDMC	1	RDMC	1	HxBCtrlIn	785
RDMC	1	RDMC	1	DDataFail2W	266
RDMC	1	RDMC	1	HxD1CtrlOut	788
RDMC	1	RDMC	1	D1DataOutB	247
RDMC	1	RDMC	1	HxSPRCtrlO	790
RDMC	1	RDMC	1	HxMRGDataO	791
RDMC	1	RDMC	1	HxMRGCtrlI	796
RDMC	1	RDMC	1	HxMRGDatal	795
RDMC	1	RDMC	1	HxSPRCtrlI	794
RDMC	1	RDMC	1	HxSPRDataI	793
RDMC	1	RDMC	1	HxBDataO	782
RDMC	1	RDMC	1	DDataFail4W	268
RDMC	1	RDMC	1	DWebDataFail1B	631
RDMC	1	RDMC	1	DWebDataFail2B	632
RDMC	1	RDMC	1	DWebDataFail3B	633
RDMC	1	RDMC	1	DWebDataFail4B	634
RDMC	1	RDMC	1	DWebDataDone1W	635
RDMC	1	RDMC	1	DWebDataDone3B	629
RDMC	1	RDMC	1	DWebDataDone3W	637
RDMC	1	RDMC	1	DWebDataDone2B	628
RDMC	1	RDMC	1	DWebDataFail1W	639
RDMC	1	RDMC	1	DWebDataFail2W	640
RDMC	1	RDMC	1	DAGDataDone3W	575
RDMC	1	RDMC	1	DWebDataFail4W	642
RDMC	1	RDMC	1	DAGDataFail1W	577
RDMC	1	RDMC	1	DDataFail3W	267



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



RDMC	1	RDMC	1	DWebDataDone2W	636
RDMC	1	RDMC	1	DAGDataDone2W	574
RDMC	1	RDMC	1	DAGDataDone2B	566
RDMC	1	RDMC	1	DAGDataDone3B	567
RDMC	1	RDMC	1	DAGDataDone4B	568
RDMC	1	RDMC	1	DAGDataFail1B	569
RDMC	1	RDMC	1	DAGDataFail2B	570
RDMC	1	RDMC	1	DAGDataFail3B	571
RDMC	1	RDMC	1	DWebDataDone4B	630
RDMC	1	RDMC	1	DWebDataFail3W	641
RDMC	1	RDMC	1	BCtrlOutW	15
RDMC	1	RDMC	1	MRGDataInB	523
RDMC	1	RDMC	1	MRGCtrlInB	524
RDMC	1	RDMC	1	SPRDataOutW	525
RDMC	1	RDMC	1	SPRCtrlOutB	518
RDMC	1	RDMC	1	MRGCtrlOutB	520
RDMC	1	RDMC	1	BCtrlInB	8
RDMC	1	RDMC	1	SPRDataOutB	517
RDMC	1	RDMC	1	MRGCtrlInW	532
RDMC	1	RDMC	1	ACtrlOutB	2
RDMC	1	RDMC	1	ADDataInB	3
RDMC	1	RDMC	1	HxD1DataOut	787
RDMC	1	RDMC	1	BDataOutB	5
RDMC	1	RDMC	1	SPRDataInB	521
RDMC	1	RDMC	1	BDataInB	7
RDMC	1	RDMC	1	BDataOutW	14
RDMC	1	RDMC	1	SPRCtrlInW	530
RDMC	1	RDMC	1	SPRDataInW	529
RDMC	1	RDMC	1	ADDataOutW	10
RDMC	1	RDMC	1	ACtrlOutW	11
RDMC	1	RDMC	1	ADDataInW	12
RDMC	1	RDMC	1	DAGDataFail3W	579
RDMC	1	RDMC	1	BCtrlOutB	6
RDMC	1	RDMC	1	DWebDataDone4W	638
RDMC	1	RDMC	1	ACtrlInB	4
RDMC	1	RDMC	1	D1CtrlOutW	250
RDMC	1	RDMC	1	SPRCtrlOutW	526
RDMC	1	RDMC	1	DDDataDone3W	263
RDMC	1	RDMC	1	DDDataDone2W	262
RDMC	1	RDMC	1	DDDataDone1W	261
RDMC	1	RDMC	1	DDDataFail4B	260
RDMC	1	RDMC	1	DDDataFail3B	259
RDMC	1	RDMC	1	HxACtrlOut	779
RDMC	1	RDMC	1	DDDataFail1B	257
RDMC	1	RDMC	1	HxADDataOut	778



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



RDMC	1	RDMC	1	DDataDone3B	255
RDMC	1	RDMC	1	BCtrlInW	17
RDMC	1	RDMC	1	DDataDone1B	253
RDMC	1	RDMC	1	BDataInW	16
RDMC	1	RDMC	1	D1DataOutW	249
RDMC	1	RDMC	1	D1CtrlOutB	248
RDMC	1	RDMC	1	DDataFail1W	265
RDMC	1	RDMC	1	DDataFail2B	258
RDMC	1	RDMC	1	SPRCtrlInB	522
RDMC	1	RDMC	1	MRGCtrlOutW	528
RDMC	1	RDMC	1	MRGDataOutW	527
RDMC	1	RDMC	1	ADataOutB	1
RDMC	1	RDMC	1	MRGDataInW	531
RDMC	1	RDMC	1	MRGDataOutB	519
RDMC	1	RDMC	1	DDataDone4B	256
RDMC	1	RDMC	1	DDataDone2B	254
RDMC	1	RDMC	1	ACtrlInW	13
NBX	2	NBX	64	NBXJW	658
NBX	2	NBX	64	NBXJB	657
NBX	2	NBX	64	NPS1	891
NBX	2	NBX	64	NPS2	946
TIP	3	SAPADS	59	HxDataOut1	880
TIP	3	POLFS	66	RDSInCB	676
TIP	3	TIP	3	HxCtrlIn	801
TIP	3	TPS	67	CTSIInCW	713
TIP	3	TIP	3	HxESFSOutC	803
TIP	3	SAPADS	59	HxCtrlOut1	881
TIP	3	TPS	67	HRSAPOutCW	685
TIP	3	TPS	67	HxFRTSInC	808
TIP	3	TIP	3	HxCtrlO	799
TIP	3	TPS	67	HRSAPOutDW	683
TIP	3	POLFS	66	BACSOOutCW	681
TIP	3	TPS	67	HxCTSIInC	817
TIP	3	TPS	67	HxCTSIInD	820
TIP	3	TPS	67	HRSAPOutCB	684
TIP	3	TIP	3	HxDataO	798
TIP	3	TPS	67	HxCTSOOutC	837
TIP	3	SAPADS	59	HxDataIn1	882
TIP	3	TPS	67	MISInCW	697
TIP	3	POLFS	66	BACSOOutDW	679
TIP	3	SAPADS	59	HxCtrlIn1	883
TIP	3	POLFS	66	BACSOOutDB	678
TIP	3	POLFS	66	HxBACSOOutD	899
TIP	3	TIP	3	HxESFSOutD	802
TIP	3	POLFS	66	RDSInDB	674



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



TIP	3	TPS	67	FRTSOutCW	701
TIP	3	TPS	67	FRTSInDB	702
TIP	3	TPS	67	FRTSInDW	703
TIP	3	TPS	67	FRTSInCB	704
TIP	3	TPS	67	HRSAPInDB	686
TIP	3	SAPADS	59	DataOut1W	613
TIP	3	TPS	67	MISOutCW	693
TIP	3	POLFS	66	HxSTAMPSID	893
TIP	3	POLFS	66	RDSInDW	675
TIP	3	TPS	67	HRSAPInDW	687
TIP	3	TPS	67	HRSAPInCB	688
TIP	3	TPS	67	HRSAPInCW	689
TIP	3	TPS	67	MISOutDB	690
TIP	3	POLFS	66	HxSTAMPSIC	894
TIP	3	POLFS	66	HxRDSOutD	895
TIP	3	POLFS	66	HxRDSOutC	896
TIP	3	POLFS	66	HxRDSInD	897
TIP	3	TPS	67	FRTSOutDB	698
TIP	3	TIP	3	HxDatIn	800
TIP	3	POLFS	66	RDSInCW	677
TIP	3	TPS	67	HxCTSOutD	838
TIP	3	POLFS	66	HxRDSInC	898
TIP	3	POLFS	66	STAMPSInDW	667
TIP	3	POLFS	66	HxBACSOuC	900
TIP	3	TPS	67	HxHRSAPOD	901
TIP	3	TPS	67	HxHRSAPOC	902
TIP	3	TPS	67	HxHRSAPInD	903
TIP	3	TPS	67	HxHRSAPInC	904
TIP	3	TPS	67	MISInDW	695
TIP	3	TPS	67	MISInCB	696
TIP	3	POLFS	66	BACSOuC	680
TIP	3	TPS	67	MISOutDW	691
TIP	3	TPS	67	FRTSInCW	705
TIP	3	TPS	67	MISOutCB	692
TIP	3	TIP	3	DataInW	37
TIP	3	SAPADS	59	CtrlOut1B	610
TIP	3	TPS	67	HxMISInD	907
TIP	3	TPS	67	CTSInDB	710
TIP	3	TPS	67	HxMISInC	908
TIP	3	SAPADS	59	DataIn1W	615
TIP	3	SAPADS	59	CtrlIn1B	612
TIP	3	TPS	67	HxFRTSOD	909
TIP	3	TPS	67	HxFRTSOC	910
TIP	3	TPS	67	HxFRTSInD	911
TIP	3	SAPADS	59	DataOut1B	609



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



TIP	3	TIP	3	DataInB	33
TIP	3	TIP	3	CtrlOutW	36
TIP	3	SAPADS	59	CtrlOut1W	614
TIP	3	TPS	67	FRTSOutCB	700
TIP	3	TIP	3	CtrlOutB	32
TIP	3	TPS	67	FRTSOutDW	699
TIP	3	TIP	3	CtrlInB	34
TIP	3	TIP	3	DataOutW	35
TIP	3	TPS	67	CTSOOutDB	706
TIP	3	TIP	3	DataOutB	31
TIP	3	TPS	67	HRSAPOutDB	682
TIP	3	TIP	3	CtrlInW	38
TIP	3	TPS	67	HxMISOD	905
TIP	3	TPS	67	HxMISOC	906
TIP	3	TPS	67	CTSOOutDW	707
TIP	3	TPS	67	CTSOOutCW	709
TIP	3	TPS	67	MISInDB	694
TIP	3	SAPADS	59	CtrlIn1W	616
TIP	3	TPS	67	CTSinCB	712
TIP	3	TPS	67	CTSOOutCB	708
TIP	3	POLFS	66	RDSOutCW	673
TIP	3	POLFS	66	RDSOutCB	672
TIP	3	POLFS	66	RDSOutDW	671
TIP	3	TPS	67	CTSinDW	711
TIP	3	SAPADS	59	DataIn1B	611
TIP	3	POLFS	66	STAMPSInCW	669
TIP	3	TIP	3	ESFSOutDB	722
TIP	3	TIP	3	ESFSOutCW	725
TIP	3	TIP	3	ESFSOutDW	723
TIP	3	POLFS	66	STAMPSInDB	666
TIP	3	TIP	3	ESFSOutCB	724
TIP	3	POLFS	66	STAMPSInCB	668
TIP	3	POLFS	66	RDSOutDB	670
AUDIT	4	AUDIT	4	HxLog2	806
AUDIT	4	AUDIT	4	LogW	41
AUDIT	4	AUDIT	4	LogB	39
AUDIT	4	AUDIT	4	HxLog1	804
EDG	5	EDG	58	HxDataOut1	852
EDG	5	EDG	58	DataIn1B	591
EDG	5	EDG	58	EDG4InCW	737
EDG	5	EDG	58	CtrlIn1B	592
EDG	5	EDG	58	CtrlOut2B	588
EDG	5	EDG	58	DataIn2B	593
EDG	5	EDG	58	DataInECTOB	595
EDG	5	EDG	58	CtrlIn2B	594

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

EDG	5	EDG	58	CtrlOut1B	586
EDG	5	EDG	58	CtrlOutECTOB	590
EDG	5	EDG	58	EDG3InCB	732
EDG	5	EDG	58	EDG5InDB	752
EDG	5	EDG	58	REMLInCB	740
EDG	5	EDG	58	REMLInDB	738
EDG	5	EDG	58	EDG4InCB	736
EDG	5	EDG	58	DataOutECTOB	589
EDG	5	EDG	58	CtrlOut1W	598
EDG	5	EDG	58	CtrlOut6B	742
EDG	5	EDG	58	EDG4InDW	735
EDG	5	EDG	58	REMLInDW	739
EDG	5	EDG	58	HxEDG6InD	875
EDG	5	EDG	58	EDG3InCW	733
EDG	5	EDG	58	APULInCB	754
EDG	5	EDG	58	DataOut2B	587
EDG	5	EDG	58	DataIn2W	605
EDG	5	EDG	58	DataIn1W	603
EDG	5	EDG	58	DataOutECTOW	601
EDG	5	EDG	58	DataOut2W	599
EDG	5	EDG	58	CtrlIn2W	606
EDG	5	EDG	58	DataOut1W	597
EDG	5	EDG	58	HxCtrlOut1	853
EDG	5	EDG	58	CtrlIn1W	604
EDG	5	EDG	58	DataInECTOW	607
EDG	5	EDG	58	HxCtrlIn1	859
EDG	5	EDG	58	HxDataIn1	858
EDG	5	EDG	58	HxCtrlOutECTO	857
EDG	5	EDG	58	HxDataOutECTO	856
EDG	5	EDG	58	HxCtrlOut2	855
EDG	5	EDG	58	HxDataOut2	854
EDG	5	EDG	58	CtrlInECTOB	596
EDG	5	EDG	58	HxEDG3InD	866
EDG	5	EDG	58	DataOut6B	744
EDG	5	EDG	58	CtrlOut2W	600
EDG	5	EDG	58	HxEDG6InC	874
EDG	5	EDG	58	HxCtrlIn2	861
EDG	5	EDG	58	HxAPULInC	878
EDG	5	EDG	58	HxEDG5InD	877
EDG	5	EDG	58	HxEDG5InC	876
EDG	5	EDG	58	HxREMLInC	871
EDG	5	EDG	58	DataOut6W	745
EDG	5	EDG	58	HxEDG3InC	867
EDG	5	EDG	58	HxEDG4InD	868
EDG	5	EDG	58	HxEDG3OutC	865



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



EDG	5	EDG	58	HxEDG3OutD	864
EDG	5	EDG	58	HxDataInECTO	862
EDG	5	EDG	58	DataOut1B	585
EDG	5	EDG	58	HxCtrlOut6	872
EDG	5	EDG	58	CtrlOutECTOW	602
EDG	5	EDG	58	HxCtrlInECTO	863
EDG	5	EDG	58	APULInDB	756
EDG	5	EDG	58	CtrlOut6W	743
EDG	5	EDG	58	HxEDG4InC	869
EDG	5	EDG	58	EDG3InDB	730
EDG	5	EDG	58	HxREMLInD	870
EDG	5	EDG	58	EDG3OutDW	727
EDG	5	EDG	58	EDG6InCB	746
EDG	5	EDG	58	EDG3OutCB	728
EDG	5	EDG	58	EDG3OutCW	729
EDG	5	EDG	58	EDG4InDB	734
EDG	5	EDG	58	EDG5InCB	750
EDG	5	EDG	58	HxAPULInD	879
EDG	5	EDG	58	APULInCW	755
EDG	5	EDG	58	EDG3OutDB	726
EDG	5	EDG	58	EDG5InDW	753
EDG	5	EDG	58	HxDataIn2	860
EDG	5	EDG	58	EDG3InDW	731
EDG	5	EDG	58	EDG5InCW	751
EDG	5	EDG	58	REMLInCW	741
EDG	5	EDG	58	CtrlInECTOW	608
EDG	5	EDG	58	APULInDW	757
EDG	5	EDG	58	EDG6InDW	749
EDG	5	EDG	58	EDG6InDB	748
EDG	5	EDG	58	EDG6InCW	747
EDG	5	EDG	58	HxDataOut6	873
BRDB	6	BRDB	69	AUD	805
BRDB	6	BRDB	69	TCT	966
BRDB	6	BRDB	69	HOST	962
BRDB	6	BRDB	69	SUPP	786
TMSB	7	TMS	8	Cluster4W	62
TMSB	7	TMS	8	Cluster2B	56
TMSB	7	TMS	8	Cluster4B	58
TMSB	7	TMS	8	Cluster2W	60
TMSA	8	TMS	8	Cluster1W	59
TMSA	8	TMS	8	Cluster1B	55
TMSA	8	TMS	8	Cluster3B	57
TMSA	8	TMS	8	Cluster3W	61
TIVOLI	9	EVENTS	51	Bootle	395
TIVOLI	9	SUPCON	60	Log1B	617



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



TIVOLI	9	SUPCON	60	Log1W	618
TIVOLI	9	SUPCON	60	CON3	942
TIVOLI	9	EVENTS	51	EDS1	940
TIVOLI	9	SUPCON	60	CON1	884
TIVOLI	9	EVENTS	51	Wigan	396
TIVOLI	9	SUP	55	Log2B	510
TIVOLI	9	SUPCON	60	CON1BR	885
TIVOLI	9	SUPCON	60	CON4	943
TIVOLI	9	SUPCON	60	Log2B	663
TIVOLI	9	SUPCON	60	CON2	941
TIVOLI	9	SUPCON	60	CON5	944
TIVOLI	9	SUP	55	Log1W	511
TIVOLI	9	SUP	55	Log1B	509
TIVOLI	9	SUP	55	Log2W	512
TIVOLI	9	SUPCON	60	CON6	945
TIVOLI	9	SUP	55	Log3W	665
TIVOLI	9	SUP	55	Log3B	664
TIVOLI	9	SUPFIL	56	FTPAuditW	544
TIVOLI	9	SUPFIL	56	FTPAuditB	543
MAES	10	MAES7	47	BackupWB	625
MAES	10	MAES7	47	EST1	926
MAES	10	MAES7	47	BSL1	918
MAES	10	MAES7	47	BSL2	919
MAES	10	MAES7	47	SAPPProdIXO	933
MAES	10	MAES7	47	BSS2	921
MAES	10	MAES7	47	TESQAW	662
MAES	10	MAES7	47	BSW1	922
MAES	10	MAES7	47	BSW2	923
MAES	10	MAES7	47	BSS1	920
MAES	10	MAES7	47	COR11B	402
MAES	10	MAES7	47	AGE7W	433
MAES	10	MAES7	47	BackupWW	626
MAES	10	MAES7	47	FTMS1B	410
MAES	10	MAES7	47	COR1B	398
MAES	10	MAES7	47	AGE6B	409
MAES	10	MAES7	47	BSM1	961
MAES	10	MAES7	47	COR4B	401
MAES	10	MAES7	47	AGE8W	434
MAES	10	MAES7	47	COR12B	403
MAES	10	MAES7	47	COR13B	404
MAES	10	MAES7	47	COR14B	405
MAES	10	MAES7	47	AGE1B	406
MAES	10	MAES7	47	AGE2B	407
MAES	10	MAES7	47	NAC3	928
MAES	10	MAES7	47	COR3B	400

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

MAES	10	MAES7	47	NPS2	829
MAES	10	MAES7	47	MSH1	958
MAES	10	MAES7	47	EDS1	959
MAES	10	MAES7	47	ERP1	960
MAES	10	MAES7	47	NPS1	828
MAES	10	MAES7	47	CDG1	827
MAES	10	MAES7	47	BDB2	914
MAES	10	MAES7	47	BDB1	913
MAES	10	MAES7	47	ARC2	912
MAES	10	MAES7	47	PLG1	821
MAES	10	MAES7	47	FLG1	822
MAES	10	MAES7	47	ARC1	823
MAES	10	MAES7	47	BDB4	916
MAES	10	MAES7	47	BDB3	915
MAES	10	MAES7	47	BRS1	917
MAES	10	MAES7	47	DEA2	925
MAES	10	MAES7	47	TWS1	830
MAES	10	MAES7	47	NAA1	831
MAES	10	MAES7	47	NAC1	832
MAES	10	MAES7	47	NAC2	833
MAES	10	MAES7	47	NAL1	834
MAES	10	MAES7	47	SSC1	824
MAES	10	MAES7	47	DEA1	924
MAES	10	MAES7	47	SAPPProdXID	932
MAES	10	MAES7	47	SAPPProdR3D	931
MAES	10	MAES7	47	NAC4	929
MAES	10	MAES7	47	NAA2	927
MAES	10	MAES7	47	NAL2	930
MAES	10	MAES7	47	DCM1	825
MAES	10	MAES7	47	NBXAL1W	721
MAES	10	MAES7	47	NBXAC2B	717
MAES	10	MAES7	47	OCMS1W	446
MAES	10	MAES7	47	DCSM1B	481
MAES	10	MAES7	47	DCA3W	479
MAES	10	MAES7	47	CDGB	647
MAES	10	MAES7	47	DCA1W	477
MAES	10	MAES7	47	NBXAA1B	714
MAES	10	MAES7	47	SSC1W	444
MAES	10	MAES7	47	NBXAC1B	716
MAES	10	MAES7	47	DCA4W	480
MAES	10	MAES7	47	NBXAC1W	718
MAES	10	MAES7	47	COR3W	425
MAES	10	MAES7	47	NBXAL1B	720
MAES	10	MAES7	47	DCA3B	475
MAES	10	MAES7	47	DCA4B	476

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

MAES	10	MAES7	47	DCA2B	474
MAES	10	MAES7	47	DCSM1W	482
MAES	10	MAES7	47	KMS1W	443
MAES	10	MAES7	47	FTMS1W	435
MAES	10	MAES7	47	FTMS2W	436
MAES	10	MAES7	47	FTMS5W	439
MAES	10	MAES7	47	AUD1W	441
MAES	10	MAES7	47	DCA2W	478
MAES	10	MAES7	47	FTA1W	442
MAES	10	MAES7	47	ACDB1W	445
MAES	10	MAES7	47	KMS1B	418
MAES	10	MAES7	47	NBXAC2W	719
MAES	10	MAES7	47	ACDB1B	420
MAES	10	MAES7	47	DCA1B	473
MAES	10	MAES7	47	NPS1W	651
MAES	10	MAES7	47	NPS2W	652
MAES	10	MAES7	47	TESQAB	661
MAES	10	MAES7	47	COR2B	399
MAES	10	MAES7	47	BACKUPW	546
MAES	10	MAES7	47	FTA1B	417
MAES	10	MAES7	47	AUD1B	416
MAES	10	MAES7	47	FTMS5B	414
MAES	10	MAES7	47	NPS2B	650
MAES	10	MAES7	47	FTMS2B	411
MAES	10	MAES7	47	AGE4W	432
MAES	10	MAES7	47	SSC1B	419
MAES	10	MAES7	47	BACKUPB	545
MAES	10	MAES7	47	AGE3W	431
MAES	10	MAES7	47	COR14W	430
MAES	10	MAES7	47	NBXAA1W	715
MAES	10	MAES7	47	COR13W	429
MAES	10	MAES7	47	CDGW	648
MAES	10	MAES7	47	COR11W	427
MAES	10	MAES7	47	NPS1B	649
MAES	10	MAES7	47	COR4W	426
MAES	10	MAES7	47	AGE5B	408
MAES	10	MAES7	47	COR2W	424
MAES	10	MAES7	47	COR1W	423
MAES	10	MAES7	47	OCMS1B	421
MAES	10	MAES7	47	COR12W	428
DCSA	11	DCS	53	DataPOLCtrlB	505
DCSA	11	DCS	53	DataPOLCtrlW	506
DCSA	11	DCS	53	DataPOLB	503
DCSA	11	DCS	53	HxDataPOL	841
DCSA	11	DCS	53	HxDataPOLCtrl	842



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DCSA	11	DCS	53	DataPOLW	504
BANKING	12	BANREC	49	CtrlOutW	454
BANKING	12	NBXREP	62	DataOutNBXRB	643
BANKING	12	NBXREP	62	HxDataONBXR	887
BANKING	12	NBXREP	62	CtrlOutNBXRB	644
BANKING	12	NBXREP	62	DataOutNBXRW	645
BANKING	12	NBXREP	62	HxCtrlONBXR	888
BANKING	12	NBXREP	62	CtrlOutNBXRW	646
BANKING	12	NBXREC	63	ReclogsW	654
BANKING	12	BANREC	49	DataOutW	453
BANKING	12	BANREC	49	HxCtrlOut	836
BANKING	12	BANREC	49	DataOutB	451
BANKING	12	BANREC	49	HxDataOut	835
BANKING	12	NBXREC	63	ReclogsB	653
BANKING	12	NBXREC	63	HxReclogs	889
BANKING	12	BANREC	49	CtrlOutB	452
DCSM	13	DCS	53	PaylogW	494
DCSM	13	DCS	53	MIDTIDSolveW	502
DCSM	13	DCSDB	54	DBAB	507
DCSM	13	DCSDB	54	DBAW	508
DCSM	13	DCS	53	EMISlogW	496
DCSM	13	DCS	53	EMISlogB	495
DCSM	13	DCS	53	PaylogB	493
DCSM	13	DCS	53	ETDTFLogB	534
DCSM	13	DCS	53	PaymentB	491
DCSM	13	DCS	53	ETDTFDataFB	547
DCSM	13	DCS	53	ETDTFLogW	536
DCSM	13	DCS	53	MIDTIDSolveB	501
DCSM	13	DCS	53	ETDTFDataB	533
DCSM	13	DCS	53	HxETDTFDataF	850
DCSM	13	DCS	53	MIDTIDManB	499
DCSM	13	DCS	53	PaymentW	492
DCSM	13	DCS	53	ETDTFDataFW	548
DCSM	13	DCS	53	HxETDTFData	848
DCSM	13	DCS	53	HxMIDTIDSolve	847
DCSM	13	DCS	53	ETDTFDataW	535
DCSM	13	DCS	53	HxETDTFLog	849
DCSM	13	DCS	53	HxPayment	843
DCSM	13	DCSDB	54	HxDBA	851
DCSM	13	DCS	53	MIDTIDManW	500
DCSM	13	DCS	53	HxMIDTIDMan	846
DCSM	13	DCS	53	HxPaylog	844
DCSM	13	DCS	53	HxEMISlog	845
DUMMY	14	MAES	10	COR1B	66
DUMMY	14	MAES7	47	FTMS4B	413

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

DUMMY	14	MAES7	47	FTMS3B	412
DUMMY	14	MAES	10	COR3B	68
DUMMY	14	MAES	10	COR2B	67
DUMMY	14	MAES7	47	FTMS6B	415
DUMMY	14	MAES	10	COR4B	69
DUMMY	14	TIVOLI	9	Wigan	64
DUMMY	14	HHD	2	BTInW	27
DUMMY	14	HAPS	5	CtrInB	46
DUMMY	14	OBCS	7	HostB	53
DUMMY	14	MAES	10	HostB	65
DUMMY	14	MAES	10	AGE1B	70
DUMMY	14	MAES	10	AGE2B	71
DUMMY	14	HHD	2	BCtrlInW	28
DUMMY	14	HHD	2	BCtrlInB	22
DUMMY	14	HHD	2	MitellInW	29
DUMMY	14	MAES	10	AGE5B	72
DUMMY	14	MAES7	47	FTMS6W	440
DUMMY	14	MAES7	47	NBA2B	458
DUMMY	14	MAES7	47	FTMS4W	438
DUMMY	14	MAES7	47	FTMS3W	437
DUMMY	14	HHD	2	SCtrlInW	26
DUMMY	14	HHD	2	SorbusInW	25
DUMMY	14	NBE	48	DataInB	447
DUMMY	14	NBE	48	CtrInB	448
DUMMY	14	HHD	2	MCtrlInW	30
DUMMY	14	BGTSPM	19	CDataInB	189
DUMMY	14	LFSDDB	17	HostW	176
DUMMY	14	BGTSPM	19	TDataOutB	179
DUMMY	14	NBE	48	DataInW	449
DUMMY	14	MAES	10	AGE10B	75
DUMMY	14	BGTSPM	19	TCtrlOutB	180
DUMMY	14	BGTSPM	19	CCtrlOutW	192
DUMMY	14	BGTSPM	19	TCtrlInB	182
DUMMY	14	MAES	10	KMS1B	163
DUMMY	14	BGTSPM	19	TCtrlOutW	184
DUMMY	14	BGTSPM	19	TDataInW	185
DUMMY	14	BGTSPM	19	TCtrlInW	186
DUMMY	14	MAES7	47	NBA4B	460
DUMMY	14	BGTSPM	19	CCtrlOutB	188
DUMMY	14	MAES7	47	HostW	422
DUMMY	14	BGTSPM	19	TDataInB	181
DUMMY	14	TIVOLI	9	Bootle	63
DUMMY	14	TALXEE	41	CDataOutW	359
DUMMY	14	DRSDB	50	HostB	455
DUMMY	14	DRSDB	50	HostW	456



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DUMMY	14	MAES7	47	NBA1B	457
DUMMY	14	MAES7	47	NBA3B	459
DUMMY	14	HAPS	5	CtrlOutW	48
DUMMY	14	HAPS	5	DataInW	49
DUMMY	14	HAPS	5	CtrlInW	50
DUMMY	14	ESNS	6	DataB	51
DUMMY	14	BGTSPM	19	CDataOutB	187
DUMMY	14	MAES	10	FTMS2B	78
DUMMY	14	MAES	10	COR2W	86
DUMMY	14	MAES	10	COR13B	381
DUMMY	14	MAES	10	COR12B	380
DUMMY	14	MAES	10	COR11B	379
DUMMY	14	TMS	8	Cluster8B	374
DUMMY	14	TMS	8	Cluster7B	373
DUMMY	14	TMS	8	Cluster6B	372
DUMMY	14	TMS	8	Cluster5B	371
DUMMY	14	TALXEE	41	CCtrlInW	362
DUMMY	14	TALXEE	41	CDataInW	361
DUMMY	14	TALXEE	41	CCtrlOutW	360
DUMMY	14	MAES	10	COR4W	88
DUMMY	14	MAES	10	ECCO1B	82
DUMMY	14	MAES	10	COR13W	385
DUMMY	14	MAES	10	FTMS3B	79
DUMMY	14	MAES	10	HostW	84
DUMMY	14	MAES	10	FTMS4B	80
DUMMY	14	MAES	10	AUD1B	81
DUMMY	14	MAES	10	AGE13B	76
DUMMY	14	MAES	10	AGE14B	77
DUMMY	14	MAES	10	AGE9B	74
DUMMY	14	MAES	10	FTA1B	83
DUMMY	14	MAES	10	COR1W	85
DUMMY	14	TALXEE	41	TCtrlInW	358
DUMMY	14	LFSDDB	17	HostB	175
DUMMY	14	MAES	10	COR12W	384
DUMMY	14	OBCS	7	HostW	54
DUMMY	14	MAES	10	FTMS2W	97
DUMMY	14	HHD	2	MitellInB	23
DUMMY	14	HAPS	5	DataOutW	47
DUMMY	14	HHD	2	BTInB	21
DUMMY	14	HHD	2	SCtrlInB	20
DUMMY	14	HHD	2	SorbusInB	19
DUMMY	14	RDMC	1	RefDataW	18
DUMMY	14	RDMC	1	RefDataB	9
DUMMY	14	AUDIT	4	NonPolledB	40
DUMMY	14	AUDIT	4	NonPolledW	42



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DUMMY	14	HAPS	5	DataOutB	43
DUMMY	14	MAES	10	COR11W	383
DUMMY	14	HAPS	5	DataInB	45
DUMMY	14	MAES	10	AGE6B	73
DUMMY	14	HHD	2	MCtrlInB	24
DUMMY	14	MAES	10	COR14B	382
DUMMY	14	MAES	10	COR3W	87
DUMMY	14	ESNS	6	DataW	52
DUMMY	14	MAES	10	AGE3W	89
DUMMY	14	MAES	10	AGE4W	90
DUMMY	14	MAES	10	AGE7W	91
DUMMY	14	MAES	10	AGE8W	92
DUMMY	14	MAES	10	AGE11W	93
DUMMY	14	MAES7	47	HostB	397
DUMMY	14	MAES	10	COR14W	386
DUMMY	14	NBE	48	CtrlInW	450
DUMMY	14	HAPS	5	CtrlOutB	44
DUMMY	14	RODB	13	CeleCtrlOutB	112
DUMMY	14	TALXEE	41	TCtrlOutB	348
DUMMY	14	MAES	10	WCOR4	272
DUMMY	14	MAES	10	WCOR2	270
DUMMY	14	MAES	10	WCOR1	269
DUMMY	14	APR	12	ReconB	109
DUMMY	14	MAES	10	ACDB1W	285
DUMMY	14	MAES	10	FTMS5W	252
DUMMY	14	MAES	10	FTMS5B	251
DUMMY	14	RODB	13	CelesticaOutB	111
DUMMY	14	TALXEE	41	TCtrlInB	350
DUMMY	14	RODB	13	CelesticaInB	113
DUMMY	14	MAES7	47	NBA1W	461
DUMMY	14	RODB	13	EnergisOutB	115
DUMMY	14	APR	12	ReconW	110
DUMMY	14	SWALEC	33	CtrlOutW	306
DUMMY	14	RODB	13	EnergisInB	117
DUMMY	14	TVLL&T	37	CtrlOutW	326
DUMMY	14	MAES	10	OCMS1W	286
DUMMY	14	MAES	10	FTMS3W	98
DUMMY	14	TALXEE	41	TDataInW	357
DUMMY	14	TALXEE	41	TCtrlOutW	356
DUMMY	14	TALXEE	41	TDataOutW	355
DUMMY	14	TALXEE	41	CCtrlInB	354
DUMMY	14	TALXEE	41	CDataInB	353
DUMMY	14	TALXEE	41	CCtrlOutB	352
DUMMY	14	TALXEE	41	CDataOutB	351
DUMMY	14	ESNS	6	StevStopB	333



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DUMMY	14	TALXEE	41	TDataInB	349
DUMMY	14	TVLL&T	37	DataOutB	323
DUMMY	14	TALXEE	41	TDataOutB	347
DUMMY	14	RDMCDB	40	RDDSAUDW	346
DUMMY	14	RDMCDB	40	RDMCAUDW	345
DUMMY	14	MAES	10	AGE12W	94
DUMMY	14	HANTS	22	CtrlOutW	230
DUMMY	14	MAES	10	AGE16W	96
DUMMY	14	ESNS	6	ManStopB	331
DUMMY	14	MAES	10	FTMS4W	99
DUMMY	14	MAES7	47	NBA2W	462
DUMMY	14	DCS	53	TranOut4W	490
DUMMY	14	DCS	53	TranOut2W	488
DUMMY	14	DCS	53	TranOut1W	487
DUMMY	14	DCS	53	TranOut4B	486
DUMMY	14	DCS	53	TranOut3B	485
DUMMY	14	DCS	53	TranOut1B	483
DUMMY	14	DRSDB	50	LiabilityB	497
DUMMY	14	TVLL&T	37	DataOutW	325
DUMMY	14	DCS	53	TranOut2B	484
DUMMY	14	ESNS	6	SolDataW	554
DUMMY	14	CAPO	52	DataOutDRB	467
DUMMY	14	CAPO	52	DataOutDRW	471
DUMMY	14	CAPO	52	CtrlOutDRW	472
DUMMY	14	CAPO	52	CtrlOutDRB	468
DUMMY	14	MAES7	47	NBA3W	463
DUMMY	14	MAES	10	FTMS1W	166
DUMMY	14	RODB	13	CeleCtrlInB	114
DUMMY	14	MAES7	47	NBA4W	464
DUMMY	14	AON	32	CtrlOutW	302
DUMMY	14	MAES	10	ACDB1B	283
DUMMY	14	DVLNI	35	CtrlOutW	314
DUMMY	14	DVLNI	35	DataOutW	313
DUMMY	14	MAES	10	OCMS1B	284
DUMMY	14	DVLNI	35	DataOutB	311
DUMMY	14	ESNS	6	ManCtrlB	332
DUMMY	14	SWALEC	33	DataOutW	305
DUMMY	14	DRSDB	50	LiabilityW	498
DUMMY	14	SWALEC	33	DataOutB	303
DUMMY	14	OBCS	7	SolHostW	560
DUMMY	14	AON	32	DataOutW	301
DUMMY	14	AON	32	CtrlOutB	300
DUMMY	14	AON	32	DataOutB	299
DUMMY	14	DVLNI	35	CtrlOutB	312
DUMMY	14	DCS	53	TranOut3W	489



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DUMMY	14	ESNS	6	SolDataB	553
DUMMY	14	OBCS	7	SolHostB	559
DUMMY	14	TVLL&T	37	CtrlOutB	324
DUMMY	14	SWALEC	33	CtrlOutB	304
DUMMY	14	MAES	10	KMS1W	164
DUMMY	14	RODB	13	WTPLCInB	133
DUMMY	14	MAES	10	SSC1B	217
DUMMY	14	RODB	13	PeritasOutB	127
DUMMY	14	RODB	13	POCLCtrlInB	138
DUMMY	14	RODB	13	POCLInB	137
DUMMY	14	RODB	13	POCLCtrlOutB	136
DUMMY	14	RODB	13	ExelCtrlInB	122
DUMMY	14	BGTSPM	19	CDataInW	193
DUMMY	14	RODB	13	PRCCTrlOutB	124
DUMMY	14	ECCO	11	MigratedW	106
DUMMY	14	RODB	13	PRCCTrlInB	126
DUMMY	14	RODB	13	TivoliOutB	141
DUMMY	14	RODB	13	PeriCtrlOutB	128
DUMMY	14	RODB	13	PeritasInB	129
DUMMY	14	RODB	13	POCLOutB	135
DUMMY	14	RODB	13	PeriCtrlInB	130
DUMMY	14	RODB	13	WTPLCOutB	131
DUMMY	14	RODB	13	WTCTrlOutB	132
DUMMY	14	RODB	13	PRCOutB	123
DUMMY	14	HANTS	22	DataOutB	227
DUMMY	14	MAES	10	FTMS1B	165
DUMMY	14	MAES	10	AGE15W	95
DUMMY	14	BGTSPM	19	TDataOutW	183
DUMMY	14	APR	12	Recon4B	215
DUMMY	14	RODB	13	ExelOutB	119
DUMMY	14	RODB	13	ExelCtrlOutB	120
DUMMY	14	RODB	13	ExelInB	121
DUMMY	14	HAPS	5	CCtrlInW	162
DUMMY	14	HANTS	22	CtrlOutB	228
DUMMY	14	BGTSPM	19	CCtrlInW	194
DUMMY	14	MAES	10	SSC1W	218
DUMMY	14	BGTSPM	19	CCtrlInB	190
DUMMY	14	APR	12	Recon4W	216
DUMMY	14	BGTSPM	19	CDataOutW	191
DUMMY	14	HAPS	5	CCtrlOutW	214
DUMMY	14	HAPS	5	CDataOutW	213
DUMMY	14	MAES	10	WCOR3	271
DUMMY	14	HAPS	5	CDataOutB	211
DUMMY	14	HANTS	22	DataOutW	229
DUMMY	14	RODB	13	WTCTrlInB	134



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DUMMY	14	RODB	13	EnerCtrlOutB	116
DUMMY	14	RDMCDB	40	RDMCAUDB	343
DUMMY	14	MAES	10	ECCO1W	101
DUMMY	14	MAES	10	FTA1W	102
DUMMY	14	ECCO	11	MigratedB	103
DUMMY	14	ECCO	11	FailedB	104
DUMMY	14	ECCO	11	MessagesB	105
DUMMY	14	RODB	13	TivCtrlOutB	142
DUMMY	14	RDMCDB	40	RDDSAUDB	344
DUMMY	14	HAPS	5	TCtrlInB	154
DUMMY	14	ESNS	6	StevCtrlW	338
DUMMY	14	ESNS	6	StevStopW	337
DUMMY	14	ESNS	6	ManCtrlW	336
DUMMY	14	ESNS	6	ManStopW	335
DUMMY	14	ECCO	11	FailedW	107
DUMMY	14	RODB	13	PRCInB	125
DUMMY	14	HAPS	5	C CtrlOutB	212
DUMMY	14	RODB	13	EnerCtrlInB	118
DUMMY	14	HAPS	5	CDataInB	155
DUMMY	14	HAPS	5	T CtrlOutB	152
DUMMY	14	HAPS	5	CDataInW	161
DUMMY	14	HAPS	5	T CtrlInW	160
DUMMY	14	HAPS	5	TDataInW	159
DUMMY	14	HAPS	5	T CtrlOutW	158
DUMMY	14	MAES	10	AUD1W	100
DUMMY	14	HAPS	5	C CtrlInB	156
DUMMY	14	OCMS	15	UKSSOutB	147
DUMMY	14	RODB	13	CFMOutB	139
DUMMY	14	OCMS	15	UKSSCtrlOutB	148
DUMMY	14	RODB	13	CFMCtrlOutB	140
DUMMY	14	HAPS	5	TDataOutB	151
DUMMY	14	OCMS	15	UKSSCtrlInB	150
DUMMY	14	OCMS	15	UKSSInB	149
DUMMY	14	ESNS	6	StevCtrlB	334
DUMMY	14	ECCO	11	MessagesW	108
DUMMY	14	HAPS	5	TDataInB	153
DUMMY	14	HAPS	5	TDataOutW	157
ACDB	15	ACDB	14	DBAB	143
ACDB	15	ACDB	14	DBAW	144
ACDB	15	ACDB	14	ESTAudit	947
OCMS	16	OCMSDB	29	DBAW	282
OCMS	16	OCMS	15	UKSSOutW	197
OCMS	16	OCMS	15	UKSSCtrlInW	202
OCMS	16	OCMS	15	UKSSCtrlOutW	198
OCMS	16	OCMSDB	29	DBAB	281



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



OCMS	16	OCMS	15	TivoliB	145
OCMS	16	OCMS	15	TivoliW	146
OCMS	16	OCMS	15	UKSSInW	201
LFS	17	LFS	16	CtrlInW	174
LFS	17	LFS	16	HxCtrlI	813
LFS	17	LFS	16	CtrlOutW	172
LFS	17	LFS	16	DataOutW	171
LFS	17	LFS	16	CtrlInB	170
LFS	17	LFS	16	HxDataOut	810
LFS	17	LFS	16	CtrlOutB	168
LFS	17	LFS	16	DataOutB	167
LFS	17	LFS	16	HxDatIn	812
LFS	17	LFS	16	DataInB	169
LFS	17	LFS	16	DataInW	173
LFS	17	LFS	16	HxCtrlOut	811
SOLDB	18	NBXREC	63	HxRecfile	890
SOLDB	18	AUDIT	4	HxSolNonPoll	807
SOLDB	18	TESDB	65	HxHost	892
SOLDB	18	RDMCDB	40	SolRDDS AUDW	564
SOLDB	18	RDMCDB	40	SolRDDS AUDB	563
SOLDB	18	RDMCDB	40	SolRDMCAUDB	561
SOLDB	18	LFSDb	17	SolHostB	555
SOLDB	18	LFSDb	17	SolHostW	556
SOLDB	18	AUDIT	4	SolNonPolledB	551
SOLDB	18	LFSDb	17	HxSolHost	815
SOLDB	18	RDMCDB	40	SolRDMCAUDW	562
SOLDB	18	DRSDB	50	HxSolLiabilit	840
SOLDB	18	DRSDB	50	HxSolHost	839
SOLDB	18	MAES7	47	DAT	826
SOLDB	18	APR	12	SolRecon4W	558
SOLDB	18	RDMCDB	40	HxSolRDDS AU	819
SOLDB	18	DRSDB	50	SolHostW	538
SOLDB	18	APOPDB	68	HxAPOPAud	816
SOLDB	18	TPS	67	POLMIB	963
SOLDB	18	AUDIT	4	SolNonPolledW	552
SOLDB	18	SAP	61	SAPInB	619
SOLDB	18	RDMCDB	40	HxSolRDMCAU	818
SOLDB	18	APOPDB	68	APOP ArcB	760
SOLDB	18	SAP	61	HxSAPIn	886
SOLDB	18	DRSDB	50	SolLiabilityW	540
SOLDB	18	MAES7	47	SolHostB	541
SOLDB	18	RDMC	1	HxSolRefDat	797
SOLDB	18	TESDB	65	HostW	660
SOLDB	18	TESDB	65	HostB	659
SOLDB	18	DRSDB	50	SolHostB	537



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



SOLDB	18	DRSDB	50	SolLiabilityB	539
SOLDB	18	APOPDB	68	APOPAudB	758
SOLDB	18	APR	12	HxSolRec4	809
SOLDB	18	MAES7	47	SolHostW	542
SOLDB	18	NBXREC	63	RecfilesW	656
SOLDB	18	NBXREC	63	RecfilesB	655
SOLDB	18	APOPDB	68	APOPAudW	759
SOLDB	18	APR	12	SolRecon4B	557
SOLDB	18	APOPDB	68	HxAPOPArC	814
SOLDB	18	TPS	67	HxPOLMI	965
SOLDB	18	TPS	67	POLMIW	964
SOLDB	18	APOPDB	68	APOPArCW	761
SOLDB	18	SAP	61	SAPInW	620
SOLDB	18	RDMC	1	SolRefDataW	550
SOLDB	18	RDMC	1	SolRefDataB	549
KMS	19	KMS	18	DBAW	178
KMS	19	KMS	18	DBAB	177
KMS	19	KMN	70	KMN2	957
KMS	19	KMN	70	KMN1	956
APC	20	DVLA	42	CtrlOutB	364
APC	20	BT	36	CtrlOutW	320
APC	20	STLIFE	34	CtrlOutW	310
APC	20	DVLA	42	DataOutB	363
APC	20	GIRO	24	CTOOutW	515
APC	20	PRUDTL	57	DataOutB	581
APC	20	GIRO	24	CTOCtrlOutB	514
APC	20	STLIFE	34	CtrlOutB	308
APC	20	GIRO	24	CTOOutB	513
APC	20	BT	36	DataOutB	315
APC	20	BT	36	CtrlOutB	316
APC	20	BT	36	DataInB	317
APC	20	BT	36	DataOutW	319
APC	20	CCM	39	DataOutB	339
APC	20	GIRO	24	CTOCtrlOutRW	765
APC	20	BT	36	CtrlInB	318
APC	20	CAPO	52	CtrlOutPB	466
APC	20	GIRO	24	CTOCtrlOutRB	763
APC	20	GIRO	24	CTOOutRW	764
APC	20	FIRATE	46	CtrlOutW	394
APC	20	MKW	21	CtrlOutB	220
APC	20	BT	36	DataInW	321
APC	20	CQO	20	CCtrlOutB	204
APC	20	PONACP	38	CtrlOutB	328
APC	20	CCM	39	CtrlOutB	340
APC	20	PONACP	38	DataOutW	329

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

APC	20	PONACP	38	DataOutB	327
APC	20	PONACP	38	CtrlOutW	330
APC	20	CAPO	52	DataOutPB	465
APC	20	CCM	39	CtrlOutW	342
APC	20	CCM	39	DataOutW	341
APC	20	GIRO	24	CTOCtrlOutW	516
APC	20	QUAN	43	CtrlOutW	370
APC	20	FIRATE	46	CtrlOutB	392
APC	20	FIRATE	46	DataOutB	391
APC	20	ESP	44	DataOutB	375
APC	20	DVLA	42	CtrlOutW	366
APC	20	QUAN	43	DataOutB	367
APC	20	QUAN	43	CtrlOutB	368
APC	20	WELSHW	30	CtrlInW	294
APC	20	PRUDTL	57	CtrlOutW	584
APC	20	NIELEC	31	DataOutB	295
APC	20	DVLA	42	DataOutW	365
APC	20	ESP	44	CtrlOutB	376
APC	20	ESP	44	DataOutW	377
APC	20	ESP	44	CtrlOutW	378
APC	20	STLIFE	34	DataOutB	307
APC	20	WELSHW	30	CtrlOutW	292
APC	20	QUAN	43	DataOutW	369
APC	20	NIELEC	31	CtrlOutW	298
APC	20	CAPO	52	CtrlOutPW	470
APC	20	CAPO	52	DataOutPW	469
APC	20	STLIFE	34	DataOutW	309
APC	20	FIRATE	46	DataOutW	393
APC	20	NATSAV	45	DataOutB	387
APC	20	NATSAV	45	CtrlOutB	388
APC	20	WELSHW	30	DataInW	293
APC	20	NATSAV	45	CtrlOutW	390
APC	20	BT	36	CtrlInW	322
APC	20	PRUDTL	57	DataOutW	583
APC	20	GIRO	24	CTOOutRB	762
APC	20	PRUDTL	57	CtrlOutB	582
APC	20	CQO	20	CCtrlOutW	208
APC	20	NIELEC	31	DataOutW	297
APC	20	NIELEC	31	CtrlOutB	296
APC	20	NATSAV	45	DataOutW	389
APC	20	YORKEL	25	DataOutW	241
APC	20	OXFSS	27	CtrlOutB	274
APC	20	OXFSS	27	DataOutB	273
APC	20	KNOWBC	26	CtrlOutW	246
APC	20	YORKEL	25	CtrlOutB	240



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



APC	20	KNOWBC	26	DataOutW	245
APC	20	WELSHW	30	DataInB	289
APC	20	KNOWBC	26	DataOutB	243
APC	20	SCOSOU	28	DataOutB	277
APC	20	CQO	20	CCtrlInB	206
APC	20	GIRO	24	CtrlOutW	238
APC	20	CQO	20	TDataOutB	195
APC	20	SCOSOU	28	CtrlOutW	280
APC	20	WELSHW	30	DataOutB	287
APC	20	WELSHW	30	CtrlOutB	288
APC	20	GIRO	24	DataOutB	235
APC	20	MKW	21	CtrlInB	222
APC	20	SOCC	23	DataOutB	231
APC	20	MKW	21	CtrlInW	226
APC	20	MKW	21	DataInW	225
APC	20	WELSHW	30	CtrlInB	290
APC	20	YORKEL	25	CtrlOutW	242
APC	20	MKW	21	DataOutW	223
APC	20	OXFSS	27	DataOutW	275
APC	20	SOCC	23	CtrlOutW	234
APC	20	OXFSS	27	CtrlOutW	276
APC	20	MKW	21	CtrlOutW	224
APC	20	KNOWBC	26	CtrlOutB	244
APC	20	GIRO	24	CtrlOutRW	769
APC	20	MKW	21	DataInB	221
APC	20	SCOSOU	28	CtrlOutB	278
APC	20	GIRO	24	DataOutW	237
APC	20	SOCC	23	DataOutW	233
APC	20	CQO	20	CDataOutW	207
APC	20	GIRO	24	CtrlInGiroArc	954
APC	20	GIRO	24	CtrlInGiroAud	955
APC	20	GIRO	24	CtrlOutB	236
APC	20	CQO	20	TCtrlOutW	200
APC	20	YORKEL	25	DataOutB	239
APC	20	GIRO	24	CtrlInGCTOAud	953
APC	20	CQO	20	CDataInW	209
APC	20	GIRO	24	CTOInRW	776
APC	20	CQO	20	CDataInB	205
APC	20	GIRO	24	DataOutRW	768
APC	20	CQO	20	CDataOutB	203
APC	20	WELSHW	30	DataOutW	291
APC	20	CQO	20	TDataOutW	199
APC	20	CQO	20	TCtrlOutB	196
APC	20	CQO	20	CCtrlInW	210
APC	20	GIRO	24	DataInRB	770



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



APC	20	SCOSOU	28	DataOutW	279
APC	20	MKW	21	DataOutB	219
APC	20	SOCC	23	CtrlOutB	232
APC	20	GIRO	24	CtrlInGCTOArc	952
APC	20	GIRO	24	CtrlInRB	771
APC	20	GIRO	24	DataInRW	772
APC	20	GIRO	24	CtrlInRW	773
APC	20	GIRO	24	CTOCtrlInRB	775
APC	20	GIRO	24	CtrlOutRB	767
APC	20	GIRO	24	CTOCtrlInRW	777
APC	20	GIRO	24	DataOutRB	766
APC	20	GIRO	24	CtrlOutGCTOAud	949
APC	20	GIRO	24	CtrlOutGiroArc	950
APC	20	GIRO	24	CtrlOutGiroAud	951
APC	20	GIRO	24	CTOInRB	774
APC	20	GIRO	24	CtrlOutGCTOArc	948
MAESSAPL	21	MAES7	47	SAPLiveB	621
MAESSAPL	21	MAES7	47	SAPLiveW	623
MAESSAPL	21	MAES7	47	SAP1007	937
MAESSAPL	21	MAES7	47	SAP1009	939
MAESSAPL	21	MAES7	47	SAP1005	935
MAESSAPT	22	MAES7	47	SAPTestW	624
MAESSAPT	22	MAES7	47	SAPTestB	622
MAESSAPT	22	MAES7	47	SAP1006	936
MAESSAPT	22	MAES7	47	SAP1004	934
MAESSAPT	22	MAES7	47	SAP1008	938

6.11 Audit Points & Subpoints

6.11.1 Introduction

This section describes the Audit Points and Subpoints to enable the Audit Configuration file to be created / maintained.

Each of the audit point subsections of the document is structured hierarchically into

Audit Point (level 1)

Audit Sub Point 1(level 2)

Audit Sub Point 2

Etc.....

Where Audit sub Points are mirrored on platforms on each Campus (Bootle/IRE11 and Wigan/IRE19) they are only shown once with details for each campus.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



6.11.2 Audit Point Details

An Audit Point is the logical point at which an Audit Track is generated.

The following details are held:

Configuration Item	Description
Audit Point Number	Numeric reference for the Audit Point within the configuration file.
Identifier	The name of the Audit Point. Maximum length 6 characters.
TapePoolIndex	The Tape Pool used by the audit point. See §6.7. Use of Tape Pools is historic. This parameter defines the data retention Policy for the Audit Point: 1: 7 years 2: 18 Months 3: 7 years
CopySeal	Historic. No longer used.

6.11.3 Audit Sub Point Details

An audit sub point is the physical location where files are gathered for Audit purposes. The applications that form the Pathway system are responsible for making files available at an Audit Sub Point for gathering by the Audit Server.

The following details are held: -

Configuration Item	Description
Sub Point Number	Numeric reference for the Sub Point within the configuration file.
Identifier	The name of the Audit sub point. Maximum length 32 characters.
AuditPointIndex	The reference number of the associated Audit Point within the Audit Configuration file
GathererIndex	The reference number of the associated Gatherer within the Audit Configuration file
ShareName	The UNC path to the share from where the data is gathered.



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DeletionPolicy	This represents the time that the audit server will delete an audit track from the remote share from where it was gathered. The deletion policy is expressed as: HOARD+nnnn where HOARD represents the time at which the audit track was written to the Audit Centera and nnnn represents minutes after the HOARD time. e.g. HOARD+2880 would mean that an audit track can be deleted after 2 days. Note that this parameter sets a minimum deletion time delay. In practice, dependent upon the timing of schedules, an audit track may not be deleted for up to 24 hours after the DeletionPolicy time expires.
RenamingPolicy	The renaming policy which will be applied to all audit tracks gathered at this subpoint. See §5.2
DelayInHours	Gatherers will not gather a file immediately it appears within an audit share. A file will not be gathered until at least 'DelayInHours' hours after the files modification time. This is a fail safe mechanism to avoid gathering files that are still being appended to.
Exclude	Any file whose suffix (e.g. tmp) matches this parameter will not be gathered. The purposes of this is to enable audit data sources to build up an audit track within the audit share without any danger of an incomplete file being gathered by the audit server. When the audit data source determines that it has completed writing the audit track it can rename the file to change the suffix to something other than the excluded suffix. It will then be candidate for gathering.
TransferData	Determines whether the audit server will replicate data from this subpoint to the other audit server/Centera. In practice all subpoints have this parameter set to yes with the exception of Riposte data gathered from the Horizon Correspondence servers (TMS Audit Point)
PreCompress	Indicates whether data is already compressed at the originating platform. Possible values for this are NONE No data compression is applied at source. The audit server will compress/decompress the data prior to writing/after retrieving from Centera. The MD5 seal check is applied to the uncompressed data. GZIP Data is compressed at source using gzip compression. The audit server will not compress the data again before writing to Centera. The MD5 seal calculation will be applied to the compressed data. The data will be automatically gunzip'd (after seal checking) upon retrieval. In practice GZIP is only used for Branch Database counter audit data.

6.12 Audit Point Summary

This section describes the Audit Point Number, Name, Description, Tape Pool Index and Copy Seal



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



AP #	Audit Point	Description	Tape Pool	Copy Seal
1	RDMC	This is the audit point for reference data files input to the system	2	YES
2	HHD	This is the audit point for files transferred from the Horizon Help Desk to MIS	2	YES
3	TIP	This is the audit point for files transferred between TPS to TIP	2	YES
4	AUDIT	This is the audit point for the record of actions taken by the Audit Server	3	YES
5	HAPS	This is the audit point for files transferred between APS and HAPS. Note that none of the subpoints under this audit point are gathered any longer.	2	YES
6	ESNS	This is the audit point for files transferred to and from the DSS Electronic Stop Notice System	2	YES
7	OBCS	This is the audit point for data transformation within the OBCS database	2	YES
8	TMS	This is the audit point for The Riposte Correspondence Servers which form the TMS	1	NO
9	TIVOLI	This is the audit point for system management	2	YES
10	MAES	This is the audit point for Maestro Job logs up to BI3 implementation	2	YES
11	ECCO	This is the audit point for ECCO office migration data	2	YES
12	APR	This is the audit point for AP reconciliation files	2	YES
13	RODB	This is the audit point for files transferred between Suppliers and the RODB database	3	YES
14	ACDB	This is the audit point for the AutoConfig database.	2	YES
15	OCMS	This is the audit point for files transferred between Suppliers and the Outlet Change Management System (OCMS)	2	YES
16	LFS	This is the audit point for files transferred between LFS and SAPADS Operational from CSR inc 4	2	YES
17	LFSDB	This is the audit point for LFS Host database	2	YES
18	KMS	This is the audit point for the KMS database.	2	YES
19	BGTSPM	This is the audit point for files transferred between the AP Client BGT SPM and HAPS	2	YES
20	CQO	This is the audit point for files transferred between the AP Client Central Quantum Operations and HAPS	2	YES
21	MKW	This is the audit point for files transferred between the AP Client Mid Kent Water and APS	2	YES
22	HANTS	This is the audit point for files transferred between the AP Client Hampshire County Council and APS	2	YES
23	SOCC	This is the audit point for files transferred between the AP Client Southampton City Council and APS	2	YES
24	GIRO	This is the audit point for files transferred between the AP Client Girobank and APS	2	YES
25	YORKEL	This is the audit point for files transferred between the AP Client Yorkshire Electricity and APS	2	YES
26	KNOWBC	This is the audit point for files transferred between the AP Client Knowsley Borough Council and APS	2	YES
27	OXFSS	This is the audit point for files transferred between the AP Client Oxfordshire Social Services and APS	2	YES
28	SCOSOU	This is the audit point for files transferred between the AP Client Scottish & Southern Energy and APS	2	YES
29	OCMSDB	This is the audit point for the OCMS database.	2	YES
30	WELSHW	This is the audit point for files transferred between the AP Client Welsh Water and APS	2	YES
31	NIELEC	This is the audit point for files transferred between the AP Client Northern Ireland Electricity and APS	2	YES
32	AON	This is the audit point for files transferred between the AP Client Royal & Sun Alliance and APS	2	YES
32	AON	This is the audit point for files transferred between the AP Client AON Ltd and APS	2	YES



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



33	SWALEC	This is the audit point for files transferred between the AP Client SWALEC and APS	2	YES
34	STLIFE	This is the audit point for files transferred between the AP Client Standard Life and APS	2	YES
35	DVLNI	This is the audit point for files transferred between the AP Client DVLNI and APS	2	YES
36	BT	This is the audit point for files transferred between the AP Client British Telecom and APS	2	YES
37	TVLL&T	This is the audit point for files transferred between the AP Client TVL Legal & Trade and APS, collection stopped at T30 for all of these Aps	2	YES
38	PONACP	This is the audit point for files transferred between the AP Client PON Alternative Collection Point and APS	2	YES
39	CCM	This is the audit point for files transferred between the AP Client Consignia Customer Management and APS	2	YES
40	RDMCDB	This is the audit point for data transformation within the RDMC database	2	YES
41	TALXEE	This is the audit point for files transferred between the Talexus system at Eastern Electricity and APS	2	YES
42	DVLA	This is the audit point for files transferred between the AP Client DVLA and APS	2	YES
44	ESP	This is the audit point for files transferred between the AP Client ESP and APS	2	YES
45	NATSAV	This is the audit point for files transferred between the AP Client National Savings and APS	2	YES
46	FIRATE	This is the audit point for files transferred between the AP Client First Rate and APS	2	YES
47	MAES7	This is the audit point for Maestro Job logs after to BI3 implementation	3	YES
48	NBE	This is the audit point for data transferred between the Network Banking Engine and Pathway	3	YES
49	BANREC	This is the audit point for report files transferred between DRS to POL	3	YES
50	DRSDB	This is the audit point for DRS Host database	3	YES
52	CAPO	This is the audit point for CAPO card receipts between the EDS and APS	2	YES
53	DCS	This is the audit point for Debit Card Services	3	YES
54	DCSDB	This is the audit point for the DCS database controlling MID/TID allocations.	2	YES
55	SUP	This is the audit point for the logs produced from the Secure Support Environment	3	YES
56	SUPFIL	This is the audit point for files transferred into and out of the Solaris host server by support staff	3	YES
57	PRUDTL	This is the audit point for files transferred between the AP Client Prudential and APS	2	YES
58	EDG	This is the audit point for files transferred between the POL External Data Gateway (EDG) and APS	2	YES
59	SAPADS	This is the audit point for files transferred between the SAPADS and the POL Financial system via FTMS	2	YES
60	SUPCON	This is the audit point for the Solaris console logs produced from the Aurora Control Tower server	3	YES
61	SAP	This is the audit point for files transferred between the Horizon host and the POL Financial System	3	YES
62	NBXREP	This is the audit point for NBX Reports transferred from the TES host to POL	2	YES
63	NBXREC	This is the audit point for REC & LREC files transferred between the TES host and the Financial Institutions.	3	YES
64	NBX	This is the audit point for NBX transaction journals extracted from the NBX Persistent Store	3	YES
65	TESDB	This is the audit point for TES database audit files	3	YES
66	POLFS	This is the audit point for files transferred to/from the POL Financial system via FTMS.	2	YES
67	TPS	This is the audit point for files transferred to/from TPS via FTMS	2	YES
68	APOPDB	This is the audit point for APOP Host database	3	YES



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



69	BRDB	This is the audit point for data from the HNG-X Branch Database	3	YES
70	KMN	This is the audit point for data from the HNG-X Key Management system	3	YES

6.12.1 Audit Point - Sub Point Mapping

This section shows the mapping between audit points & sub points.

Audit Point	AP #	Sub Point	SP #
RDMC	1	ADataOutB	1
RDMC	1	ACtrlOutB	2
RDMC	1	ADataInB	3
RDMC	1	ACtrlInB	4
RDMC	1	BDataOutB	5
RDMC	1	BCtrlOutB	6
RDMC	1	BDataInB	7
RDMC	1	BCtrlInB	8
RDMC	1	RefDataB	9
RDMC	1	ADataOutW	10
RDMC	1	ACtrlOutW	11
RDMC	1	ADataInW	12
RDMC	1	ACtrlInW	13
RDMC	1	BDataOutW	14
RDMC	1	BCtrlOutW	15
RDMC	1	BDataInW	16
RDMC	1	BCtrlInW	17
RDMC	1	RefDataW	18
RDMC	1	D1DataOutB	247
RDMC	1	D1CtrlOutB	248
RDMC	1	D1DataOutW	249
RDMC	1	D1CtrlOutW	250
RDMC	1	DDataDone1B	253
RDMC	1	DDataDone2B	254
RDMC	1	DDataDone3B	255
RDMC	1	DDataDone4B	256
RDMC	1	DDataFail1B	257
RDMC	1	DDataFail2B	258
RDMC	1	DDataFail3B	259
RDMC	1	DDataFail4B	260
RDMC	1	DDataDone1W	261
RDMC	1	DDataDone2W	262
RDMC	1	DDataDone3W	263
RDMC	1	DDataDone4W	264
RDMC	1	DDataFail1W	265

RDMC	1	DDataFail2W	266
RDMC	1	DDataFail3W	267
RDMC	1	DDataFail4W	268
RDMC	1	SPRDataOutB	517
RDMC	1	SPRCtrlOutB	518
RDMC	1	MRGDataOutB	519
RDMC	1	MRGCtrlOutB	520
RDMC	1	SPRDataInB	521
RDMC	1	SPRCtrlInB	522
RDMC	1	MRGDataInB	523
RDMC	1	MRGCtrlInB	524
RDMC	1	SPRDataOutW	525
RDMC	1	SPRCtrlOutW	526
RDMC	1	MRGDataOutW	527
RDMC	1	MRGCtrlOutW	528
RDMC	1	SPRDataInW	529
RDMC	1	SPRCtrlInW	530
RDMC	1	MRGDataInW	531
RDMC	1	MRGCtrlInW	532
RDMC	1	SolRefDataB	549
RDMC	1	SolRefDataW	550
RDMC	1	DAGDataDone1B	565
RDMC	1	DAGDataDone2B	566
RDMC	1	DAGDataDone3B	567
RDMC	1	DAGDataDone4B	568
RDMC	1	DAGDataFail1B	569
RDMC	1	DAGDataFail2B	570
RDMC	1	DAGDataFail3B	571
RDMC	1	DAGDataFail4B	572
RDMC	1	DAGDataDone1W	573
RDMC	1	DAGDataDone2W	574
RDMC	1	DAGDataDone3W	575
RDMC	1	DAGDataDone4W	576
RDMC	1	DAGDataFail1W	577
RDMC	1	DAGDataFail2W	578
RDMC	1	DAGDataFail3W	579
RDMC	1	DAGDataFail4W	580



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



RDMC	1	DWebDataDone1B	627
RDMC	1	DWebDataDone2B	628
RDMC	1	DWebDataDone3B	629
RDMC	1	DWebDataDone4B	630
RDMC	1	DWebDataFail1B	631
RDMC	1	DWebDataFail2B	632
RDMC	1	DWebDataFail3B	633
RDMC	1	DWebDataFail4B	634
RDMC	1	DWebDataDone1W	635
RDMC	1	DWebDataDone2W	636
RDMC	1	DWebDataDone3W	637
RDMC	1	DWebDataDone4W	638
RDMC	1	DWebDataFail1W	639
RDMC	1	DWebDataFail2W	640
RDMC	1	DWebDataFail3W	641
RDMC	1	DWebDataFail4W	642
RDMC	1	HxADataOut	778
RDMC	1	HxACtrlOut	779
RDMC	1	HxADataIn	780
RDMC	1	HxACtrlIn	781
RDMC	1	HxBDataO	782
RDMC	1	HxBCtrlO	783
RDMC	1	HxBDataIn	784
RDMC	1	HxBCtrlIn	785
RDMC	1	HxD1DataOut	787
RDMC	1	HxD1CtrlOut	788
RDMC	1	HxSPRDataO	789
RDMC	1	HxSPRCtrlO	790
RDMC	1	HxMRGDataO	791
RDMC	1	HxMRGCtrlO	792
RDMC	1	HxSPRDataI	793
RDMC	1	HxSPRCtrlI	794
RDMC	1	HxMRGDataI	795
RDMC	1	HxMRGCtrlI	796
RDMC	1	HxSolRefDat	797
HHD	2	SorbusInB	19
HHD	2	SCtrlInB	20
HHD	2	BTInB	21
HHD	2	BCtrlInB	22
HHD	2	MitellInB	23
HHD	2	MCtrlInB	24
HHD	2	SorbusInW	25
HHD	2	SCtrlInW	26
HHD	2	BTInW	27
HHD	2	BCtrlInW	28

HHD	2	MitellInW	29
HHD	2	MCtrlInW	30
TIP	3	DataOutB	31
TIP	3	CtrlOutB	32
TIP	3	DataInB	33
TIP	3	CtrlInB	34
TIP	3	DataOutW	35
TIP	3	CtrlOutW	36
TIP	3	DataInW	37
TIP	3	CtrlInW	38
TIP	3	ESFSOutDB	722
TIP	3	ESFSOutDW	723
TIP	3	ESFSOutCB	724
TIP	3	ESFSOutCW	725
TIP	3	HxDataO	798
TIP	3	HxCtrlO	799
TIP	3	HxDataIn	800
TIP	3	HxCtrlIn	801
TIP	3	HxESFSOutD	802
TIP	3	HxESFSOutC	803
AUDIT	4	LogB	39
AUDIT	4	NonPolledB	40
AUDIT	4	LogW	41
AUDIT	4	NonPolledW	42
AUDIT	4	SolNonPolledB	551
AUDIT	4	SolNonPolledW	552
AUDIT	4	HxLog1	804
AUDIT	4	HxLog2	806
AUDIT	4	HxSolNonPoll	807
HAPS	5	DataOutB	43
HAPS	5	CtrlOutB	44
HAPS	5	DataInB	45
HAPS	5	CtrlInB	46
HAPS	5	DataOutW	47
HAPS	5	CtrlOutW	48
HAPS	5	DataInW	49
HAPS	5	CtrlInW	50
HAPS	5	TDataOutB	151
HAPS	5	TCtrlOutB	152
HAPS	5	TDataInB	153
HAPS	5	TCtrlInB	154
HAPS	5	CDataInB	155
HAPS	5	CCtrlInB	156
HAPS	5	TDataOutW	157
HAPS	5	TCtrlOutW	158



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



HAPS	5	TDataInW	159
HAPS	5	TCtrlInW	160
HAPS	5	CDataInW	161
HAPS	5	CCtrlInW	162
HAPS	5	CDataOutB	211
HAPS	5	CCtrlOutB	212
HAPS	5	CDataOutW	213
HAPS	5	CCtrlOutW	214
ESNS	6	DataB	51
ESNS	6	DataW	52
ESNS	6	ManStopB	331
ESNS	6	ManCtrlB	332
ESNS	6	StevStopB	333
ESNS	6	StevCtrlB	334
ESNS	6	ManStopW	335
ESNS	6	ManCtrlW	336
ESNS	6	StevStopW	337
ESNS	6	StevCtrlW	338
ESNS	6	SolDataB	553
ESNS	6	SolDataW	554
OBCS	7	HostB	53
OBCS	7	HostW	54
OBCS	7	SolHostB	559
OBCS	7	SolHostW	560
TMS	8	Cluster1B	55
TMS	8	Cluster2B	56
TMS	8	Cluster3B	57
TMS	8	Cluster4B	58
TMS	8	Cluster1W	59
TMS	8	Cluster2W	60
TMS	8	Cluster3W	61
TMS	8	Cluster4W	62
TMS	8	Cluster5B	371
TMS	8	Cluster6B	372
TMS	8	Cluster7B	373
TMS	8	Cluster8B	374
TIVOLI	9	Bootle	63
TIVOLI	9	Wigan	64
MAES	10	HostB	65
MAES	10	COR1B	66
MAES	10	COR2B	67
MAES	10	COR3B	68
MAES	10	COR4B	69
MAES	10	AGE1B	70
MAES	10	AGE2B	71

MAES	10	AGE5B	72
MAES	10	AGE6B	73
MAES	10	AGE9B	74
MAES	10	AGE10B	75
MAES	10	AGE13B	76
MAES	10	AGE14B	77
MAES	10	FTMS2B	78
MAES	10	FTMS3B	79
MAES	10	FTMS4B	80
MAES	10	AUD1B	81
MAES	10	ECCO1B	82
MAES	10	FTA1B	83
MAES	10	HostW	84
MAES	10	COR1W	85
MAES	10	COR2W	86
MAES	10	COR3W	87
MAES	10	COR4W	88
MAES	10	AGE3W	89
MAES	10	AGE4W	90
MAES	10	AGE7W	91
MAES	10	AGE8W	92
MAES	10	AGE11W	93
MAES	10	AGE12W	94
MAES	10	AGE15W	95
MAES	10	AGE16W	96
MAES	10	FTMS2W	97
MAES	10	FTMS3W	98
MAES	10	FTMS4W	99
MAES	10	AUD1W	100
MAES	10	ECCO1W	101
MAES	10	FTA1W	102
MAES	10	KMS1B	163
MAES	10	KMS1W	164
MAES	10	FTMS1B	165
MAES	10	FTMS1W	166
MAES	10	SSC1B	217
MAES	10	SSC1W	218
MAES	10	FTMS5B	251
MAES	10	FTMS5W	252
MAES	10	WCOR1	269
MAES	10	WCOR2	270
MAES	10	WCOR3	271
MAES	10	WCOR4	272
MAES	10	ACDB1B	283
MAES	10	OCMS1B	284



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



MAES	10	ACDB1W	285
MAES	10	OCMS1W	286
MAES	10	COR11B	379
MAES	10	COR12B	380
MAES	10	COR13B	381
MAES	10	COR14B	382
MAES	10	COR11W	383
MAES	10	COR12W	384
MAES	10	COR13W	385
MAES	10	COR14W	386
ECCO	11	MigratedB	103
ECCO	11	FailedB	104
ECCO	11	MessagesB	105
ECCO	11	MigratedW	106
ECCO	11	FailedW	107
ECCO	11	MessagesW	108
APR	12	ReconB	109
APR	12	ReconW	110
APR	12	Recon4B	215
APR	12	Recon4W	216
APR	12	SolRecon4B	557
APR	12	SolRecon4W	558
APR	12	HxSolRec4	809
RODB	13	CelesticaOutB	111
RODB	13	CeleCtrlOutB	112
RODB	13	CelesticaInB	113
RODB	13	CeleCtrlInB	114
RODB	13	EnergisOutB	115
RODB	13	EnerCtrlOutB	116
RODB	13	EnergisInB	117
RODB	13	EnerCtrlInB	118
RODB	13	ExelOutB	119
RODB	13	ExelCtrlOutB	120
RODB	13	ExelInB	121
RODB	13	ExelCtrlInB	122
RODB	13	PRCOutB	123
RODB	13	PRCCtrlOutB	124
RODB	13	PRCInB	125
RODB	13	PRCCtrlInB	126
RODB	13	PeritasOutB	127
RODB	13	PeriCtrlOutB	128
RODB	13	PeritasInB	129
RODB	13	PeriCtrlInB	130
RODB	13	WTPLCOutB	131
RODB	13	WTCtrlOutB	132

RODB	13	WTPLCInB	133
RODB	13	WTCtrlInB	134
RODB	13	POCLOutB	135
RODB	13	POCLCtrlOutB	136
RODB	13	POCLInB	137
RODB	13	POCLCtrlInB	138
RODB	13	CFMOutB	139
RODB	13	CFMCtrlOutB	140
RODB	13	TivoliOutB	141
RODB	13	TivCtrlOutB	142
ACDB	14	DBAB	143
ACDB	14	DBAW	144
ACDB	14	ESTAudit	947
OCMS	15	TivoliB	145
OCMS	15	TivoliW	146
OCMS	15	UKSSOutB	147
OCMS	15	UKSSCtrlOutB	148
OCMS	15	UKSSInB	149
OCMS	15	UKSSCtrlInB	150
OCMS	15	UKSSOutW	197
OCMS	15	UKSSCtrlOutW	198
OCMS	15	UKSSInW	201
OCMS	15	UKSSCtrlInW	202
LFS	16	DataOutB	167
LFS	16	CtrlOutB	168
LFS	16	DataInB	169
LFS	16	CtrlInB	170
LFS	16	DataOutW	171
LFS	16	CtrlOutW	172
LFS	16	DataInW	173
LFS	16	CtrlInW	174
LFS	16	HxDataOut	810
LFS	16	HxCtrlOut	811
LFS	16	HxDataIn	812
LFS	16	HxCtrlIn	813
LFSDB	17	HostB	175
LFSDB	17	HostW	176
LFSDB	17	SolHostB	555
LFSDB	17	SolHostW	556
LFSDB	17	HxSolHost	815
KMS	18	DBAB	177
KMS	18	DBAW	178
BGTSPM	19	TDataOutB	179
BGTSPM	19	TCtrlOutB	180
BGTSPM	19	TDataInB	181



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



BGTSPM	19	TCtrlInB	182
BGTSPM	19	TDataOutW	183
BGTSPM	19	TCtrlOutW	184
BGTSPM	19	TDataInW	185
BGTSPM	19	TCtrlInW	186
BGTSPM	19	CDataOutB	187
BGTSPM	19	CCtrlOutB	188
BGTSPM	19	CDataInB	189
BGTSPM	19	CCtrlInB	190
BGTSPM	19	CDataOutW	191
BGTSPM	19	CCtrlOutW	192
BGTSPM	19	CDataInW	193
BGTSPM	19	CCtrlInW	194
CQO	20	TDataOutB	195
CQO	20	TCtrlOutB	196
CQO	20	TDataOutW	199
CQO	20	TCtrlOutW	200
CQO	20	CDataOutB	203
CQO	20	CCtrlOutB	204
CQO	20	CDataInB	205
CQO	20	CCtrlInB	206
CQO	20	CDataOutW	207
CQO	20	CCtrlOutW	208
CQO	20	CDataInW	209
CQO	20	CCtrlInW	210
MKW	21	DataOutB	219
MKW	21	CtrlOutB	220
MKW	21	DataInB	221
MKW	21	CtrlInB	222
MKW	21	DataOutW	223
MKW	21	CtrlOutW	224
MKW	21	DataInW	225
MKW	21	CtrlInW	226
HANTS	22	DataOutB	227
HANTS	22	CtrlOutB	228
HANTS	22	DataOutW	229
HANTS	22	CtrlOutW	230
SOCC	23	DataOutB	231
SOCC	23	CtrlOutB	232
SOCC	23	DataOutW	233
SOCC	23	CtrlOutW	234
GIRO	24	DataOutB	235
GIRO	24	CtrlOutB	236
GIRO	24	DataOutW	237
GIRO	24	CtrlOutW	238

GIRO	24	CTOOutB	513
GIRO	24	CTOCtrlOutB	514
GIRO	24	CTOOutW	515
GIRO	24	CTOCtrlOutW	516
GIRO	24	CTOOutRB	762
GIRO	24	CTOCtrlOutRB	763
GIRO	24	CTOOutRW	764
GIRO	24	CTOCtrlOutRW	765
GIRO	24	DataOutRB	766
GIRO	24	CtrlOutRB	767
GIRO	24	DataOutRW	768
GIRO	24	CtrlOutRW	769
GIRO	24	DataInRB	770
GIRO	24	CtrlInRB	771
GIRO	24	DataInRW	772
GIRO	24	CtrlInRW	773
GIRO	24	CTOInRB	774
GIRO	24	CTOCtrlInRB	775
GIRO	24	CTOInRW	776
GIRO	24	CTOCtrlInRW	777
GIRO	24	CtrlOutGCTOArc	948
GIRO	24	CtrlOutGCTOAud	949
GIRO	24	CtrlOutGiroArc	950
GIRO	24	CtrlOutGiroAud	951
GIRO	24	CtrlInGCTOArc	952
GIRO	24	CtrlInGCTOAud	953
GIRO	24	CtrlInGiroArc	954
GIRO	24	CtrlInGiroAud	955
YORKEL	25	DataOutB	239
YORKEL	25	CtrlOutB	240
YORKEL	25	DataOutW	241
YORKEL	25	CtrlOutW	242
KNOWBC	26	DataOutB	243
KNOWBC	26	CtrlOutB	244
KNOWBC	26	DataOutW	245
KNOWBC	26	CtrlOutW	246
OXFSS	27	DataOutB	273
OXFSS	27	CtrlOutB	274
OXFSS	27	DataOutW	275
OXFSS	27	CtrlOutW	276
SCOSOU	28	DataOutB	277
SCOSOU	28	CtrlOutB	278
SCOSOU	28	DataOutW	279
SCOSOU	28	CtrlOutW	280
OCMSDB	29	DBAB	281



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



OCMSDB	29	DBAW	282
WELSHW	30	DataOutB	287
WELSHW	30	CtrlOutB	288
WELSHW	30	DataInB	289
WELSHW	30	CtrlInB	290
WELSHW	30	DataOutW	291
WELSHW	30	CtrlOutW	292
WELSHW	30	DataInW	293
WELSHW	30	CtrlInW	294
NIELEC	31	DataOutB	295
NIELEC	31	CtrlOutB	296
NIELEC	31	DataOutW	297
NIELEC	31	CtrlOutW	298
AON	32	DataOutB	299
AON	32	CtrlOutB	300
AON	32	DataOutW	301
AON	32	CtrlOutW	302
SWALEC	33	DataOutB	303
SWALEC	33	CtrlOutB	304
SWALEC	33	DataOutW	305
SWALEC	33	CtrlOutW	306
STLIFE	34	DataOutB	307
STLIFE	34	CtrlOutB	308
STLIFE	34	DataOutW	309
STLIFE	34	CtrlOutW	310
DVLNI	35	DataOutB	311
DVLNI	35	CtrlOutB	312
DVLNI	35	DataOutW	313
DVLNI	35	CtrlOutW	314
BT	36	DataOutB	315
BT	36	CtrlOutB	316
BT	36	DataInB	317
BT	36	CtrlInB	318
BT	36	DataOutW	319
BT	36	CtrlOutW	320
BT	36	DataInW	321
BT	36	CtrlInW	322
TVLL&T	37	DataOutB	323
TVLL&T	37	CtrlOutB	324
TVLL&T	37	DataOutW	325
TVLL&T	37	CtrlOutW	326
PONACP	38	DataOutB	327
PONACP	38	CtrlOutB	328
PONACP	38	DataOutW	329
PONACP	38	CtrlOutW	330

CCM	39	DataOutB	339
CCM	39	CtrlOutB	340
CCM	39	DataOutW	341
CCM	39	CtrlOutW	342
RDMCDB	40	RDMCAUDB	343
RDMCDB	40	RDDSAUDB	344
RDMCDB	40	RDMCAUDW	345
RDMCDB	40	RDDSAUDW	346
RDMCDB	40	SoIRDMCAUDB	561
RDMCDB	40	SoIRDMCAUDW	562
RDMCDB	40	SoIRDDSAUDB	563
RDMCDB	40	SoIRDDSAUDW	564
RDMCDB	40	HxSolRDMCAU	818
RDMCDB	40	HxSolRDDSAU	819
TALXEE	41	TDataOutB	347
TALXEE	41	TCtrlOutB	348
TALXEE	41	TDataInB	349
TALXEE	41	TCtrlInB	350
TALXEE	41	CDataOutB	351
TALXEE	41	CCtrlOutB	352
TALXEE	41	CDataInB	353
TALXEE	41	CCtrlInB	354
TALXEE	41	TDataOutW	355
TALXEE	41	TCtrlOutW	356
TALXEE	41	TDataInW	357
TALXEE	41	TCtrlInW	358
TALXEE	41	CDataOutW	359
TALXEE	41	CCtrlOutW	360
TALXEE	41	CDataInW	361
TALXEE	41	CCtrlInW	362
DVLA	42	DataOutB	363
DVLA	42	CtrlOutB	364
DVLA	42	DataOutW	365
DVLA	42	CtrlOutW	366
QUAN	43	DataOutB	367
QUAN	43	CtrlOutB	368
QUAN	43	DataOutW	369
QUAN	43	CtrlOutW	370
ESP	44	DataOutB	375
ESP	44	CtrlOutB	376
ESP	44	DataOutW	377
ESP	44	CtrlOutW	378
NATSAV	45	DataOutB	387
NATSAV	45	CtrlOutB	388
NATSAV	45	DataOutW	389



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



NATSAV	45	CtrlOutW	390
FIRATE	46	DataOutB	391
FIRATE	46	CtrlOutB	392
FIRATE	46	DataOutW	393
FIRATE	46	CtrlOutW	394
MAES7	47	HostB	397
MAES7	47	COR1B	398
MAES7	47	COR2B	399
MAES7	47	COR3B	400
MAES7	47	COR4B	401
MAES7	47	COR11B	402
MAES7	47	COR12B	403
MAES7	47	COR13B	404
MAES7	47	COR14B	405
MAES7	47	AGE1B	406
MAES7	47	AGE2B	407
MAES7	47	AGE5B	408
MAES7	47	AGE6B	409
MAES7	47	FTMS1B	410
MAES7	47	FTMS2B	411
MAES7	47	FTMS3B	412
MAES7	47	FTMS4B	413
MAES7	47	FTMS5B	414
MAES7	47	FTMS6B	415
MAES7	47	AUD1B	416
MAES7	47	FTA1B	417
MAES7	47	KMS1B	418
MAES7	47	SSC1B	419
MAES7	47	ACDB1B	420
MAES7	47	OCMS1B	421
MAES7	47	HostW	422
MAES7	47	COR1W	423
MAES7	47	COR2W	424
MAES7	47	COR3W	425
MAES7	47	COR4W	426
MAES7	47	COR11W	427
MAES7	47	COR12W	428
MAES7	47	COR13W	429
MAES7	47	COR14W	430
MAES7	47	AGE3W	431
MAES7	47	AGE4W	432
MAES7	47	AGE7W	433
MAES7	47	AGE8W	434
MAES7	47	FTMS1W	435
MAES7	47	FTMS2W	436

MAES7	47	FTMS3W	437
MAES7	47	FTMS4W	438
MAES7	47	FTMS5W	439
MAES7	47	FTMS6W	440
MAES7	47	AUD1W	441
MAES7	47	FTA1W	442
MAES7	47	KMS1W	443
MAES7	47	SSC1W	444
MAES7	47	ACDB1W	445
MAES7	47	OCMS1W	446
MAES7	47	NBA1B	457
MAES7	47	NBA2B	458
MAES7	47	NBA3B	459
MAES7	47	NBA4B	460
MAES7	47	NBA1W	461
MAES7	47	NBA2W	462
MAES7	47	NBA3W	463
MAES7	47	NBA4W	464
MAES7	47	DCA1B	473
MAES7	47	DCA2B	474
MAES7	47	DCA3B	475
MAES7	47	DCA4B	476
MAES7	47	DCA1W	477
MAES7	47	DCA2W	478
MAES7	47	DCA3W	479
MAES7	47	DCA4W	480
MAES7	47	DCSM1B	481
MAES7	47	DCSM1W	482
MAES7	47	SolHostB	541
MAES7	47	SolHostW	542
MAES7	47	BACKUPB	545
MAES7	47	BACKUPW	546
MAES7	47	SAPLiveB	621
MAES7	47	SAPTestB	622
MAES7	47	SAPLiveW	623
MAES7	47	SAPTestW	624
MAES7	47	BackupWB	625
MAES7	47	BackupWW	626
MAES7	47	CDGB	647
MAES7	47	CDGW	648
MAES7	47	NPS1B	649
MAES7	47	NPS2B	650
MAES7	47	NPS1W	651
MAES7	47	NPS2W	652
MAES7	47	TESQAB	661



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



MAES7	47	TESQAW	662
MAES7	47	NBXAA1B	714
MAES7	47	NBXAA1W	715
MAES7	47	NBXAC1B	716
MAES7	47	NBXAC2B	717
MAES7	47	NBXAC1W	718
MAES7	47	NBXAC2W	719
MAES7	47	NBXAL1B	720
MAES7	47	NBXAL1W	721
MAES7	47	PLG1	821
MAES7	47	FLG1	822
MAES7	47	ARC1	823
MAES7	47	SSC1	824
MAES7	47	DCM1	825
MAES7	47	DAT	826
MAES7	47	CDG1	827
MAES7	47	NPS1	828
MAES7	47	NPS2	829
MAES7	47	TWS1	830
MAES7	47	NAA1	831
MAES7	47	NAC1	832
MAES7	47	NAC2	833
MAES7	47	NAL1	834
MAES7	47	ARC2	912
MAES7	47	BDB1	913
MAES7	47	BDB2	914
MAES7	47	BDB3	915
MAES7	47	BDB4	916
MAES7	47	BRS1	917
MAES7	47	BSL1	918
MAES7	47	BSL2	919
MAES7	47	BSS1	920
MAES7	47	BSS2	921
MAES7	47	BSW1	922
MAES7	47	BSW2	923
MAES7	47	DEA1	924
MAES7	47	DEA2	925
MAES7	47	EST1	926
MAES7	47	NAA2	927
MAES7	47	NAC3	928
MAES7	47	NAC4	929
MAES7	47	NAL2	930
MAES7	47	SAPPProdR3D	931
MAES7	47	SAPPProdXID	932
MAES7	47	SAPPProdIXO	933

MAES7	47	SAP1004	934
MAES7	47	SAP1005	935
MAES7	47	SAP1006	936
MAES7	47	SAP1007	937
MAES7	47	SAP1008	938
MAES7	47	SAP1009	939
MAES7	47	MSH1	958
MAES7	47	EDS1	959
MAES7	47	ERP1	960
MAES7	47	BSM1	961
NBE	48	DataInB	447
NBE	48	CtrlInB	448
NBE	48	DataInW	449
NBE	48	CtrlInW	450
BANREC	49	DataOutB	451
BANREC	49	CtrlOutB	452
BANREC	49	DataOutW	453
BANREC	49	CtrlOutW	454
BANREC	49	HxDataOut	835
BANREC	49	HxCtrlOut	836
DRSDB	50	HostB	455
DRSDB	50	HostW	456
DRSDB	50	LiabilityB	497
DRSDB	50	LiabilityW	498
DRSDB	50	SolHostB	537
DRSDB	50	SolHostW	538
DRSDB	50	SolLiabilityB	539
DRSDB	50	SolLiabilityW	540
DRSDB	50	HxSolHost	839
DRSDB	50	HxSolLiabilit	840
EVENTS	51	Bootle	395
EVENTS	51	Wigan	396
EVENTS	51	EDS1	940
CAPO	52	DataOutPB	465
CAPO	52	CtrlOutPB	466
CAPO	52	DataOutDRB	467
CAPO	52	CtrlOutDRB	468
CAPO	52	DataOutPW	469
CAPO	52	CtrlOutPW	470
CAPO	52	DataOutDRW	471
CAPO	52	CtrlOutDRW	472
DCS	53	TranOut1B	483
DCS	53	TranOut2B	484
DCS	53	TranOut3B	485
DCS	53	TranOut4B	486



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



DCS	53	TranOut1W	487
DCS	53	TranOut2W	488
DCS	53	TranOut3W	489
DCS	53	TranOut4W	490
DCS	53	PaymentB	491
DCS	53	PaymentW	492
DCS	53	PaylogB	493
DCS	53	PaylogW	494
DCS	53	EMISlogB	495
DCS	53	EMISlogW	496
DCS	53	MIDTIDManB	499
DCS	53	MIDTIDManW	500
DCS	53	MIDTIDSolveB	501
DCS	53	MIDTIDSolveW	502
DCS	53	DataPOLB	503
DCS	53	DataPOLW	504
DCS	53	DataPOLCtrlB	505
DCS	53	DataPOLCtrlW	506
DCS	53	ETDTFDataB	533
DCS	53	ETDTFLogB	534
DCS	53	ETDTFDataW	535
DCS	53	ETDTFLogW	536
DCS	53	ETDTFDataFB	547
DCS	53	ETDTFDataFW	548
DCS	53	HxDataPOL	841
DCS	53	HxDataPOLCtrl	842
DCS	53	HxPayment	843
DCS	53	HxPaylog	844
DCS	53	HxEMISlog	845
DCS	53	HxMIDTIDMan	846
DCS	53	HxMIDTIDSolve	847
DCS	53	HxETDTFData	848
DCS	53	HxETDTFLog	849
DCS	53	HxETDTFDataF	850
DCSDB	54	DBAB	507
DCSDB	54	DBAW	508
DCSDB	54	HxDBA	851
SUP	55	Log1B	509
SUP	55	Log2B	510
SUP	55	Log1W	511
SUP	55	Log2W	512
SUP	55	Log3B	664
SUP	55	Log3W	665
SUPFIL	56	FTPAuditB	543
SUPFIL	56	FTPAuditW	544

PRUDTL	57	DataOutB	581
PRUDTL	57	CtrlOutB	582
PRUDTL	57	DataOutW	583
PRUDTL	57	CtrlOutW	584
EDG	58	DataOut1B	585
EDG	58	CtrlOut1B	586
EDG	58	DataOut2B	587
EDG	58	CtrlOut2B	588
EDG	58	DataOutECTOB	589
EDG	58	CtrlOutECTOB	590
EDG	58	DataIn1B	591
EDG	58	CtrlIn1B	592
EDG	58	DataIn2B	593
EDG	58	CtrlIn2B	594
EDG	58	DataInECTOB	595
EDG	58	CtrlInECTOB	596
EDG	58	DataOut1W	597
EDG	58	CtrlOut1W	598
EDG	58	DataOut2W	599
EDG	58	CtrlOut2W	600
EDG	58	DataOutECTOW	601
EDG	58	CtrlOutECTOW	602
EDG	58	DataIn1W	603
EDG	58	CtrlIn1W	604
EDG	58	DataIn2W	605
EDG	58	CtrlIn2W	606
EDG	58	DataInECTOW	607
EDG	58	CtrlInECTOW	608
EDG	58	EDG3OutDB	726
EDG	58	EDG3OutDW	727
EDG	58	EDG3OutCB	728
EDG	58	EDG3OutCW	729
EDG	58	EDG3InDB	730
EDG	58	EDG3InDW	731
EDG	58	EDG3InCB	732
EDG	58	EDG3InCW	733
EDG	58	EDG4InDB	734
EDG	58	EDG4InDW	735
EDG	58	EDG4InCB	736
EDG	58	EDG4InCW	737
EDG	58	REMLInDB	738
EDG	58	REMLInDW	739
EDG	58	REMLInCB	740
EDG	58	REMLInCW	741
EDG	58	CtrlOut6B	742



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



EDG	58	CtrlOut6W	743
EDG	58	DataOut6B	744
EDG	58	DataOut6W	745
EDG	58	EDG6InCB	746
EDG	58	EDG6InCW	747
EDG	58	EDG6InDB	748
EDG	58	EDG6InDW	749
EDG	58	EDG5InCB	750
EDG	58	EDG5InCW	751
EDG	58	EDG5InDB	752
EDG	58	EDG5InDW	753
EDG	58	APULInCB	754
EDG	58	APULInCW	755
EDG	58	APULInDB	756
EDG	58	APULInDW	757
EDG	58	HxDataOut1	852
EDG	58	HxCtrlOut1	853
EDG	58	HxDataOut2	854
EDG	58	HxCtrlOut2	855
EDG	58	HxDataOutECTO	856
EDG	58	HxCtrlOutECTO	857
EDG	58	HxDatIn1	858
EDG	58	HxCtrlIn1	859
EDG	58	HxDatIn2	860
EDG	58	HxCtrlIn2	861
EDG	58	HxDatInECTO	862
EDG	58	HxCtrlInECTO	863
EDG	58	HxEDG3OutD	864
EDG	58	HxEDG3OutC	865
EDG	58	HxEDG3InD	866
EDG	58	HxEDG3InC	867
EDG	58	HxEDG4InD	868
EDG	58	HxEDG4InC	869
EDG	58	HxREMLInD	870
EDG	58	HxREMLInC	871
EDG	58	HxCtrlOut6	872
EDG	58	HxDataOut6	873
EDG	58	HxEDG6InC	874
EDG	58	HxEDG6InD	875
EDG	58	HxEDG5InC	876
EDG	58	HxEDG5InD	877
EDG	58	HxAPULInC	878
EDG	58	HxAPULInD	879
SAPADS	59	DataOut1B	609
SAPADS	59	CtrlOut1B	610

SAPADS	59	DataIn1B	611
SAPADS	59	CtrlIn1B	612
SAPADS	59	DataOut1W	613
SAPADS	59	CtrlOut1W	614
SAPADS	59	DataIn1W	615
SAPADS	59	CtrlIn1W	616
SAPADS	59	HxDataOut1	880
SAPADS	59	HxCtrlOut1	881
SAPADS	59	HxDatIn1	882
SAPADS	59	HxCtrlIn1	883
SUPCON	60	Log1B	617
SUPCON	60	Log1W	618
SUPCON	60	Log2B	663
SUPCON	60	CON1	884
SUPCON	60	CON1BR	885
SUPCON	60	CON2	941
SUPCON	60	CON3	942
SUPCON	60	CON4	943
SUPCON	60	CON5	944
SUPCON	60	CON6	945
SAP	61	SAPInB	619
SAP	61	SAPInW	620
SAP	61	HxSAPIn	886
NBXREP	62	DataOutNBXRB	643
NBXREP	62	CtrlOutNBXRB	644
NBXREP	62	DataOutNBXRW	645
NBXREP	62	CtrlOutNBXRW	646
NBXREP	62	HxDatONBXR	887
NBXREP	62	HxCtrlONBXR	888
NBXREC	63	ReclogsB	653
NBXREC	63	ReclogsW	654
NBXREC	63	RecfilesB	655
NBXREC	63	RecfilesW	656
NBXREC	63	HxReclogs	889
NBXREC	63	HxRecfile	890
NBX	64	NBXJB	657
NBX	64	NBXJW	658
NBX	64	NPS1	891
NBX	64	NPS2	946
TESDB	65	HostB	659
TESDB	65	HostW	660
TESDB	65	HxHost	892
POLFS	66	STAMPSInDB	666
POLFS	66	STAMPSInDW	667
POLFS	66	STAMPSInCB	668



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



POLFS	66	STAMPsInCW	669
POLFS	66	RDSOutDB	670
POLFS	66	RDSOutDW	671
POLFS	66	RDSOutCB	672
POLFS	66	RDSOutCW	673
POLFS	66	RDSInDB	674
POLFS	66	RDSInDW	675
POLFS	66	RDSInCB	676
POLFS	66	RDSInCW	677
POLFS	66	BACSOOutDB	678
POLFS	66	BACSOOutDW	679
POLFS	66	BACSOOutCB	680
POLFS	66	BACSOOutCW	681
POLFS	66	HxSTAMPsID	893
POLFS	66	HxSTAMPsIC	894
POLFS	66	HxRDSOutD	895
POLFS	66	HxRDSOutC	896
POLFS	66	HxRDSInD	897
POLFS	66	HxRDSInC	898
POLFS	66	HxBACSOOutD	899
POLFS	66	HxBACSOOutC	900
TPS	67	HRSAPOutDB	682
TPS	67	HRSAPOutDW	683
TPS	67	HRSAPOutCB	684
TPS	67	HRSAPOutCW	685
TPS	67	HRSAPInDB	686
TPS	67	HRSAPInDW	687
TPS	67	HRSAPInCB	688
TPS	67	HRSAPInCW	689
TPS	67	MISOutDB	690
TPS	67	MISOutDW	691
TPS	67	MISOutCB	692
TPS	67	MISOutCW	693
TPS	67	MISInDB	694
TPS	67	MISInDW	695
TPS	67	MISInCB	696
TPS	67	MISInCW	697
TPS	67	FRTSOutDB	698
TPS	67	FRTSOutDW	699
TPS	67	FRTSOutCB	700
TPS	67	FRTSOutCW	701
TPS	67	FRTSInDB	702
TPS	67	FRTSInDW	703
TPS	67	FRTSInCB	704
TPS	67	FRTSInCW	705

TPS	67	CTSOOutDB	706
TPS	67	CTSOOutDW	707
TPS	67	CTSOOutCB	708
TPS	67	CTSOOutCW	709
TPS	67	CTSInDB	710
TPS	67	CTSInDW	711
TPS	67	CTSInCB	712
TPS	67	CTSInCW	713
TPS	67	HxFRTSInC	808
TPS	67	HxCTSInC	817
TPS	67	HxCTSInD	820
TPS	67	HxCTSOutC	837
TPS	67	HxCTSOutD	838
TPS	67	HxHRSAPOD	901
TPS	67	HxHRSAPOC	902
TPS	67	HxHRSAPInD	903
TPS	67	HxHRSAPInC	904
TPS	67	HxMISOD	905
TPS	67	HxMISOC	906
TPS	67	HxMISInD	907
TPS	67	HxMISInC	908
TPS	67	HxFRTSOD	909
TPS	67	HxFRTSOC	910
TPS	67	HxFRTSInD	911
TPS	67	POLMIB	963
TPS	67	POLMIW	964
TPS	67	HxPOLMI	965
APOPDB	68	APOPAudB	758
APOPDB	68	APOPAudW	759
APOPDB	68	APOPArCB	760
APOPDB	68	APOPArCW	761
APOPDB	68	HxAPOPArC	814
APOPDB	68	HxAPOPArC	816
BRDB	69	SUPP	786
BRDB	69	AUD	805
BRDB	69	HOST	962
BRDB	69	TCT	966
KMN	70	KMN1	956
KMN	70	KMN2	957



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



6.13 SubPoint Summary

This section lists all Audit sub points. It details each subpoint, its related Audit point and Gatherer.

SP #	Sub Point	AP #	Audit Point	Gath #	Gatherer	Sub Point Description	Share Name	Deletion Policy	Retention Months	Renaming Policy	Delay in Hours	Exclude	Transfer Data	Pre-Compress
1	ADataOutB	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
2	ACtrlOutB	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
3	ADataInB	1	RDMC	1	RDMC	Class 'A' Reference Data files received from POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
4	ACtrlInB	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
5	BDataOutB	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
6	BCtrlOutB	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
7	BDataInB	1	RDMC	1	RDMC	Class 'B' Reference Data files received from POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
8	BCtrlInB	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\PBORMT015\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
9	RefDataB	1	RDMC	14	DUMMY	Reference data information other than that supplied by POCL. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\rdmc\archive	HOARD+1440	18	6	1	tmp	YES	NONE
10	ADataOutW	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
11	ACtrlOutW	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
12	ADataInW	1	RDMC	1	RDMC	Class 'A' Reference Data files received from POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
13	ACtrlInW	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
14	BDataOutW	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
15	BCtrlOutW	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
16	BDataInW	1	RDMC	1	RDMC	Class 'B' Reference Data files received from POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
17	BCtrlInW	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\PWIRMT050\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
18	RefDataW	1	RDMC	14	DUMMY	Reference data information other than that supplied by POCL. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\rdmc\archive	HOARD+1440	18	6	1	tmp	YES	NONE
247	D1DataOutB	1	RDMC	1	RDMC	Notification of address changes to Dispatch-1	\\MBOFLG01\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
248	D1CtrlOutB	1	RDMC	1	RDMC	Control files referring to data sent to UKSS Dispatch-1	\\MBOFLG01\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
249	D1DataOutW	1	RDMC	1	RDMC	Notification of address changes to Dispatch-1	\\MWIFLG01\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
250	D1CtrlOutW	1	RDMC	1	RDMC	Control files referring to data sent to UKSS Dispatch-1	\\MWIFLG01\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
253	DDataDone1B	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MBOAGE01\c\$\data\load\done	HOARD+1440	18	7	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



254	DDDataDone2B	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MBOAGE02\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
255	DDDataDone3B	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MBOAGE03\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
256	DDDataDone4B	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MBOAGE04\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
257	DDDataFail1B	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MBOAGE01\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
258	DDDataFail2B	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MBOAGE02\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
259	DDDataFail3B	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MBOAGE03\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
260	DDDataFail4B	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MBOAGE04\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
261	DDDataDone1W	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MWIAGE01\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
262	DDDataDone2W	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MWIAGE02\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
263	DDDataDone3W	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MWIAGE03\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
264	DDDataDone4W	1	RDMC	1	RDMC	Reference data loaded supplied by pathway and loaded directly via Tivoli	\\MWIAGE04\c\$\dataload\done	HOARD+1440	18	7	1	tmp	YES	NONE
265	DDDataFail1W	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MWIAGE01\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
266	DDDataFail2W	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MWIAGE02\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
267	DDDataFail3W	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MWIAGE03\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
268	DDDataFail4W	1	RDMC	1	RDMC	Reference data loaded supplied by Pathway which has failed to load directly via Tivoli	\\MWIAGE04\c\$\dataload\fail	HOARD+7200	18	7	1	tmp	YES	NONE
517	SPRDataOutB	1	RDMC	1	RDMC	Spot rate acknowledgement files transferred from RDMC to FRTS	\\PBORMT015\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
518	SPRCtrlOutB	1	RDMC	1	RDMC	Control files referring to spot rate acknowledgement files sent to FRTS	\\PBORMT015\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
519	MRGDataOutB	1	RDMC	1	RDMC	Margin acknowledgement files transferred from RDMC to FRTS	\\PBORMT015\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
520	MRGCtrlOutB	1	RDMC	1	RDMC	Control files referring to margin acknowledgement files sent to FRTS	\\PBORMT015\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
521	SPRDataInB	1	RDMC	1	RDMC	Spot rate data files received from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
522	SPRCtrlInB	1	RDMC	1	RDMC	Control files referring to spot rate data files sent from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
523	MRGDataInB	1	RDMC	1	RDMC	Margin data files received from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
524	MRGCtrlInB	1	RDMC	1	RDMC	Control files referring to margin data files sent from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
525	SPRDataOutW	1	RDMC	1	RDMC	Spot rate acknowledgement files transferred from RDMC to FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
526	SPRCtrlOutW	1	RDMC	1	RDMC	Control files referring to spot rate acknowledgement files sent to FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
527	MRGDataOutW	1	RDMC	1	RDMC	Margin acknowledgement files transferred from RDMC to FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
528	MRGCtrlOutW	1	RDMC	1	RDMC	Control files referring to margin acknowledgement files sent to FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
529	SPRDataInW	1	RDMC	1	RDMC	Spot rate data files received from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
530	SPRCtrlInW	1	RDMC	1	RDMC	Control files referring to spot rate data files sent from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
531	MRGDataInW	1	RDMC	1	RDMC	Margin data files received from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



532	MRGCtrlInW	1	RDMC	1	RDMC	Control files referring to margin data files sent from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
549	SolRefDataB	1	RDMC	18	SOLDB	This is the physical audit point on the Solaris host for reference data information other than that supplied by POCL	\\sbodat01\rdmc\archive	HOARD+1440	18	6	1	tmp	YES	NONE
550	SolRefDataW	1	RDMC	18	SOLDB	This is the physical audit point on the Solaris host for reference data information other than that supplied by POCL	\\swidat01\rdmc\archive	HOARD+1440	18	6	1	tmp	YES	NONE
565	DAGDataDone1B	1	RDMC	1	RDMC	Type D reference data loaded via RDMC. Note that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE01\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
566	DAGDataDone2B	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE02\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
567	DAGDataDone3B	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE03\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
568	DAGDataDone4B	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE04\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
569	DAGDataFail1B	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE01\C\$\AgentData\DDData\FAIL	HOARD+7220	18	7	1	tmp	YES	NONE
570	DAGDataFail2B	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE02\C\$\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE
571	DAGDataFail3B	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE03\C\$\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE
572	DAGDataFail4B	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MBOAGE04\C\$\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE
573	DAGDataDone1W	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE01\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
574	DAGDataDone2W	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE02\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
575	DAGDataDone3W	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE03\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
576	DAGDataDone4W	1	RDMC	1	RDMC	Type D reference data loaded via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE04\C\$\AgentData\DDData\DONE	HOARD+1440	18	7	1	tmp	YES	NONE
577	DAGDataFail1W	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE01\C\$\AgentData\DDData\FAIL	HOARD+7220	18	7	1	tmp	YES	NONE
578	DAGDataFail2W	1	RDMC	1	RDMC	Type D reference data that has failed to load via	\\MWIAGE02\C\$\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



						RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.										
579	DAgDataFail3W	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE03\CS\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE		
580	DAgDataFail4W	1	RDMC	1	RDMC	Type D reference data that has failed to load via RDMCNote that these audit points are included in the S60 configuration file as disabled. The will be activated at S70.	\\MWIAGE04\CS\AgentData\DDData\FAIL	HOARD+7200	18	7	1	tmp	YES	NONE		
627	DWebDataDone1B	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MBOAGE01\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
628	DWebDataDone2B	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MBOAGE02\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
629	DWebDataDone3B	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MBOAGE03\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
630	DWebDataDone4B	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MBOAGE04\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
631	DWebDataFail1B	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MBOAGE01\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
632	DWebDataFail2B	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MBOAGE02\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
633	DWebDataFail3B	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MBOAGE03\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
634	DWebDataFail4B	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MBOAGE04\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
635	DWebDataDone1W	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MWIAGE01\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
636	DWebDataDone2W	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MWIAGE02\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
637	DWebDataDone3W	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MWIAGE03\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
638	DWebDataDone4W	1	RDMC	1	RDMC	Mails help files loaded via RDMC	\\MWIAGE04\CS\AgentData\WebR\Done	HOARD+1440	18	7	1	tmp	YES	NONE		
639	DWebDataFail1W	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MWIAGE01\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
640	DWebDataFail2W	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MWIAGE02\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
641	DWebDataFail3W	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MWIAGE03\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
642	DWebDataFail4W	1	RDMC	1	RDMC	This is the physical audit point mails help files that have failed to load via RDMC	\\MWIAGE04\CS\AgentData\WebR\Fail	HOARD+7200	18	7	1	tmp	YES	NONE		
778	HxADataOut	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\pplg001\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		
779	HxActrlOut	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\pplg001\FTMSSHR\$\FTMS-RDMC-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE		
780	HxADataIn	1	RDMC	1	RDMC	Class 'A' Reference Data files received from POCL	\\pplg001\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		
781	HxActrlIn	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\pplg001\FTMSSHR\$\FTMS-RDB-RDMC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE		
782	HxBDataO	1	RDMC	1	RDMC	Reference data file information returned to POCL	\\pplg001\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		
783	HxBctrlIO	1	RDMC	1	RDMC	Control files referring to data sent to POCL	\\pplg001\FTMSSHR\$\FTMS-RDT-RDB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE		
784	HxBDataIn	1	RDMC	1	RDMC	Class 'B' Reference Data files received from POCL	\\pplg001\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		
785	HxBctrlIn	1	RDMC	1	RDMC	Control files referring to data sent from POCL	\\pplg001\FTMSSHR\$\FTMS-RDB-RDT-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE		
787	HxD1DataOut	1	RDMC	1	RDMC	Notification of address changes to Dispatch-1	\\pflg001\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		
788	HxD1CtrlOut	1	RDMC	1	RDMC	Control files referring to data sent to UKSS Dispatch-1	\\pflg001\FTMSSHR\$\FTMS-RDMC-UKSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE		
789	HxSPRDataO	1	RDMC	1	RDMC	Spot rate acknowledgement files transferred from RDMC to FRTS	\\pplg001\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE		



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



790	HxSPRCtrlO	1	RDMC	1	RDMC	Control files referring to spot rate acknowledgement files sent to FRTS	\\pplg001\FTMSSHR\$\FTMS-HORZ-SPR-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
791	HxMRGDataO	1	RDMC	1	RDMC	Margin acknowledgement files transferred from RDMC to FRTS	\\pplg001\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
792	HxMRGCtrlO	1	RDMC	1	RDMC	Control files referring to margin acknowledgement files sent to FRTS	\\pplg001\FTMSSHR\$\FTMS-HORZ-MRG-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
793	HxSPRDataI	1	RDMC	1	RDMC	Spot rate data files received from FRTS	\\pplg001\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
794	HxSPRCtrlI	1	RDMC	1	RDMC	Control files referring to spot rate data files sent from FRTS	\\pplg001\FTMSSHR\$\FTMS-SPR-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
795	HxMRGDataI	1	RDMC	1	RDMC	Margin data files received from FRTS	\\pplg001\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
796	HxMRGCtrlI	1	RDMC	1	RDMC	Control files referring to margin data files sent from FRTS	\\pplg001\FTMSSHR\$\FTMS-MRG-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
797	HxSolRefDat	1	RDMC	18	SOLDB	This is the physical audit point on the Solaris host for reference data information other than that supplied by POCL	\\M_DB_SRV\rdmc\archive	HOARD+1440	18	6	1	tmp	YES	NONE
19	SorbusInB	2	HHd	14	DUMMY	Data files transferred from Horizon Help desk Call log to MIS	\\MBOHDG134\FTMSSHR\$\FTMS-SORB-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
20	SCTrlInB	2	HHd	14	DUMMY	Control files referring to data sent from Horizon Help desk	\\MBOHDG134\FTMSSHR\$\FTMS-SORB-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
21	BTInB	2	HHd	14	DUMMY	Data files transferred from BT Call log to MIS	\\MBOHDG134\FTMSSHR\$\FTMS-BT-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
22	BCTrlInB	2	HHd	14	DUMMY	Control files referring to data sent from BT	\\MBOHDG134\FTMSSHR\$\FTMS-BT-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
23	MitellInB	2	HHd	14	DUMMY	Data files transferred from Mitel Call log to MIS	\\MBOHDG134\FTMSSHR\$\FTMS-MITL-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
24	MCTrlInB	2	HHd	14	DUMMY	Control files referring to data sent from Mitel	\\MBOHDG134\FTMSSHR\$\FTMS-MITL-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
25	SorbusInW	2	HHd	14	DUMMY	Data files transferred from Horizon Help desk Call log to MIS	\\MWIHDG084\FTMSSHR\$\FTMS-SORB-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
26	SCTrlInW	2	HHd	14	DUMMY	Control files referring to data sent from Horizon Help desk	\\MWIHDG084\FTMSSHR\$\FTMS-SORB-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
27	BTInW	2	HHd	14	DUMMY	Data files transferred from BT Call log to MIS	\\MWIHDG084\FTMSSHR\$\FTMS-BT-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
28	BCTrlInW	2	HHd	14	DUMMY	Control files referring to data sent from BT	\\MWIHDG084\FTMSSHR\$\FTMS-BT-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
29	MitellInW	2	HHd	14	DUMMY	Data files transferred from Mitel Call log to MIS	\\MWIHDG084\FTMSSHR\$\FTMS-MITL-MIS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
30	MCTrlInW	2	HHd	14	DUMMY	Control files referring to data sent from Mitel	\\MWIHDG084\FTMSSHR\$\FTMS-MITL-MIS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
31	DataOutB	3	TIP	3	TIP	Data files transferred from TPS to TIP	\\PBORMT015\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
32	CtrlOutB	3	TIP	3	TIP	Control files referring to data files sent to TIP	\\PBORMT015\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
33	DataInB	3	TIP	3	TIP	Confirmation files returned from TIP	\\PBORMT015\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
34	CtrlInB	3	TIP	3	TIP	Control files referring to error files sent from TIP	\\PBORMT015\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
35	DataOutW	3	TIP	3	TIP	Data files transferred from TPS to TIP	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
36	CtrlOutW	3	TIP	3	TIP	Control files referring to data files sent to TIP	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
37	DataInW	3	TIP	3	TIP	Confirmation files returned from TIP	\\PWIRMT050\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
38	CtrlInW	3	TIP	3	TIP	Control files referring to error files sent from TIP	\\PWIRMT050\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
722	ESFSOutDB	3	TIP	3	TIP	Data files transferred from POL FS to ESFS	\\PBORMT015\FTMSSHR\$\FTMS-POLFS-ESFS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
723	ESFSOutDW	3	TIP	3	TIP	Data files transferred from POL FS to ESFS	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-ESFS-	HOARD+2880	18	4	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



724	ESFSOutCB	3	TIP	3	TIP	Control files for data files transferred from POL FS to ESFS	SOURCE\PreProcess\Archive \\PBORMT015\FTMSSHR\$\FTMS-POLFS-ESFS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
725	ESFSOutCW	3	TIP	3	TIP	Control files for data files transferred from POL FS to ESFS	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-ESFS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
798	HxDataO	3	TIP	3	TIP	Data files transferred from TPS to TIP	\\pplg001\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
799	HxCtrlO	3	TIP	3	TIP	Control files referring to data files sent to TIP	\\pplg001\FTMSSHR\$\FTMS-TPS-TIP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
800	HxDatIn	3	TIP	3	TIP	Confirmation files returned from TIP	\\pplg001\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
801	HxCtrlIn	3	TIP	3	TIP	Control files referring to error files sent from TIP	\\pplg001\FTMSSHR\$\FTMS-TIP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
802	HxESFSOutD	3	TIP	3	TIP	Files transferred from POL FS to ESFS	\\pplg001\FTMSSHR\$\FTMS-POLFS-ESFS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
803	HxESFSOutC	3	TIP	3	TIP	Control files for files transferred from POL FS to ESFS	\\pplg001\FTMSSHR\$\FTMS-POLFS-ESFS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
39	LogB	4	AUDIT	4	AUDIT	This is the physical audit point for the audit action log files	\\MBOARC01\D\$\ArchiveServer\Interfaces\AS_AUDIT_TRACK	HOARD+1440	84	0	1	tmp	YES	NONE
40	NonPolledB	4	AUDIT	14	DUMMY	The non-polled office reports that aid internal audit in defining the required end-date for Correspondence Server retrievals.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host	\\bootlehost\tpsaudit	HOARD+5760	84	7	1	tmp	YES	NONE
41	LogW	4	AUDIT	4	AUDIT	This is the physical audit point for the audit action log files	\\MWIARC01\D\$\ArchiveServer\Interfaces\AS_AUDIT_TRACK	HOARD+1440	84	0	1	tmp	YES	NONE
42	NonPolledW	4	AUDIT	14	DUMMY	The non-polled office reports that aid internal audit in defining the required end-date for Correspondence Server retrievals .Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host	\\wiganhost\tpsaudit	HOARD+5760	84	7	1	tmp	YES	NONE
551	SolNonPolledB	4	AUDIT	18	SOLDB	This is the physical audit point on the Solaris host for the non-polled office reports that aid internal audit in defining the required end-date for Correspondence Server retrievals	\\sbodat01\tpsaudit	HOARD+5760	84	7	1	tmp	YES	NONE
552	SolNonPolledW	4	AUDIT	18	SOLDB	This is the physical audit point on the Solaris host for the non-polled office reports that aid internal audit in defining the required end-date for Correspondence Server retrievals	\\swidat01\tpsaudit	HOARD+5760	84	7	1	tmp	YES	NONE
804	HxLog1	4	AUDIT	4	AUDIT	Audit server audit files (PARC001)	\\parc001\D\$\ArchiveServer\Interfaces\AS_AUDIT_TRACK	HOARD+1440	84	0	1	tmp	YES	NONE
806	HxLog2	4	AUDIT	4	AUDIT	Audit server audit files (PARC002)	\\parc002\D\$\ArchiveServer\Interfaces\AS_AUDIT_TRACK	HOARD+1440	84	0	1	tmp	YES	NONE
807	HxSolNonPoll	4	AUDIT	18	SOLDB	Non-polled office reports that aid internal audit in defining the required end-date for Correspondence Server retrievals	\\M_DB_SRV\tpsaudit	HOARD+5760	84	7	1	tmp	YES	NONE
43	DataOutB	5	HAPS	14	DUMMY	Transaction data files transferred from APS to HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-APS-HAPS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
44	CtrOutB	5	HAPS	14	DUMMY	Control fiels for Transaction data files transferred from APS to HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-APS-HAPS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
45	DataInB	5	HAPS	14	DUMMY	Confirmation files (relating to transaction data files sent to HAPS) returned from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-HAPS-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
46	CtrInB	5	HAPS	14	DUMMY	Control files referring to data sent from POCL	\\BBOPHG017\FTMSSHR\$\FTMS-HAPS-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
47	DataOutW	5	HAPS	14	DUMMY	Transaction data files transferred from APS to HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-APS-HAPS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
48	CtrOutW	5	HAPS	14	DUMMY	Control fiels for Transaction data files transferred from APS to HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-APS-HAPS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
49	DataInW	5	HAPS	14	DUMMY	Confirmation files (relating to transaction data files sent to HAPS) returned from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-HAPS-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
50	CtrInW	5	HAPS	14	DUMMY	Control files referring to data sent from POCL	\\BWIPHG048\FTMSSHR\$\FTMS-HAPS-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



151	TDataOutB	5	HAPS	14	DUMMY	Confirmation data files transferred from APS to HAPS relating to transaction files sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-APS-HAPT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
152	TCtrlOutB	5	HAPS	14	DUMMY	Control files for Confirmation data files transferred from APS to HAPS relating to transaction files sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-APS-HAPT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
153	TDataInB	5	HAPS	14	DUMMY	Transaction data sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-HAPT-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
154	TCtrlInB	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-HAPT-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
155	CDataInB	5	HAPS	14	DUMMY	Client data sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-HAPC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
156	CCtrlInB	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS	\\BBOPHG017\FTMSSHR\$\FTMS-HAPC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
157	TDataOutW	5	HAPS	14	DUMMY	Confirmation data files transferred from APS to HAPS relating to transaction files sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-APS-HAPT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
158	TCtrlOutW	5	HAPS	14	DUMMY	Control files for Confirmation data files transferred from APS to HAPS relating to transaction files sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-APS-HAPT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
159	TDataInW	5	HAPS	14	DUMMY	Transaction data sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-HAPT-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
160	TCtrlInW	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-HAPT-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
161	CDataInW	5	HAPS	14	DUMMY	Client data sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-HAPC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
162	CCtrlInW	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS	\\BWIPHG048\FTMSSHR\$\FTMS-HAPC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
211	CDataOutB	5	HAPS	14	DUMMY	Client data sent to HAPS using the HAPC service	\\BBOPHG017\FTMSSHR\$\FTMS-APSC-HAPC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
212	CCtrlOutB	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS using the HAPC service.	\\BBOPHG017\FTMSSHR\$\FTMS-APSC-HAPC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
213	CDataOutW	5	HAPS	14	DUMMY	Client data sent to HAPS using the HAPC service	\\BWIPHG048\FTMSSHR\$\FTMS-APSC-HAPC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
214	CCtrlOutW	5	HAPS	14	DUMMY	Control files referring to data sent from HAPS using the HAPC service.	\\BWIPHG048\FTMSSHR\$\FTMS-APSC-HAPC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
51	DataB	6	ESNS	14	DUMMY	Files sent to and received from ESNS.	\\BOOTLEHOST\obcsarc\files	HOARD+2880	18	7	1	tmp	YES	NONE
52	DataW	6	ESNS	14	DUMMY	Files sent to and received from ESNS.	\\WIGANHOST\obcsarc\files	HOARD+2880	18	7	1	tmp	YES	NONE
331	ManStopB	6	ESNS	14	DUMMY	The daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MBOFLG01\FTMSSHR\$\FTMS-OBCS-MAN-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
332	ManCtrlB	6	ESNS	14	DUMMY	Control files for the daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MBOFLG01\FTMSSHR\$\FTMS-OBCS-MAN-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
333	StevStopB	6	ESNS	14	DUMMY	The daily stop notice file transferred from OBCS to the Horizon Help desk at Stevenage	\\MBOFLG01\FTMSSHR\$\FTMS-OBCS-STEVSOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
334	StevCtrlB	6	ESNS	14	DUMMY	Control files for the daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MBOFLG01\FTMSSHR\$\FTMS-OBCS-STEVSOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
335	ManStopW	6	ESNS	14	DUMMY	The daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MWIFLG01\FTMSSHR\$\FTMS-OBCS-MAN-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
336	ManCtrlW	6	ESNS	14	DUMMY	Control files for the daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MWIFLG01\FTMSSHR\$\FTMS-OBCS-MAN-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
337	StevStopW	6	ESNS	14	DUMMY	The daily stop notice file transferred from OBCS to the Horizon Help desk at Stevenage	\\MWIFLG01\FTMSSHR\$\FTMS-OBCS-STEVSOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
338	StevCtrlW	6	ESNS	14	DUMMY	Control files for the daily stop notice file transferred from OBCS to the Horizon Help desk at Manchester	\\MWIFLG01\FTMSSHR\$\FTMS-OBCS-STEVSOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
553	SolDataB	6	ESNS	14	DUMMY	This is the physical audit point on the Solaris host for files sent to and received from ESNS	\\sbodat01\obcsarc\files	HOARD+2880	18	7	1	tmp	YES	NONE
554	SolDataW	6	ESNS	14	DUMMY	This is the physical audit point on the Solaris host for files sent to and received from ESNS	\\swidat01\obcsarc\files	HOARD+2880	18	7	1	tmp	YES	NONE
53	HostB	7	OBSCS	14	DUMMY	Archiving the OBSCS database	\\BOOTLEHOST\obcsarc\data	HOARD+1440	18	2	1	tmp	YES	NONE
54	HostW	7	OBSCS	14	DUMMY	Archiving the OBSCS database	\\WIGANHOST\obcsarc\data	HOARD+1440	18	2	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

559	SolHostB	7	OBCS	14	DUMMY	Archiving the OBCS database on the Solaris host	\\sbodat01\obcsarc\data	HOARD+1440	18	2	1	tmp	YES	NONE
560	SolHostW	7	OBCS	14	DUMMY	Archiving the OBCS database on the Solaris host	\\swidat01\obcsarc\data	HOARD+1440	18	2	1	tmp	YES	NONE
55	Cluster1B	8	TMS	8	TMSA	TMS transactions gather from Correspondence Server Cluster 1	\\MBOCOR01\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
56	Cluster2B	8	TMS	7	TMSB	TMS transactions gather from Correspondence Server Cluster 2	\\MBOCOR02\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
57	Cluster3B	8	TMS	8	TMSA	TMS transactions gather from Correspondence Server Cluster 3	\\MBOCOR03\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
58	Cluster4B	8	TMS	7	TMSB	TMS transactions gather from Correspondence Server Cluster 4	\\MBOCOR04\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
59	Cluster1W	8	TMS	8	TMSA	TMS transactions gather from Correspondence Server Cluster 1	\\MWICOR01\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
60	Cluster2W	8	TMS	7	TMSB	TMS transactions gather from Correspondence Server Cluster 2	\\MWICOR02\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
61	Cluster3W	8	TMS	8	TMSA	TMS transactions gather from Correspondence Server Cluster 3	\\MWICOR03\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
62	Cluster4W	8	TMS	7	TMSB	TMS transactions gather from Correspondence Server Cluster 4	\\MWICOR04\DS\Audit\Done	HOARD+4320	84	0	1	tmp	NO	NONE
371	Cluster5B	8	TMS	14	DUMMY	Unused	\\MBOCOR05\DS\Audit\Done	HOARD+1440	84	0	1	tmp	NO	NONE
372	Cluster6B	8	TMS	14	DUMMY	Unused	\\MBOCOR06\DS\Audit\Done	HOARD+1440	84	0	1	tmp	NO	NONE
373	Cluster7B	8	TMS	14	DUMMY	Unused	\\MBOCOR07\DS\Audit\Done	HOARD+1440	84	0	1	tmp	NO	NONE
374	Cluster8B	8	TMS	14	DUMMY	Unused	\\MBOCOR08\DS\Audit\Done	HOARD+1440	84	0	1	tmp	NO	NONE
63	Bootle	9	TIVOLI	14	DUMMY	The Tivoli event log files prior to Bi3 implementation	\\X_BSYSINV01\Audit\$	HOARD+1440	18	1	1	tmp	YES	NONE
64	Wigan	9	TIVOLI	14	DUMMY	The Tivoli event log files prior to Bi3 implementation	\\X_WSYSINV01\Audit\$	HOARD+1440	18	1	1	tmp	YES	NONE
65	HostB	10	MAES	14	DUMMY	Maestro logs from the Host systems.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\X_BOOTLEHOST\MAEARC	HOARD+2880	18	7	1	tmp	YES	NONE
66	COR1B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
67	COR2B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
68	COR3B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR03\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
69	COR4B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR04\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
70	AGE1B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
71	AGE2B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
72	AGE5B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE03\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
73	AGE6B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE04\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
74	AGE9B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE05\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
75	AGE10B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE06\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
76	AGE13B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE07\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
77	AGE14B	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MBOAGE08\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
78	FTMS2B	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_PBORMT015\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
79	FTMS3B	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_BBOPHG017\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
80	FTMS4B	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MBOHDG134\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
81	AUD1B	10	MAES	14	DUMMY	Maestro logs from the Audit servers	\\X_MBOARC01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
82	ECCO1B	10	MAES	14	DUMMY	Maestro logs from the Migration agent servers	\\X_MBOMAS01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
83	FTA1B	10	MAES	14	DUMMY	Maestro logs from the Maestro Fault Tolerant Agent servers	\\X_BBOPGSS02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
84	HostW	10	MAES	14	DUMMY	Maestro logs from the Host systems.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\X_WIGANHOST\MAEARC	HOARD+2880	18	7	1	tmp	YES	NONE
85	COR1W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
86	COR2W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

87	COR3W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR03\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
88	COR4W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR04\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
89	AGE3W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
90	AGE4W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
91	AGE7W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE03\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
92	AGE8W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE04\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
93	AGE11W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE05\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
94	AGE12W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE06\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
95	AGE15W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE07\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
96	AGE16W	10	MAES	14	DUMMY	Maestro logs from the Agent servers	\\X_MWIAGE08\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
97	FTMS2W	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_PWIRMT050\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
98	FTMS3W	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_BWIPHG048\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
99	FTMS4W	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MWIHGD084\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
100	AUD1W	10	MAES	14	DUMMY	Maestro logs from the Audit servers	\\X_MWIARC01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
101	ECCO1W	10	MAES	14	DUMMY	Maestro logs from the Migration agent servers	\\X_MWIMAS01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
102	FTA1W	10	MAES	14	DUMMY	Maestro logs from the Maestro Fault Tolerant Agent servers	\\X_BWIWOPSS01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
163	KMS1B	10	MAES	14	DUMMY	Maestro logs from the KMS servers	\\X_MBOKMS01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
164	KMS1W	10	MAES	14	DUMMY	Maestro logs from the KMS servers	\\X_MWIKMS01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
165	FTMS1B	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MBOLAP01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
166	FTMS1W	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MWILAP01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
217	SSC1B	10	MAES	14	DUMMY	Maestro logs from the SSC Support Servers	\\X_MBOSSC01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
218	SSC1W	10	MAES	14	DUMMY	Maestro logs from the SSC Support Servers	\\X_MWISSC01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
251	FTMS5B	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MBOFLG01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
252	FTMS5W	10	MAES	14	DUMMY	Maestro logs from the FTMS local gateways	\\X_MWIFLG01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
269	WCOR1	10	MAES	14	DUMMY	Maestro logs from the Wing Correspondence Servers located at Bracknell (these will be gathered by the Bootle Audit server)	\\X_MBOWING01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
270	WCOR2	10	MAES	14	DUMMY	Maestro logs from the Wing Correspondence Servers located at Bracknell (these will be gathered by the Bootle Audit server)	\\X_MBOWING02\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
271	WCOR3	10	MAES	14	DUMMY	Maestro logs from the Wing Correspondence Servers located at Bracknell (these will be gathered by the Bootle Audit server)	\\X_MBOWING03\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
272	WCOR4	10	MAES	14	DUMMY	Maestro logs from the Wing Correspondence Servers located at Bracknell (these will be gathered by the Bootle Audit server)	\\X_MBOWING04\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
283	ACDB1B	10	MAES	14	DUMMY	Maestro logs from the ACDB servers	\\X_MBOACF01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
284	OCMS1B	10	MAES	14	DUMMY	Maestro logs from the Outlet Change Management (OCMS) Servers	\\X_MBOOCM01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
285	ACDB1W	10	MAES	14	DUMMY	Maestro logs from the ACDB servers	\\X_MWIACF01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
286	OCMS1W	10	MAES	14	DUMMY	Maestro logs from the Outlet Change Management (OCMS) Servers	\\X_MWIOCM01\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
379	COR11B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR11\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
380	COR12B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR12\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
381	COR13B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR13\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
382	COR14B	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MBOCOR14\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
383	COR11W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR11\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
384	COR12W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR12\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
385	COR13W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR13\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



386	COR14W	10	MAES	14	DUMMY	Maestro logs from the Correspondence Servers.	\\X_MWICOR14\maearc\$	HOARD+2880	18	7	1	tmp	YES	NONE
103	MigratedB	11	ECCO	14	DUMMY	The ECCO migrated disk files	\\MBOMAS01\inputdata\Done	HOARD+12960	18	7	1	tmp	YES	NONE
104	FailedB	11	ECCO	14	DUMMY	The ECCO migration files which have failed to process correctly	\\MBOMAS01\inputdata\Fail	HOARD+12960	18	7	1	tmp	YES	NONE
105	MessagesB	11	ECCO	14	DUMMY	The ECCO migration report files which contain disk processing details	\\MBOMAS01\inputdata\Messages	HOARD+12960	18	7	1	tmp	YES	NONE
106	MigratedW	11	ECCO	14	DUMMY	The ECCO migrated disk files	\\MWIMAS01\inputdata\Done	HOARD+12960	18	7	1	tmp	YES	NONE
107	FailedW	11	ECCO	14	DUMMY	The ECCO migration files which have failed to process correctly	\\MWIMAS01\inputdata\Fail	HOARD+12960	18	7	1	tmp	YES	NONE
108	MessagesW	11	ECCO	14	DUMMY	The ECCO migration report files which contain disk processing details	\\MWIMAS01\inputdata\Messages	HOARD+12960	18	7	1	tmp	YES	NONE
109	ReconB	12	APR	14	DUMMY	The AP reconciliation data up until the CSR+ (CI4) implementation. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems	\\BOOTLEHOST\aprar	HOARD+14400	18	7	1	tmp	YES	NONE
110	ReconW	12	APR	14	DUMMY	The AP reconciliation data up until the CSR+ (CI4) implementation. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems	\\WIGANHOST\aprar	HOARD+14400	18	7	1	tmp	YES	NONE
215	Recon4B	12	APR	14	DUMMY	The AP reconciliation data up from CSR+ (CI4) implementation. The data consists of archived database tables. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\APSARC\valid	HOARD+14400	18	7	1	tmp	YES	NONE
216	Recon4W	12	APR	14	DUMMY	The AP reconciliation data up from CSR+ (CI4) implementation. The data consists of archived database tables. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\APSARC\valid	HOARD+14400	18	7	1	tmp	YES	NONE
557	SolRecon4B	12	APR	18	SOLDB	This is the physical audit point on the Solaris host for the AP reconciliation data up from CSR+ (CI4) implementation. The data consists of archived database tables	\\sbodat01\apsarc\valid	HOARD+14400	18	7	1	tmp	YES	NONE
558	SolRecon4W	12	APR	18	SOLDB	This is the physical audit point on the Solaris host for the AP reconciliation data up from CSR+ (CI4) implementation. The data consists of archived database tables	\\swidat01\apsarc\valid	HOARD+14400	18	7	1	tmp	YES	NONE
809	HxSolRec4	12	APR	18	SOLDB	This is the physical audit point on the Solaris host for the AP reconciliation data up from CSR+ (CI4) implementation. The data consists of archived database tables	\\M_DB_SRV\apsarc\valid	HOARD+14400	18	7	1	tmp	YES	NONE
111	CelesticaOutB	13	RODB	14	DUMMY	Roll-out information sent to Celestica	\\PW\ACF080\FTMSAUDS\FTMS-RODB-CELE-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
112	CeleCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Celestica	\\PW\ACF080\FTMSAUDS\FTMS-RODB-CELE-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
113	CelesticaInB	13	RODB	14	DUMMY	Roll-out information sent from Celestica	\\PW\ACF080\FTMSAUDS\FTMS-CELE-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
114	CeleCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from Celestica	\\PW\ACF080\FTMSAUDS\FTMS-CELE-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
115	EnergisOutB	13	RODB	14	DUMMY	Roll-out information sent to Energis	\\PW\ACF080\FTMSAUDS\FTMS-RODB-ENER-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
116	EnerCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Energis	\\PW\ACF080\FTMSAUDS\FTMS-RODB-ENER-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
117	EnergisInB	13	RODB	14	DUMMY	Roll-out information sent from Energis	\\PW\ACF080\FTMSAUDS\FTMS-ENER-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
118	EnerCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from Energis	\\PW\ACF080\FTMSAUDS\FTMS-ENER-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
119	ExelOutB	13	RODB	14	DUMMY	Roll-out information sent to Exel	\\PW\ACF080\FTMSAUDS\FTMS-RODB-EXEL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

120	ExelCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Exel	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-EXEL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
121	ExelInB	13	RODB	14	DUMMY	Roll-out information sent from Exel	\\PW\IACF080\FTMSAUD\$\FTMS-EXEL-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
122	ExelCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from Exel	\\PW\IACF080\FTMSAUD\$\FTMS-EXEL-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
123	PRCOutB	13	RODB	14	DUMMY	Roll-out information sent to Pearce Securities	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-PEARCE-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
124	PRCCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Pearce Securities	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-PEARCE-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
125	PRCInB	13	RODB	14	DUMMY	Roll-out information sent from Pearce Securities	\\PW\IACF080\FTMSAUD\$\FTMS-PEARCE-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
126	PRCCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from Pearce Securities	\\PW\IACF080\FTMSAUD\$\FTMS-PEARCE-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
127	PeritasOutB	13	RODB	14	DUMMY	Roll-out information sent to Peritas	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-PERI-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
128	PeriCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Peritas	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-PERI-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
129	PeritasInB	13	RODB	14	DUMMY	Roll-out information sent from Peritas	\\PW\IACF080\FTMSAUD\$\FTMS-PERI-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
130	PeriCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from Peritas	\\PW\IACF080\FTMSAUD\$\FTMS-PERI-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
131	WTPLCOutB	13	RODB	14	DUMMY	Roll-out information sent to WTPLC	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-WTPL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
132	WTCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to WTPLC	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-WTPL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
133	WTPLCInB	13	RODB	14	DUMMY	Roll-out information sent from WTPLC	\\PW\IACF080\FTMSAUD\$\FTMS-WTPL-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
134	WTCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from WTPLC	\\PW\IACF080\FTMSAUD\$\FTMS-WTPL-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
135	POCLOutB	13	RODB	14	DUMMY	Roll-out information sent to POCL Implementation	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-POCL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
136	POCLCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to POCL Implementation	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-POCL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
137	POCLInB	13	RODB	14	DUMMY	Roll-out information sent from POCL/I , NNDB & POCL/RD	\\PW\IACF080\FTMSAUD\$\FTMS-POCL-RODB-TARGET\PostProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
138	POCLCtrlInB	13	RODB	14	DUMMY	Control files referring to RODB data sent from POCL/I, NNDB & POCL/RD	\\PW\IACF080\FTMSAUD\$\FTMS-POCL-RODB-TARGET\PostProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
139	CFMOutB	13	RODB	14	DUMMY	Roll-out information sent to ICL SORBUS	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-SORB-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
140	CFMCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to ICL SORBUS	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-SORB-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
141	TivoliOutB	13	RODB	14	DUMMY	Roll-out information sent to Tivoli	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-TIVOLI-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
142	TivCtrlOutB	13	RODB	14	DUMMY	Control files referring to RODB data sent to Tivoli	\\PW\IACF080\FTMSAUD\$\FTMS-RODB-TIVOLI-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
143	DBAB	14	ACDB	15	ACDB	Structure changes to the AutoConfig database	\\MBO\ACF01\AUDIT\$	HOARD+1440	18	7	1	trc	YES	NONE
144	DBAW	14	ACDB	15	ACDB	Structure changes to the AutoConfig database	\\M\W\ACF01\AUDIT\$	HOARD+1440	18	7	1	trc	YES	NONE
947	ESTAudit	14	ACDB	15	ACDB	Audit data from the Estate management server	\\PEST001\Audit\$	HOARD+1440	18	7	1	trc	YES	NONE
145	TivoliB	15	OCMS	16	OCMS	Outlet change information sent to Tivoli	\\MBO\OCM01\Tivoli\$	HOARD+20160	18	7	1	tiv	YES	NONE
146	TivoliW	15	OCMS	16	OCMS	Outlet change information sent to Tivoli	\\M\W\OCM01\Tivoli\$	HOARD+20160	18	7	24	tiv	YES	NONE
147	UKSSOutB	15	OCMS	14	DUMMY	Outlet change information sent to UKSS	\\MBO\FLG01\FTMSSHR\$\FTMS-OCMS-UKSS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
148	UKSSCtrlOutB	15	OCMS	14	DUMMY	Control files referring to Outlet change data sent to UKSS	\\MBO\FLG01\FTMSSHR\$\FTMS-OCMS-UKSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
149	UKSSInB	15	OCMS	14	DUMMY	Outlet change information sent from UKSS	\\MBO\FLG01\FTMSSHR\$\FTMS-UKSS-OCMS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
150	UKSSCtrlInB	15	OCMS	14	DUMMY	Control files referring to Outlet change data sent	\\MBO\FLG01\FTMSSHR\$\FTMS-UKSS-OCMS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



					from UKSS										
197	UKSSOutW	15	OCMS	16	OCMS	Outlet change information sent to UKSS	\\MWIFLG01\FTMSSHR\$\FTMS-OCMS-UKSS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
198	UKSSCtrlOutW	15	OCMS	16	OCMS	Control files referring to Outlet change data sent to UKSS	\\MWIFLG01\FTMSSHR\$\FTMS-OCMS-UKSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
201	UKSSInW	15	OCMS	16	OCMS	Outlet change information sent from UKSS	\\MWIFLG01\FTMSSHR\$\FTMS-UKSS-OCMS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
202	UKSSCtrlInW	15	OCMS	16	OCMS	Control files referring to Outlet change data sent from UKSS	\\MWIFLG01\FTMSSHR\$\FTMS-UKSS-OCMS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
167	DataOutB	16	LFS	17	LFS	Data files transferred from LFS to SAPADS	\\PBORMT015\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
168	CtrlOutB	16	LFS	17	LFS	Control files for data files transferred from LFS to SAPADS	\\PBORMT015\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
169	DataInB	16	LFS	17	LFS	Files sent from SAPADS	\\PBORMT015\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
170	CtrlInB	16	LFS	17	LFS	Control files referring to data sent from POCL	\\PBORMT015\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
171	DataOutW	16	LFS	17	LFS	Data files transferred from LFS to SAPADS	\\PWIRMT050\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
172	CtrlOutW	16	LFS	17	LFS	Control files for data files transferred from LFS to SAPADS	\\PWIRMT050\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
173	DataInW	16	LFS	17	LFS	Files sent from SAPADS	\\PWIRMT050\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
174	CtrlInW	16	LFS	17	LFS	Control files referring to data sent from POCL	\\PWIRMT050\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
810	HxDataOut	16	LFS	17	LFS	Data files transferred from LFS to SAPADS	\\pplg001\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
811	HxCtrlOut	16	LFS	17	LFS	Control files for data files transferred from LFS to SAPADS	\\pplg001\FTMSSHR\$\FTMS-LFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
812	HxDataIn	16	LFS	17	LFS	Files sent from SAPADS	\\pplg001\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE	
813	HxCtrlIn	16	LFS	17	LFS	Control files referring to data sent from POCL	\\pplg001\FTMSSHR\$\FTMS-SAPADS-LFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
175	HostB	17	LFSD	14	DUMMY	Archiving the LFS database. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\ifs\ARCHIVE\valid	HOARD+1440	18	2	1	tmp	YES	NONE	
176	HostW	17	LFSD	14	DUMMY	Archiving the LFS database. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\ifs\ARCHIVE\valid	HOARD+1440	18	2	1	tmp	YES	NONE	
555	SolHostB	17	LFSD	18	SOLDB	Archiving the LFS database on the Solaris host	\\sbodat01\ifs\ARCHIVE\valid	HOARD+1440	18	2	1	tmp	YES	NONE	
556	SolHostW	17	LFSD	18	SOLDB	Archiving the LFS database on the Solaris host	\\swidat01\ifs\ARCHIVE\valid	HOARD+1440	18	2	1	tmp	YES	NONE	
815	HxSolHost	17	LFSD	18	SOLDB	Archiving the LFS database on the Solaris host	\\M_DB_SRV\ifs\ARCHIVE\valid	HOARD+1440	18	2	1	tmp	YES	NONE	
177	DBAB	18	KMS	19	KMS	Structure changes to the KMS database	\\MBOKMS01\MSSQLAudit\$	HOARD+1440	18	7	1	trc	YES	NONE	
178	DBAW	18	KMS	19	KMS	Structure changes to the KMS database	\\MWIKMS01\MSSQLAudit\$	HOARD+1440	18	7	1	trc	YES	NONE	
179	TDataOutB	19	BGTSPM	14	DUMMY	Transaction data files transferred from APS to BGT SPM (BGTT link)	\\MBOLAP01\FTMSSHR\$\FTMS-APST-BGTT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
180	TCtrlOutB	19	BGTSPM	14	DUMMY	Control files for Transaction data files transferred from APS to BGT SPM (BGTT link)	\\MBOLAP01\FTMSSHR\$\FTMS-APST-BGTT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
181	TDataInB	19	BGTSPM	14	DUMMY	Confirmation files returned from BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-BGTT-APST-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
182	TCtrlInB	19	BGTSPM	14	DUMMY	Control files referring to data sent from BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-BGTT-APST-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
183	TDataOutW	19	BGTSPM	14	DUMMY	Transaction data files transferred from APS to BGT SPM (BGTT link)	\\MWILAP01\FTMSSHR\$\FTMS-APST-BGTT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
184	TCtrlOutW	19	BGTSPM	14	DUMMY	Control files for Transaction data files transferred from APS to BGT SPM (BGTT link)	\\MWILAP01\FTMSSHR\$\FTMS-APST-BGTT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
185	TDataInW	19	BGTSPM	14	DUMMY	Confirmation files returned from BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-BGTT-APST-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



186	TCtrlInW	19	BGTSPM	14	DUMMY	Control files referring to data sent from BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-BGTT-APST-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
187	CDataOutB	19	BGTSPM	14	DUMMY	Response files transferred from APS to BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-APSC-BGTC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
188	CCtrlOutB	19	BGTSPM	14	DUMMY	Control fiels for Response files transferred from APS to BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-APSC-BGTC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
189	CDataInB	19	BGTSPM	14	DUMMY	Client data sent by BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-BGTC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
190	CCtrlInB	19	BGTSPM	14	DUMMY	Control files referring to data sent from BGT SPM	\\MBOLAP01\FTMSSHR\$\FTMS-BGTC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
191	CDataOutW	19	BGTSPM	14	DUMMY	Response files transferred from APS to BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-APSC-BGTC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
192	CCtrlOutW	19	BGTSPM	14	DUMMY	Control fiels for Response files transferred from APS to BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-APSC-BGTC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
193	CDataInW	19	BGTSPM	14	DUMMY	Client data sent by BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-BGTC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
194	CCtrlInW	19	BGTSPM	14	DUMMY	Control files referring to data sent from BGT SPM	\\MWILAP01\FTMSSHR\$\FTMS-BGTC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
195	TDataOutB	20	CQO	20	APC	Transaction data files transferred from APS to CQO	\\MBOLAP01\FTMSSHR\$\FTMS-APST-CQOT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
196	TCtrlOutB	20	CQO	20	APC	Control files for Transaction data files transferred from APS to CQO	\\MBOLAP01\FTMSSHR\$\FTMS-APST-CQOT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
199	TDataOutW	20	CQO	20	APC	Transaction data files transferred from APS to CQO	\\MWILAP01\FTMSSHR\$\FTMS-APST-CQOT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
200	TCtrlOutW	20	CQO	20	APC	Control files for Transaction data files transferred from APS to CQO	\\MWILAP01\FTMSSHR\$\FTMS-APST-CQOT-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
203	CDataOutB	20	CQO	20	APC	Response files transferred from APS to CQO	\\MBOLAP01\FTMSSHR\$\FTMS-APSC-CQOC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
204	CCtrlOutB	20	CQO	20	APC	Control files for Response files transferred from APS to CQO	\\MBOLAP01\FTMSSHR\$\FTMS-APSC-CQOC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
205	CDataInB	20	CQO	20	APC	Client data sent by CQO	\\MBOLAP01\FTMSSHR\$\FTMS-CQOC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
206	CCtrlInB	20	CQO	20	APC	Control files referring to data sent from CQO	\\MBOLAP01\FTMSSHR\$\FTMS-CQOC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
207	CDataOutW	20	CQO	20	APC	Response files transferred from APS to CQO	\\MWILAP01\FTMSSHR\$\FTMS-APSC-CQOC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
208	CCtrlOutW	20	CQO	20	APC	Control files for Response files transferred from APS to CQO	\\MWILAP01\FTMSSHR\$\FTMS-APSC-CQOC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
209	CDataInW	20	CQO	20	APC	Client data sent by CQO	\\MWILAP01\FTMSSHR\$\FTMS-CQOC-APSC-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
210	CCtrlInW	20	CQO	20	APC	Control files referring to data sent from CQO	\\MWILAP01\FTMSSHR\$\FTMS-CQOC-APSC-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
219	DataOutB	21	MKW	20	APC	Transaction data files transferred from APS to Mid Kent Water	\\MBOLAP01\FTMSSHR\$\FTMS-APS-MDKW-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
220	CtrlOutB	21	MKW	20	APC	Control files for Transaction data files transferred from APS to Mid Kent Water	\\MBOLAP01\FTMSSHR\$\FTMS-APS-MDKW-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
221	DataInB	21	MKW	20	APC	Tariff and Customer data from Mid Kent Water	\\MBOLAP01\FTMSSHR\$\FTMS-MDKW-APSTARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
222	CtrlInB	21	MKW	20	APC	Control files for Tariff and Customer data from Mid Kent Wate	\\MBOLAP01\FTMSSHR\$\FTMS-MDKW-APSTARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
223	DataOutW	21	MKW	20	APC	Transaction data files transferred from APS to Mid Kent Water	\\MWILAP01\FTMSSHR\$\FTMS-APS-MDKW-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
224	CtrlOutW	21	MKW	20	APC	Control files for Transaction data files transferred from APS to Mid Kent Water	\\MWILAP01\FTMSSHR\$\FTMS-APS-MDKW-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
225	DataInW	21	MKW	20	APC	Tariff and Customer data from Mid Kent Water	\\MWILAP01\FTMSSHR\$\FTMS-MDKW-APSTARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
226	CtrlInW	21	MKW	20	APC	Control files for Tariff and Customer data from Mid Kent Wate	\\MWILAP01\FTMSSHR\$\FTMS-MDKW-APSTARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
227	DataOutB	22	HANTS	14	DUMMY	Transaction data files transferred from APS to Hampshire CC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-HCC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

228	CtrlOutB	22	HANTS	14	DUMMY	Control files for Transaction data files transferred from APS to Hampshire CC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-HCC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
229	DataOutW	22	HANTS	14	DUMMY	Transaction data files transferred from APS to Hampshire CC	\\MWILAP01\FTMSSHR\$\FTMS-APS-HCC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
230	CtrlOutW	22	HANTS	14	DUMMY	Control files for Transaction data files transferred from APS to Hampshire CC	\\MWILAP01\FTMSSHR\$\FTMS-APS-HCC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
231	DataOutB	23	SOCC	20	APC	Transaction data files transferred from APS to Southampton CC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SCC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
232	CtrlOutB	23	SOCC	20	APC	Control files for Transaction data files transferred from APS to Southampton CC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SCC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
233	DataOutW	23	SOCC	20	APC	Transaction data files transferred from APS to Southampton CC	\\MWILAP01\FTMSSHR\$\FTMS-APS-SCC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
234	CtrlOutW	23	SOCC	20	APC	Control files for Transaction data files transferred from APS to Southampton CC	\\MWILAP01\FTMSSHR\$\FTMS-APS-SCC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
235	DataOutB	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MBOLAP01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
236	CtrlOutB	24	GIRO	20	APC	Control files for Transaction data files transferred from APS to Girobank	\\MBOLAP01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
237	DataOutW	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MWILAP01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
238	CtrlOutW	24	GIRO	20	APC	Control files for Transaction data files transferred from APS to Girobank	\\MWILAP01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
513	CTOOutB	24	GIRO	20	APC	CTO test transaction data files transferred from CTO system to Girobank	\\MBOLAP01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
514	CTOCtrlOutB	24	GIRO	20	APC	Control files for CTO test transaction data files transferred from CTO system to Girobank	\\MBOLAP01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
515	CTOOutW	24	GIRO	20	APC	CTO test transaction data files transferred from CTO system to Girobank	\\MWILAP01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
516	CTOCtrlOutW	24	GIRO	20	APC	Control files for CTO test transaction data files transferred from CTO system to Girobank	\\MWILAP01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
762	CTOOutRB	24	GIRO	20	APC	CTO test transaction data files transferred from CTO system to Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
763	CTOCtrlOutRB	24	GIRO	20	APC	Control files for Client Take On (CTO) files to Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
764	CTOOutRW	24	GIRO	20	APC	CTO test transaction data files transferred from CTO system to Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Archive	HOARD+7200	18	4	1	tmp	YES	NONE
765	CTOCtrlOutRW	24	GIRO	20	APC	Control files for Client Take On (CTO) files to Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
766	DataOutRB	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
767	CtrlOutRB	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
768	DataOutRW	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
769	CtrlOutRW	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
770	DataInRB	24	GIRO	20	APC	Data files from Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
771	CtrlInRB	24	GIRO	20	APC	Control files for data files from Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
772	DataInRW	24	GIRO	20	APC	Data files from Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
773	CtrlInRW	24	GIRO	20	APC	Control files for data files from Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
774	CTOInRB	24	GIRO	20	APC	Client Take On (CTO) files from Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
775	CTOCtrlInRB	24	GIRO	20	APC	Control files for Client Take On (CTO) files from Girobank	\\MBOFLG01\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
776	CTOInRW	24	GIRO	20	APC	Client Take On (CTO) files from Girobank	\\MWIFLG01\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

777	CTOCtrlInRW	24	GIRO	20	APC	Control files for Client Take On (CTO) files from Girobank	\\MWIFLG001\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
948	CtrlOutGCTOArc	24	GIRO	20	APC	CTO test transaction data files transferred from CTO system to Girobank	\\PFLG001\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	24	tmp	YES	NONE
949	CtrlOutGCTOAud	24	GIRO	20	APC	Control files for test transaction data files transferred from CTO system to Girobank	\\PFLG001\FTMSSHR\$\FTMS-APS-GCTO-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
950	CtrlOutGiroArc	24	GIRO	20	APC	Transaction data files transferred from APS to Girobank	\\PFLG001\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	24	tmp	YES	NONE
951	CtrlOutGiroAud	24	GIRO	20	APC	Control files for transaction data files transferred from APS to Girobank	\\PFLG001\FTMSSHR\$\FTMS-APS-GIRO-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
952	CtrlInGCTOArc	24	GIRO	20	APC	CTO files from Girobank	\\PFLG001\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	24	tmp	YES	NONE
953	CtrlInGCTOAud	24	GIRO	20	APC	Control files for CTO files from Girobank	\\PFLG001\FTMSSHR\$\FTMS-GCTO-APS-TARGET\PostProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
954	CtrlInGiroArc	24	GIRO	20	APC	Data files from Girobank	\\PFLG001\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	24	tmp	YES	NONE
955	CtrlInGiroAud	24	GIRO	20	APC	Control files for data files from Girobank	\\PFLG001\FTMSSHR\$\FTMS-GIRO-APS-TARGET\PostProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
239	DataOutB	25	YORKEL	20	APC	Transaction data files transferred from APS to Yorkshire Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-YE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
240	CtrlOutB	25	YORKEL	20	APC	Control files for Transaction data files transferred from APS to Yorkshire Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-YE-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
241	DataOutW	25	YORKEL	20	APC	Transaction data files transferred from APS to Yorkshire Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-YE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
242	CtrlOutW	25	YORKEL	20	APC	Control files for Transaction data files transferred from APS to Yorkshire Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-YE-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
243	DataOutB	26	KNOWBC	20	APC	Transaction data files transferred from APS to Knowsley Borough Council	\\MBOLAP01\FTMSSHR\$\FTMS-APS-KNBC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
244	CtrlOutB	26	KNOWBC	20	APC	Control files for Transaction data files transferred from APS to Knowsley Borough Council	\\MBOLAP01\FTMSSHR\$\FTMS-APS-KNBC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
245	DataOutW	26	KNOWBC	20	APC	Transaction data files transferred from APS to Knowsley Borough Council	\\MWILAP01\FTMSSHR\$\FTMS-APS-KNBC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
246	CtrlOutW	26	KNOWBC	20	APC	Control files for Transaction data files transferred from APS to Knowsley Borough Council	\\MWILAP01\FTMSSHR\$\FTMS-APS-KNBC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
273	DataOutB	27	OXFSS	20	APC	Transaction data files transferred from APS to Oxfordshire Social Services	\\MBOLAP01\FTMSSHR\$\FTMS-APS-OXSS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
274	CtrlOutB	27	OXFSS	20	APC	Control files for Transaction data files transferred from APS to Oxfordshire Social Services	\\MBOLAP01\FTMSSHR\$\FTMS-APS-OXSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
275	DataOutW	27	OXFSS	20	APC	Transaction data files transferred from APS to Oxfordshire Social Services	\\MWILAP01\FTMSSHR\$\FTMS-APS-OXSS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
276	CtrlOutW	27	OXFSS	20	APC	Control files for Transaction data files transferred from APS to Oxfordshire Social Services	\\MWILAP01\FTMSSHR\$\FTMS-APS-OXSS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
277	DataOutB	28	SCOSOU	20	APC	Transaction data files transferred from APS to Scottish & Southern Energy	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SSE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
278	CtrlOutB	28	SCOSOU	20	APC	Control files for Transaction data files transferred from APS to Scottish & Southern Energy	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SSE-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
279	DataOutW	28	SCOSOU	20	APC	Transaction data files transferred from APS to Scottish & Southern Energy	\\MWILAP01\FTMSSHR\$\FTMS-APS-SSE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
280	CtrlOutW	28	SCOSOU	20	APC	Control files for Transaction data files transferred from APS to Scottish & Southern Energy	\\MWILAP01\FTMSSHR\$\FTMS-APS-SSE-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
281	DBAB	29	OCMSDB	16	OCMS	Structure changes to the OCMS database	\\MBOOCM01\Audit\$	HOARD+1440	18	7	1	trc	YES	NONE
282	DBAW	29	OCMSDB	16	OCMS	Structure changes to the OCMS database	\\MWIOCM01\Audit\$	HOARD+1440	18	7	1	trc	YES	NONE
287	DataOutB	30	WELSHW	20	APC	Transaction data files transferred from APS to Welsh Water	\\MBOLAP01\FTMSSHR\$\FTMS-APS-WELW-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
288	CtrlOutB	30	WELSHW	20	APC	Control files for Transaction data files transferred from APS to Welsh Water	\\MBOLAP01\FTMSSHR\$\FTMS-APS-WELW-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
289	DataInB	30	WELSHW	20	APC	Tariff and Customer data from Welsh Water	\\MBOLAP01\FTMSSHR\$\FTMS-WELW-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
290	CtrlInB	30	WELSHW	20	APC	Control files for Tariff and Customer data from	\\MBOLAP01\FTMSSHR\$\FTMS-WELW-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

291	DataOutW	30	WELSHW	20	APC	Welsh Water Transaction data files transferred from APS to Welsh Water	\\MWILAP01\FTMSSHR\$\FTMS-APS-WELW-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
292	CtrlOutW	30	WELSHW	20	APC	Control files for Transaction data files transferred from APS to Welsh Water	\\MWILAP01\FTMSSHR\$\FTMS-APS-WELW-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
293	DataInW	30	WELSHW	20	APC	Tariff and Customer data from Welsh Water	\\MWILAP01\FTMSSHR\$\FTMS-WELW-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
294	CtrlInW	30	WELSHW	20	APC	Control files for Tariff and Customer data from Welsh Water	\\MWILAP01\FTMSSHR\$\FTMS-WELW-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
295	DataOutB	31	NIELEC	20	APC	Transaction data files transferred from APS to Northern Ireland Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-NIE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
296	CtrlOutB	31	NIELEC	20	APC	Transaction data files transferred from APS to Northern Ireland Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-NIE-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
297	DataOutW	31	NIELEC	20	APC	Transaction data files transferred from APS to Northern Ireland Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-NIE-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
298	CtrlOutW	31	NIELEC	20	APC	Control files for Transaction data files transferred from APS to Northern Ireland Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-NIE-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
299	DataOutB	32	AON	14	DUMMY	Transaction data files transferred from APS to AON	\\MBOLAP01\FTMSSHR\$\FTMS-APS-AON-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
300	CtrlOutB	32	AON	14	DUMMY	Control files for Transaction data files transferred from APS to AON	\\MBOLAP01\FTMSSHR\$\FTMS-APS-AON-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
301	DataOutW	32	AON	14	DUMMY	Transaction data files transferred from APS to AON	\\MWILAP01\FTMSSHR\$\FTMS-APS-AON-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
302	CtrlOutW	32	AON	14	DUMMY	Control files for Transaction data files transferred from APS to AON	\\MWILAP01\FTMSSHR\$\FTMS-APS-AON-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
303	DataOutB	33	SWALEC	14	DUMMY	Transaction data files transferred from APS to SWALEC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SWAL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
304	CtrlOutB	33	SWALEC	14	DUMMY	Control files for Transaction data files transferred from APS to SWALEC	\\MBOLAP01\FTMSSHR\$\FTMS-APS-SWAL-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
305	DataOutW	33	SWALEC	14	DUMMY	Transaction data files transferred from APS to SWALEC	\\MWILAP01\FTMSSHR\$\FTMS-APS-SWAL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
306	CtrlOutW	33	SWALEC	14	DUMMY	Control files for Transaction data files transferred from APS to SWALEC	\\MWILAP01\FTMSSHR\$\FTMS-APS-SWAL-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
307	DataOutB	34	STLIFE	20	APC	Transaction data files transferred from APS to Standard Life	\\MBOLAP01\FTMSSHR\$\FTMS-APS-STLF-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
308	CtrlOutB	34	STLIFE	20	APC	Control files for Transaction data files transferred from APS to Standard Life	\\MBOLAP01\FTMSSHR\$\FTMS-APS-STLF-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
309	DataOutW	34	STLIFE	20	APC	Transaction data files transferred from APS to Standard Life	\\MWILAP01\FTMSSHR\$\FTMS-APS-STLF-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
310	CtrlOutW	34	STLIFE	20	APC	Control files for Transaction data files transferred from APS to Standard Life	\\MWILAP01\FTMSSHR\$\FTMS-APS-STLF-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
311	DataOutB	35	DVLNI	14	DUMMY	Transaction data files transferred from APS to DVLNI	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DVNI-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
312	CtrlOutB	35	DVLNI	14	DUMMY	Control files for Transaction data files transferred from APS to DVLNI	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DVNI-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
313	DataOutW	35	DVLNI	14	DUMMY	Transaction data files transferred from APS to DVLNI	\\MWILAP01\FTMSSHR\$\FTMS-APS-DVNI-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
314	CtrlOutW	35	DVLNI	14	DUMMY	Control files for Transaction data files transferred from APS to DVLNI	\\MWILAP01\FTMSSHR\$\FTMS-APS-DVNI-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
315	DataOutB	36	BT	20	APC	Transaction data files transferred from APS to British Telecom	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DPC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
316	CtrlOutB	36	BT	20	APC	Control files for Transaction data files transferred from APS to British Telecom	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DPC-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
317	DataInB	36	BT	20	APC	Acknowledgement data from British Telecom	\\MBOLAP01\FTMSSHR\$\FTMS-DPC-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
318	CtrlInB	36	BT	20	APC	Contro files for Acknowledgement data from British Telecom	\\MBOLAP01\FTMSSHR\$\FTMS-DPC-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
319	DataOutW	36	BT	20	APC	Transaction data files transferred from APS to British Telecom	\\MWILAP01\FTMSSHR\$\FTMS-APS-DPC-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
320	CtrlOutW	36	BT	20	APC	Control files for Transaction data files transferred	\\MWILAP01\FTMSSHR\$\FTMS-APS-DPC-	HOARD+1440	18	5	24	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



321	DataInW	36	BT	20	APC	from APS to British Telecom Acknowledgement data from British Telecom	\\MWILAP01\FTMSSHR\$\FTMS-DPC-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
322	CtrlInW	36	BT	20	APC	Contro files for Acknowledgement data from British Telecom	\\MWILAP01\FTMSSHR\$\FTMS-DPC-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
323	DataOutB	37	TVLL&T	14	DUMMY	Transaction data files transferred from APS to TVL Legal & Trade	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TVL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
324	CtrlOutB	37	TVLL&T	14	DUMMY	Control files for Transaction data files transferred from APS to TVL Legal & Trade	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TVL-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
325	DataOutW	37	TVLL&T	14	DUMMY	Transaction data files transferred from APS to TVL Legal & Trade	\\MWILAP01\FTMSSHR\$\FTMS-APS-TVL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
326	CtrlOutW	37	TVLL&T	14	DUMMY	Control files for Transaction data files transferred from APS to TVL Legal & Trade	\\MWILAP01\FTMSSHR\$\FTMS-APS-TVL-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
327	DataOutB	38	PONACP	20	APC	Transaction data files transferred from APS to PON Alternative Collection Point	\\MBOLAP01\FTMSSHR\$\FTMS-APS-ACP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
328	CtrlOutB	38	PONACP	20	APC	Control files for Transaction data files transferred from APS to PON Alternative Collection Point	\\MBOLAP01\FTMSSHR\$\FTMS-APS-ACP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
329	DataOutW	38	PONACP	20	APC	Transaction data files transferred from APS to PON Alternative Collection Point	\\MWILAP01\FTMSSHR\$\FTMS-APS-ACP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
330	CtrlOutW	38	PONACP	20	APC	Control files for Transaction data files transferred from APS to PON Alternative Collection Point	\\MWILAP01\FTMSSHR\$\FTMS-APS-ACP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
339	DataOutB	39	CCM	20	APC	Transaction data files transferred from APS to Consignia Customer Management	\\MBOLAP01\FTMSSHR\$\FTMS-APS-CCM-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
340	CtrlOutB	39	CCM	20	APC	Control files for Transaction data files transferred from APS to Consignia Customer Management	\\MBOLAP01\FTMSSHR\$\FTMS-APS-CCM-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
341	DataOutW	39	CCM	20	APC	Transaction data files transferred from APS to Consignia Customer Management	\\MWILAP01\FTMSSHR\$\FTMS-APS-CCM-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
342	CtrlOutW	39	CCM	20	APC	Control files for Transaction data files transferred from APS to Consignia Customer Management	\\MWILAP01\FTMSSHR\$\FTMS-APS-CCM-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
343	RDMCAUDB	40	RDMCDB	14	DUMMY	The RDMC AUD\$ oracle audit trail database table. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems	\\BOOTLEHOST\rdmc\aud\$\output	HOARD+1440	18	2	1	tmp	YES	NONE
344	RDDSAUDB	40	RDMCDB	14	DUMMY	The RDDS AUD\$ oracle audit trail database table Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\rdlsaout	HOARD+1440	18	2	1	tmp	YES	NONE
345	RDMCAUDW	40	RDMCDB	14	DUMMY	The RDMC AUD\$ oracle audit trail database table. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems	\\WIGANHOST\rdmc\aud\$\output	HOARD+1440	18	2	1	tmp	YES	NONE
346	RDDSAUDW	40	RDMCDB	14	DUMMY	The RDDS AUD\$ oracle audit trail database table. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\rdlsaout	HOARD+1440	18	2	1	tmp	YES	NONE
561	SoIRDMCAUDB	40	RDMCDB	18	SOLDB	The RDMC AUD\$ oracle audit trail database table on the Solaris host	\\sbodat01\rdmc\aud\$\output	HOARD+1440	18	2	1	tmp	YES	NONE
562	SoIRDMCAUDW	40	RDMCDB	18	SOLDB	The RDMC AUD\$ oracle audit trail database table on the Solaris host	\\swidat01\rdmc\aud\$\output	HOARD+1440	18	2	1	tmp	YES	NONE
563	SoIRDDSAUDB	40	RDMCDB	18	SOLDB	The RDDS AUD\$ oracle audit trail database table on the Solaris host	\\sbodat01\rdlsaout	HOARD+1440	18	2	1	tmp	YES	NONE
564	SoIRDDSAUDW	40	RDMCDB	18	SOLDB	The RDDS AUD\$ oracle audit trail database table on the Solaris host	\\swidat01\rdlsaout	HOARD+1440	18	2	1	tmp	YES	NONE
818	HxSoIRDMCAU	40	RDMCDB	18	SOLDB	The RDMC AUD\$ oracle audit trail database table on the Solaris host	\\M_DB_SRV\rdmc\aud\$\output	HOARD+1440	18	2	1	tmp	YES	NONE
819	HxSoIRDDSAU	40	RDMCDB	18	SOLDB	The RDDS AUD\$ oracle audit trail database table on the Solaris host	\\M_DB_SRV\rdlsaout	HOARD+1440	18	2	1	tmp	YES	NONE
347	TDataOutB	41	TALXEE	14	DUMMY	Transaction data files transferred from APS to Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TLXT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
348	TCtrlOutB	41	TALXEE	14	DUMMY	Control fiels for Transaction data files transferred	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TLXT-	HOARD+1440	18	5	24	tmp	YES	NONE



Archive Server Configuration
COMMERCIAL IN CONFIDENCE



349	TDataInB	41	TALXEE	14	DUMMY	from APS to Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-TLXT-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
350	TCtrlInB	41	TALXEE	14	DUMMY	Confirmation files returned from Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-TLXT-APS-TARGET\PostProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
351	CDataOutB	41	TALXEE	14	DUMMY	Control files referring to data sent from Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-TLXT-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
352	CCtrlOutB	41	TALXEE	14	DUMMY	Response files for Client data transferred from Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TLXC-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
353	CDataInB	41	TALXEE	14	DUMMY	Control files for cespense files for Client data transferred from Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-APS-TLXC-SOURCE\PreProcess\Audit	HOARD+2880	18	4	1	tmp	YES	NONE
354	CCtrlInB	41	TALXEE	14	DUMMY	Client data sent by Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-TLXC-APS-TARGET\PostProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
355	TDataOutW	41	TALXEE	14	DUMMY	Control files referring to data sent from Talexus at Eastern Electricity	\\MBOLAP01\FTMSSHR\$\FTMS-TLXC-APS-TARGET\PostProcess\Audit	HOARD+2880	18	4	1	tmp	YES	NONE
356	TCtrlOutW	41	TALXEE	14	DUMMY	Transaction data files transferred from APS to Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-TLXT-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
357	TDataInW	41	TALXEE	14	DUMMY	Control fiels for Transaction data files transferred from APS to Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-TLXT-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
358	TCtrlInW	41	TALXEE	14	DUMMY	Confirmation files returned from Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-TLXT-APS-TARGET\PostProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
359	CDataOutW	41	TALXEE	14	DUMMY	Control files referring to data sent from Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-TLXT-APS-TARGET\PostProcess\Audit	HOARD+2880	18	4	1	tmp	YES	NONE
360	CCtrlOutW	41	TALXEE	14	DUMMY	Response files for Client data transferred from Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-TLXC-SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
361	CDataInW	41	TALXEE	14	DUMMY	Control files for cespense files for Client data transferred from Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-APS-TLXC-SOURCE\PreProcess\Audit	HOARD+2880	18	4	1	tmp	YES	NONE
362	CCtrlInW	41	TALXEE	14	DUMMY	Client data sent by Talexus at Eastern Electricity	\\MWILAP01\FTMSSHR\$\FTMS-TLXC-APS-TARGET\PostProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
363	DataOutB	42	DVLA	20	APC	Transaction data files transferred from APS to DVLA	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DVLA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
364	CtrlOutB	42	DVLA	20	APC	Control files for Transaction data files transferred from APS to DVLA	\\MBOLAP01\FTMSSHR\$\FTMS-APS-DVLA-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
365	DataOutW	42	DVLA	20	APC	Transaction data files transferred from APS to DVLA	\\MWILAP01\FTMSSHR\$\FTMS-APS-DVLA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
366	CtrlOutW	42	DVLA	20	APC	Control files for Transaction data files transferred from APS to DVLA	\\MWILAP01\FTMSSHR\$\FTMS-APS-DVLA-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
367	DataOutB	43	QUAN	20	APC	Transaction data files transferred from APS to Quantrill	\\MBOLAP01\FTMSSHR\$\FTMS-APS-QUAN-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
368	CtrlOutB	43	QUAN	20	APC	Transaction data files transferred from APS to Quantrill	\\MBOLAP01\FTMSSHR\$\FTMS-APS-QUAN-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
369	DataOutW	43	QUAN	20	APC	Control files for Transaction data files transferred from APS to Quantrill	\\MWILAP01\FTMSSHR\$\FTMS-APS-QUAN-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
370	CtrlOutW	43	QUAN	20	APC	Control files for Transaction data files transferred from APS to Quantrill	\\MWILAP01\FTMSSHR\$\FTMS-APS-QUAN-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
375	DataOutB	44	ESP	20	APC	Transaction data files transferred from APS to ESP	\\MBOLAP01\FTMSSHR\$\FTMS-APS-ESP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
376	CtrlOutB	44	ESP	20	APC	Control files for Transaction data files transferred from APS to ESP	\\MBOLAP01\FTMSSHR\$\FTMS-APS-ESP-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
377	DataOutW	44	ESP	20	APC	Transaction data files transferred from APS to ESP	\\MWILAP01\FTMSSHR\$\FTMS-APS-ESP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
378	CtrlOutW	44	ESP	20	APC	Control files for Transaction data files transferred from APS to ESP	\\MWILAP01\FTMSSHR\$\FTMS-APS-ESP-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
387	DataOutB	45	NATSAV	20	APC	Transaction data files transferred from APS to National Savings	\\MBOLAP01\FTMSSHR\$\FTMS-APS-NASA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
388	CtrlOutB	45	NATSAV	20	APC	Control files for Transaction data files transferred from APS to National Savings	\\MBOLAP01\FTMSSHR\$\FTMS-APS-NASA-SOURCE\PreProcess\Audit	HOARD+2880	18	5	24	tmp	YES	NONE
389	DataOutW	45	NATSAV	20	APC	Transaction data files transferred from APS to National Savings	\\MWILAP01\FTMSSHR\$\FTMS-APS-NASA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
390	CtrlOutW	45	NATSAV	20	APC	Control files for Transaction data files transferred	\\MWILAP01\FTMSSHR\$\FTMS-APS-NASA-	HOARD+1440	18	5	24	tmp	YES	NONE

Archive Server Configuration
COMMERCIAL IN CONFIDENCE

391	DataOutB	46	FIRATE	20	APC	from APS to National Savings Transaction data files transferred from APS to First Rate.	\\MBOLAP01\FTMSSHR\$\FTMS-APS-FIRA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
392	CtrlOutB	46	FIRATE	20	APC	Control files for Transaction data files transferred from APS to First Rate.	\\MBOLAP01\FTMSSHR\$\FTMS-APS-FIRA-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
393	DataOutW	46	FIRATE	20	APC	Transaction data files transferred from APS to First Rate.	\\MWILAP01\FTMSSHR\$\FTMS-APS-FIRA-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
394	CtrlOutW	46	FIRATE	20	APC	Control files for Transaction data files transferred from APS to First Rate.	\\MWILAP01\FTMSSHR\$\FTMS-APS-FIRA-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
397	HostB	47	MAES7	14	DUMMY	Maestro logs from the Host systems. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
398	COR1B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
399	COR2B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
400	COR3B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
401	COR4B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
402	COR11B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR11\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
403	COR12B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR12\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
404	COR13B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR13\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
405	COR14B	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MBOCOR14\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
406	AGE1B	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MBOAGE01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
407	AGE2B	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MBOAGE02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
408	AGE5B	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MBOAGE03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
409	AGE6B	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MBOAGE04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
410	FTMS1B	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\MBOLAP01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
411	FTMS2B	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\PBORMT015\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
412	FTMS3B	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\BBOPHG017\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
413	FTMS4B	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\MBOHDG134\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
414	FTMS5B	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\MBOFLG01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
415	FTMS6B	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\MBONLG01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
416	AUD1B	47	MAES7	10	MAES	Maestro logs from the Audit servers	\\MBOARC01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
417	FTA1B	47	MAES7	10	MAES	Maestro logs from the Maestro Fault Tolerant Agent servers	\\BBOBOPSS02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
418	KMS1B	47	MAES7	10	MAES	Maestro logs from the KMS servers	\\MBOKMS01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
419	SSC1B	47	MAES7	10	MAES	Maestro logs from the SSC Support Servers	\\MBOSSC01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
420	ACDB1B	47	MAES7	10	MAES	Maestro logs from the ACDB servers	\\MBOACF01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
421	OCMS1B	47	MAES7	10	MAES	Maestro logs from the Outlet Change Management (OCMS) Servers	\\MBOOCM01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
422	HostW	47	MAES7	14	DUMMY	Maestro logs from the Host systems. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
423	COR1W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
424	COR2W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
425	COR3W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
426	COR4W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
427	COR11W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR11\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
428	COR12W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR12\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
429	COR13W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR13\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
430	COR14W	47	MAES7	10	MAES	Maestro logs from the Correspondence Servers	\\MWICOR14\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
431	AGE3W	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MWIAGE01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

432	AGE4W	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MWIAGE02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
433	AGE7W	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MWIAGE03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
434	AGE8W	47	MAES7	10	MAES	Maestro logs from the Agent servers	\\MWIAGE04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
435	FTMS1W	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\MWILAP01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
436	FTMS2W	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\PWIRMT050\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
437	FTMS3W	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\BWIPHG048\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
438	FTMS4W	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\MWIHDG084\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
439	FTMS5W	47	MAES7	10	MAES	Maestro logs from the FTMS local gateways	\\MWIFLG01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
440	FTMS6W	47	MAES7	14	DUMMY	Maestro logs from the FTMS local gateways	\\MWINLG01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
441	AUD1W	47	MAES7	10	MAES	Maestro logs from the Audit servers	\\MWIARC01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
442	FTA1W	47	MAES7	10	MAES	Maestro logs from the Maestro Fault Tolerant Agent servers	\\BWIWOPSS01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
443	KMS1W	47	MAES7	10	MAES	Maestro logs from the KMS servers	\\MWIKMS01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
444	SSC1W	47	MAES7	10	MAES	Maestro logs from the SSC Support Servers	\\MWISSC01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
445	ACDB1W	47	MAES7	10	MAES	Maestro logs from the ACDB servers	\\MWIACF01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
446	OCMS1W	47	MAES7	10	MAES	Maestro logs from the Outlet Change Management (OCMS) Servers	\\MWIOCM01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
457	NBA1B	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MBONBA01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
458	NBA2B	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MBONBA02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
459	NBA3B	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MBONBA03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
460	NBA4B	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MBONBA04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
461	NBA1W	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MWINBA01\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
462	NBA2W	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MWINBA02\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
463	NBA3W	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MWINBA03\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
464	NBA4W	47	MAES7	14	DUMMY	Maestro logs from the Network Banking Agent servers	\\MWINBA04\maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
473	DCA1B	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MBODCA01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
474	DCA2B	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MBODCA02\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
475	DCA3B	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MBODCA03\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
476	DCA4B	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MBODCA04\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
477	DCA1W	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MWIDCA01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
478	DCA2W	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MWIDCA02\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
479	DCA3W	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MWIDCA03\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
480	DCA4W	47	MAES7	10	MAES	Maestro logs from the DCS Agent servers	\\MWIDCA04\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
481	DCSM1B	47	MAES7	10	MAES	Maestro logs from the DCSM servers	\\MBODCM01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
482	DCSM1W	47	MAES7	10	MAES	Maestro logs from the DCSM servers	\\MWIDCM01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
541	SolHostB	47	MAES7	18	SOLDB	Maestro logs from the Solaris Host systems	\\sbodat01\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
542	SolHostW	47	MAES7	18	SOLDB	Maestro logs from the Solaris Host systems	\\swidat01\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
545	BACKUPB	47	MAES7	10	MAES	Maestro logs from the Solaris backup server	\\sbobac01\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
546	BACKUPW	47	MAES7	10	MAES	Maestro logs from the Solaris backup server	\\swibac01\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
621	SAPLiveB	47	MAES7	21	MAESSAPL	Maestro logs from the live SAP Host systems	\\sbosap03\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
622	SAPTestB	47	MAES7	22	MAESSAPT	Maestro logs from the test SAP Host systems	\\sbosap02\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
623	SAPLiveW	47	MAES7	21	MAESSAPL	Maestro logs from the live SAP Host systems	\\swisap03\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

624	SAPTestW	47	MAES7	22	MAESSAPT	Maestro logs from the test SAP Host systems	\\swisap02\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
625	BackupWB	47	MAES7	10	MAES	Maestro logs from the Windows Backup servers	\\MBOBAK01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
626	BackupVW	47	MAES7	10	MAES	Maestro logs from the Windows Backup servers	\\MWIBAK01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
647	CDGB	47	MAES7	10	MAES	Maestro logs from the Connect Direct gateway server.	\\MBOCDG01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
648	CDGW	47	MAES7	10	MAES	Maestro logs from the Connect Direct gateway server.	\\MWICDG01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
649	NPS1B	47	MAES7	10	MAES	Maestro logs from the NPS servers.	\\SBONPS01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
650	NPS2B	47	MAES7	10	MAES	Maestro logs from the NPS servers.	\\SBONPS02\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
651	NPS1W	47	MAES7	10	MAES	Maestro logs from the NPS servers.	\\SWINPS01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
652	NPS2W	47	MAES7	10	MAES	Maestro logs from the NPS servers.	\\SWINPS02\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
661	TESQAB	47	MAES7	10	MAES	Maestro logs from the TES QA servers.	\\SBOTWS01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
662	TESQAW	47	MAES7	10	MAES	Maestro logs from the TES QA servers.	\\SWITWS01\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
714	NBXAA1B	47	MAES7	10	MAES	Maestro logs from the NBX A & L Authorisation Agent servers.	\\MBONAA01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
715	NBXAA1W	47	MAES7	10	MAES	Maestro logs from the NBX A & L Authorisation Agent servers.	\\MWINAA01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
716	NBXAC1B	47	MAES7	10	MAES	Maestro logs from the NBX CAPO Authorisation Agent servers.	\\MBONAC01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
717	NBXAC2B	47	MAES7	10	MAES	Maestro logs from the NBX CAPO Authorisation Agent servers.	\\MBONAC02\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
718	NBXAC1W	47	MAES7	10	MAES	Maestro logs from the NBX CAPO Authorisation Agent servers.	\\MWINAC01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
719	NBXAC2W	47	MAES7	10	MAES	Maestro logs from the NBX CAPO Authorisation Agent servers.	\\MWINAC02\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
720	NBXAL1B	47	MAES7	10	MAES	Maestro logs from the NBX Link Authorisation Agent servers.	\\MBONAL01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
721	NBXAL1W	47	MAES7	10	MAES	Maestro logs from the NBX Link Authorisation Agent servers.	\\MWINAL01\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
821	PLG1	47	MAES7	10	MAES	TWS logs from the PLG servers	\\pplg001\maeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
822	FLG1	47	MAES7	10	MAES	TWS logs from the FLG servers	\\pflg001\maeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
823	ARC1	47	MAES7	10	MAES	TWS logs from the ARC servers	\\parc001\maeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
824	SSC1	47	MAES7	10	MAES	TWS logs from the SSC Support Servers	\\pssc001\maeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
825	DCM1	47	MAES7	10	MAES	TWS logs from the DCM servers	\\pdcm001\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
826	DAT	47	MAES7	18	SOLDB	TWS logs from the DAT servers	\\M_DB_SRV\MAEARC	HOARD+2880	84	7	1	tmp	YES	NONE
827	CDG1	47	MAES7	10	MAES	TWS logs from the Connect Direct gateway server	\\pcdg001\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
828	NPS1	47	MAES7	10	MAES	TWS logs from the NPS servers	\\pnps001\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
829	NPS2	47	MAES7	10	MAES	TWS logs from the NPS servers	\\pnps002\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
830	TWS1	47	MAES7	10	MAES	TWS logs from the TWS servers	\\ptws001\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
831	NAA1	47	MAES7	10	MAES	TWS logs from the Alliance and Leicester Authorization Server (PNAA001)	\\pnaa001\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
832	NAC1	47	MAES7	10	MAES	TWS logs from the Post Office Card Account authorization server (PNAC001)	\\pnac001\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
833	NAC2	47	MAES7	10	MAES	TWS logs from the Post Office Card Account authorization server (PNAC002)	\\pnac002\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
834	NAL1	47	MAES7	10	MAES	TWS logs from the LINK Authorization server (PNAL002)	\\pnal001\MAeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
912	ARC2	47	MAES7	10	MAES	TWS logs from the ARC server (PARC002)	\\PARC002\maeArc\$	HOARD+2880	84	7	1	tmp	YES	NONE
913	BDB1	47	MAES7	10	MAES	TWS logs from the main Branch database Server (PBDB001)	\\PBDB001\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
914	BDB2	47	MAES7	10	MAES	TWS logs from the main Branch database Server (PBDB002)	\\PBDB002\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
915	BDB3	47	MAES7	10	MAES	TWS logs from the main Branch database Server	\\PBDB003\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE

Archive Server Configuration
COMMERCIAL IN CONFIDENCE

916	BDB4	47	MAES7	10	MAES	(PBDB003) TWS logs from the main Branch database Server (PBDB004)	\\PBDB004\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
917	BRS1	47	MAES7	10	MAES	TWS logs from the Branch Support Server	\\PBRS001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
918	BSL1	47	MAES7	10	MAES	TWS logs from the RHEL Backup server (PBSL001)	\\PBSL001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
919	BSL2	47	MAES7	10	MAES	TWS logs from the RHEL Backup server (PBSL002)	\\PBSL002\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
920	BSS1	47	MAES7	10	MAES	TWS logs from the Solaris Backup server (PBSS001)	\\PBSS001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
921	BSS2	47	MAES7	10	MAES	TWS logs from the Solaris Backup server (PBSS002)	\\PBSS002\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
922	BSW1	47	MAES7	10	MAES	TWS logs from the Windows Backup server (PBSW002)	\\PBSW001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
923	BSW2	47	MAES7	10	MAES	TWS logs from the Windows Backup server (PBSW002)	\\PBSW002\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
924	DEA1	47	MAES7	10	MAES	TWS logs from the DCS and ETU Authorisation Agent server (PDEA001)	\\PDEA001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
925	DEA2	47	MAES7	10	MAES	TWS logs from the DCS and ETU Authorisation Agent server (PDEA002)	\\PDEA002\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
926	EST1	47	MAES7	10	MAES	TWS logs fom the Estate Management server	\\PEST001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
927	NAA2	47	MAES7	10	MAES	TWS logs from the Alliance and Leicester Authorization Server (PNAA002)	\\PNAA002\\Maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
928	NAC3	47	MAES7	10	MAES	TWS logs from the Post Office Card Account authorization server (PNAC003)	\\PNAC003\\Maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
929	NAC4	47	MAES7	10	MAES	TWS logs from the Post Office Card Account authorization server (PNAC004)	\\PNAC004\\Maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
930	NAL2	47	MAES7	10	MAES	TWS logs from the LINK Authorization server (PNAL002)	\\PNAL002\\Maearc\$	HOARD+2880	84	7	1	tmp	YES	NONE
931	SAPProdR3D	47	MAES7	10	MAES	TWS logs from the SAP R/3 production database server	\\PR3D003\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
932	SAPProdXID	47	MAES7	10	MAES	TWS logs form the SAP production XI database server	\\PXID003\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
933	SAPProdIXO	47	MAES7	10	MAES	TWS logs from the SAP production IXOS archive server	\\PIXO003\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
934	SAP1004	47	MAES7	22	MAESSAPT	Reserved for POLSAP	\\PSAP1004\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
935	SAP1005	47	MAES7	21	MAESSAPL	Reserved for POLSAP	\\PSAP1005\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
936	SAP1006	47	MAES7	22	MAESSAPT	Reserved for POLSAP	\\PSAP1006\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
937	SAP1007	47	MAES7	21	MAESSAPL	Reserved for POLSAP	\\PSAP1007\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
938	SAP1008	47	MAES7	22	MAESSAPT	Reserved for POLSAP	\\PSAP1008\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
939	SAP1009	47	MAES7	21	MAESSAPL	Reserved for POLSAP	\\PSAP1009\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
958	MSH1	47	MAES7	10	MAES	HNG-X Maestro 6.0 Legacy Server (Hydra Only)	\\pmsh001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
959	EDS1	47	MAES7	10	MAES	HNG-X TWS logs from SYSMAN3 Database server	\\peds001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
960	ERP1	47	MAES7	10	MAES	HNG-X TWS logs from the Netcool OMNIBUS reporting server	\\perp001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
961	BSM1	47	MAES7	10	MAES	HNG-X TWS logs from the NetBackup media server & master server	\\pbsm001\\MAEARC\$	HOARD+2880	84	7	1	tmp	YES	NONE
447	DataInB	48	NBE	14	DUMMY	Confirmation and discrepancy data files transferred from NBE to Pathway Data Reconciliation service	\\MBONLG01\\FTMSSHR\$\\FTMS-NBEI-DRS-TARGET\\PostProcess\\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
448	CtrlInB	48	NBE	14	DUMMY	Control files for Confirmation and discrepancy data files transferred from NBE to Pathway Data Reconciliation service	\\MBONLG01\\FTMSSHR\$\\FTMS-NBEI-DRS-TARGET\\PostProcess\\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
449	DataInW	48	NBE	14	DUMMY	Confirmation and discrepancy data files transferred from NBE to Pathway Data Reconciliation service	\\MWINLG01\\FTMSSHR\$\\FTMS-NBEI-DRS-TARGET\\PostProcess\\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
450	CtrlInW	48	NBE	14	DUMMY	Control files for Confirmation and discrepancy data files transferred from NBE to Pathway Data Reconciliation service	\\MWINLG01\\FTMSSHR\$\\FTMS-NBEI-DRS-TARGET\\PostProcess\\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
451	DataOutB	49	BANREC	12	BANKING	Reconciliation reports transferred from Data	\\PBORMT015\\FTMSSHR\$\\FTMS-DRS-POL-	HOARD+7200	84	4	1	tmp	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



452	CtrlOutB	49	BANREC	12	BANKING	Reconciliation service to POL Control files referring to banking reconciliation reports sent to POL	\\PBORMT015\FTMSSHR\$\FTMS-DRS-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
453	DataOutW	49	BANREC	12	BANKING	Reconciliation reports transferred from Data Reconciliation service to POL	\\PWIRMT050\FTMSSHR\$\FTMS-DRS-POL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
454	CtrlOutW	49	BANREC	12	BANKING	Control files referring to banking reconciliation reports sent to POL	\\PWIRMT050\FTMSSHR\$\FTMS-DRS-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
835	HxDataOut	49	BANREC	12	BANKING	Reconciliation reports transferred from Data Reconciliation service to POL	\\pplg001\FTMSSHR\$\FTMS-DRS-POL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
836	HxCtrlOut	49	BANREC	12	BANKING	Control files referring to banking reconciliation reports sent to POL	\\pplg001\FTMSSHR\$\FTMS-DRS-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
455	HostB	50	DRSDB	14	DUMMY	Archiving the DRS database.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\drsaudit	HOARD+1440	84	7	1	tmp	YES	NONE
456	HostW	50	DRSDB	14	DUMMY	Archiving the DRS database.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\drsaudit	HOARD+1440	84	7	1	tmp	YES	NONE
497	LiabilityB	50	DRSDB	14	DUMMY	Files being transferred across the DCS Liability boundary. Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\BOOTLEHOST\dcpfileaudit	HOARD+28800	84	7	1	tmp	YES	NONE
498	LiabilityW	50	DRSDB	14	DUMMY	Files being transferred across the DCS Liability boundary.Note that the Dynix host systems were decommissioned at S60 and replaced by the Solaris host systems.	\\WIGANHOST\dcpfileaudit	HOARD+28800	84	7	1	tmp	YES	NONE
537	SolHostB	50	DRSDB	18	SOLDB	Archiving the DRS database on the Solaris host	\\sbodat01\drsaudit	HOARD+1440	84	7	1	tmp	YES	NONE
538	SolHostW	50	DRSDB	18	SOLDB	Archiving the DRS database on the Solaris host	\\swidat01\drsaudit	HOARD+1440	84	7	1	tmp	YES	NONE
539	SolLiabilityB	50	DRSDB	18	SOLDB	Files being transferred across the DCS Liability boundary on the Solaris host	\\sbodat01\dcpfileaudit	HOARD+28800	84	7	1	tmp	YES	NONE
540	SolLiabilityW	50	DRSDB	18	SOLDB	Files being transferred across the DCS Liability boundary on the Solaris host	\\swidat01\dcpfileaudit	HOARD+28800	84	7	1	tmp	YES	NONE
839	HxSolHost	50	DRSDB	18	SOLDB	Archiving the DRS database on the Solaris host	\\M_DB_SRV\drsaudit	HOARD+1440	84	7	1	tmp	YES	NONE
840	HxSolLiabili	50	DRSDB	18	SOLDB	Files being transferred across the DCS Liability boundary on the Solaris host	\\M_DB_SRV\dcpfileaudit	HOARD+28800	84	7	1	tmp	YES	NONE
395	Bootle	51	EVENTS	9	TIVOLI	The Tivoli event log files after to BI3 implementation	\\BSYSINV02\Audit\$	HOARD+1440	84	1	1	tmp	YES	NONE
396	Wigan	51	EVENTS	9	TIVOLI	The Tivoli event log files after to BI3 implementation	\\WSYSINV02\Audit\$	HOARD+1440	84	1	1	tmp	YES	NONE
940	EDS1	51	EVENTS	9	TIVOLI	System event audit data from the SYSMAN3 database server	\\PEDS001\Audit\$	HOARD+2880	84	7	1	tmp	YES	NONE
465	DataOutPB	52	CAPO	20	APC	CAPO card receipt data files transferred from APS to EDS at their Primary site	\\MBOLAP01\FTMSSHR\$\FTMS-APS-EDSL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
466	CtrlOutPB	52	CAPO	20	APC	Control files for CAPO card receipt data files transferred from APS to EDS at their Primary site	\\MBOLAP01\FTMSSHR\$\FTMS-APS-EDSL-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
467	DataOutDRB	52	CAPO	14	DUMMY	CAPO card receipt data files transferred from APS to EDS at their Disaster Recovery site	\\MBOLAP01\FTMSSHR\$\FTMS-APS-EDSB-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
468	CtrlOutDRB	52	CAPO	14	DUMMY	Control fiels for CAPO card receipt data files transferred from APS to EDS at their Disaster Recovery site	\\MBOLAP01\FTMSSHR\$\FTMS-APS-EDSB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
469	DataOutPW	52	CAPO	20	APC	CAPO card receipt data files transferred from APS to EDS at their Primary site	\\MWILAP01\FTMSSHR\$\FTMS-APS-EDSL-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
470	CtrlOutPW	52	CAPO	20	APC	Control files for CAPO card receipt data files transferred from APS to EDS at their Primary site	\\MWILAP01\FTMSSHR\$\FTMS-APS-EDSL-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
471	DataOutDRW	52	CAPO	14	DUMMY	CAPO card receipt data files transferred from APS to EDS at their Disaster Recovery site	\\MWILAP01\FTMSSHR\$\FTMS-APS-EDSB-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
472	CtrlOutDRW	52	CAPO	14	DUMMY	Control fiels for CAPO card receipt data files transferred from APS to EDS at their Disaster Recovery site	\\MWILAP01\FTMSSHR\$\FTMS-APS-EDSB-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
483	TranOut1B	53	DCS	14	DUMMY	DCS transactions	\\MBODCA01\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
484	TranOut2B	53	DCS	14	DUMMY	DCS transactions	\\MBODCA02\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE

Archive Server Configuration
COMMERCIAL IN CONFIDENCE

485	TranOut3B	53	DCS	14	DUMMY	DCS transactions	\\MBODCA03\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
486	TranOut4B	53	DCS	14	DUMMY	DCS transactions	\\MBODCA04\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
487	TranOut1W	53	DCS	14	DUMMY	DCS transactions	\\MWIDCA01\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
488	TranOut2W	53	DCS	14	DUMMY	DCS transactions	\\MWIDCA02\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
489	TranOut3W	53	DCS	14	DUMMY	DCS transactions	\\MWIDCA03\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
490	TranOut4W	53	DCS	14	DUMMY	DCS transactions	\\MWIDCA04\Audit\$\SolveTransLog	HOARD+1440	84	7	1	tmp	YES	NONE
491	PaymentB	53	DCS	13	DCSM	The DCS payment files	\\MBODCM01\Audit\$	HOARD+1440	84	7	1	tmp	YES	NONE
492	PaymentW	53	DCS	13	DCSM	The DCS payment files	\\MWIDCM01\Audit\$	HOARD+1440	84	7	1	tmp	YES	NONE
493	PaylogB	53	DCS	13	DCSM	The transfer logs of DCS payment files	\\MBODCM01\Pushlogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
494	PaylogW	53	DCS	13	DCSM	The transfer logs of DCS payment files	\\MWIDCM01\Pushlogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
495	EMISlogB	53	DCS	13	DCSM	The transfer logs relating to EMIS files	\\MBODCM01\Pulllogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
496	EMISlogW	53	DCS	13	DCSM	The transfer logs relating to EMIS files	\\MWIDCM01\Pulllogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
499	MIDTIDManB	53	DCS	13	DCSM	MID/TID manual inputs and transfers to/from POL	\\MBODCM01\MTASAud\$\MANUAL	HOARD+1440	84	7	1	tmp	YES	NONE
500	MIDTIDManW	53	DCS	13	DCSM	MID/TID manual inputs and transfers to/from POL	\\MWIDCM01\MTASAud\$\MANUAL	HOARD+1440	84	7	1	tmp	YES	NONE
501	MIDTIDSolveB	53	DCS	13	DCSM	MID/TID data input to the Solve system	\\MBODCM01\MTASAud\$\SOLVESE	HOARD+32767	84	7	1	tmp	YES	NONE
502	MIDTIDSolveW	53	DCS	13	DCSM	MID/TID data input to the Solve system	\\MWIDCM01\MTASAud\$\SOLVESE	HOARD+32767	84	7	1	tmp	YES	NONE
503	DataPOLB	53	DCS	11	DCSA	MID/TID data sent to POL	\\PBORMT015\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
504	DataPOLW	53	DCS	11	DCSA	MID/TID data sent to POL	\\PWIRMT050\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
505	DataPOLCtrlB	53	DCS	11	DCSA	MID/TID FTMS control files for data sent to POL	\\PBORMT015\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
506	DataPOLCtrlW	53	DCS	11	DCSA	MID/TID FTMS control files for data sent to POL	\\PWIRMT050\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
533	ETDTFDataB	53	DCS	13	DCSM	DTF files retrieved from EPAY	\\MBODCM01\ETUPULL\$\AUDIT	HOARD+10080	84	7	1	tmp	YES	NONE
534	ETDTFLogB	53	DCS	13	DCSM	Log files relating to the transfer of DTF files from EPAY	\\MBODCM01\ETUPULL\$\LOGFILES	HOARD+10080	84	7	24	tmp	YES	NONE
535	ETDTFDataW	53	DCS	13	DCSM	DTF files retrieved from EPAY	\\MWIDCM01\ETUPULL\$\AUDIT	HOARD+10080	84	7	1	tmp	YES	NONE
536	ETDTFLogW	53	DCS	13	DCSM	Log files relating to the transfer of DTF files from EPAY	\\MWIDCM01\ETUPULL\$\LOGFILES	HOARD+10080	84	7	24	tmp	YES	NONE
547	ETDTFDataFB	53	DCS	13	DCSM	This is the physical audit point for DTF files retrieved from EPAY that have failed during the retrieval process	\\MBODCM01\ETUPULL\$\FAILED	HOARD+10080	84	7	1	tmp	YES	NONE
548	ETDTFDataFW	53	DCS	13	DCSM	This is the physical audit point for DTF files retrieved from EPAY that have failed during the retrieval process	\\MWIDCM01\ETUPULL\$\FAILED	HOARD+10080	84	7	1	tmp	YES	NONE
841	HxDataPOL	53	DCS	11	DCSA	MID/TID data sent to POL	\\pplg001\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Archive	HOARD+7200	84	4	1	tmp	YES	NONE
842	HxDataPOLCtrl	53	DCS	11	DCSA	MID/TID FTMS control files for data sent to POL	\\pplg001\FTMSSHR\$\FTMS-DCP-POL-SOURCE\PreProcess\Audit	HOARD+1440	84	5	24	tmp	YES	NONE
843	HxPayment	53	DCS	13	DCSM	The DCS payment files	\\pdc001\Audit\$	HOARD+1440	84	7	1	tmp	YES	NONE
844	HxPaylog	53	DCS	13	DCSM	The transfer logs of DCS payment files	\\pdc001\Pushlogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
845	HxEMISlog	53	DCS	13	DCSM	The transfer logs relating to EMIS files	\\pdc001\Pulllogs\$	HOARD+8640	84	7	2	tmp	YES	NONE
846	HxMIDTIDMan	53	DCS	13	DCSM	MID/TID manual inputs and transfers to/from POL	\\pest001\MTASAud\$\MANUAL	HOARD+1440	84	7	1	tmp	YES	NONE
847	HxMIDTIDSolve	53	DCS	13	DCSM	MID/TID data input to the Solve system	\\pest001\MTASAud\$\SOLVESE	HOARD+32767	84	7	1	tmp	YES	NONE
848	HxETDTFData	53	DCS	13	DCSM	DTF files retrieved from EPAY	\\pdc001\ETUPULL\$\AUDIT	HOARD+10080	84	7	1	tmp	YES	NONE
849	HxETDTFLog	53	DCS	13	DCSM	Log files relating to the transfer of DTF files from EPAY	\\pdc001\ETUPULL\$\LOGFILES	HOARD+10080	84	7	24	tmp	YES	NONE
850	HxETDTFDataF	53	DCS	13	DCSM	DTF files retrieved from EPAY that have failed during the retrieval process	\\pdc001\ETUPULL\$\FAILED	HOARD+10080	84	7	1	tmp	YES	NONE
507	DBAB	54	DCSDB	13	DCSM	Structure changes to the MTAS database	\\MBODCM01\MTASAud\$\Logs	HOARD+1440	18	7	1	trc	YES	NONE



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



508	DBAW	54	DCSDB	13	DCSM	Structure changes to the MTAS database	\\MWIDCM01\MTASAud\$\Logs	HOARD+1440	18	7	1	trc	YES	NONE
851	HxDBA	54	DCSDB	13	DCSM	Audit of the Estate Management & MTAS database	\\pest001\MTASAud\$\Logs	HOARD+1440	18	7	1	trc	YES	NONE
509	Log1B	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MBOSAS01\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
510	Log2B	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MBOSAS02\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
511	Log1W	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MWISAS01\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
512	Log2W	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MWISAS02\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
664	Log3B	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MBOSAS03\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
665	Log3W	55	SUP	9	TIVOLI	This is the physical audit points where the SSH logs are created for audit purposes.	\\MWISAS03\SASLOGS\$	HOARD+1440	84	4	1	tmp	YES	NONE
543	FTPAuditB	56	SUPFIL	9	TIVOLI	Files transferred into and out of the Solaris host server by support staff	\\BSYSINV02\FTPAUDIT\$	HOARD+1440	84	7	1	tmp	YES	NONE
544	FTPAuditW	56	SUPFIL	9	TIVOLI	Files transferred into and out of the Solaris host server by support staff	\\WSYSINV02\FTPAUDIT\$	HOARD+1440	84	7	1	tmp	YES	NONE
581	DataOutB	57	PRUDTL	20	APC	Transaction data files transferred from APS to Prudential	\\MBOLAP01\FTMSSHR\$\FTMS-APS-PRU-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
582	CtrlOutB	57	PRUDTL	20	APC	Control files for transaction data files transferred from APS to Prudential	\\MBOLAP01\FTMSSHR\$\FTMS-APS-PRU-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
583	DataOutW	57	PRUDTL	20	APC	Transaction data files transferred from APS to Prudential	\\MWILAP01\FTMSSHR\$\FTMS-APS-PRU-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
584	CtrlOutW	57	PRUDTL	20	APC	Control files for transaction data files transferred from APS to Prudential	\\MWILAP01\FTMSSHR\$\FTMS-APS-PRU-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
585	DataOut1B	58	EDG	5	EDG	Data files transferred from APS to EDG1	\\MBOFLG01\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
586	CtrlOut1B	58	EDG	5	EDG	Control files for data files transferred from APS to EDG1	\\MBOFLG01\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
587	DataOut2B	58	EDG	5	EDG	Data files transferred from APS to EDG2	\\MBOFLG01\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
588	CtrlOut2B	58	EDG	5	EDG	Control files for data files transferred from APS to EDG2	\\MBOFLG01\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
589	DataOutECTOB	58	EDG	5	EDG	Client Take On files transferred from APS to ECTO	\\MBOFLG01\FTMSSHR\$\FTMS-APS-ECTO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
590	CtrlOutECTOB	58	EDG	5	EDG	Control files for Client Take On files transferred from APS to ECTO	\\MBOFLG01\FTMSSHR\$\FTMS-APS-ECTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
591	DataIn1B	58	EDG	5	EDG	Data files transferred from EDG1 to APS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG1-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
592	CtrlIn1B	58	EDG	5	EDG	Control files for data files transferred from EDG1 to APS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG1-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
593	DataIn2B	58	EDG	5	EDG	Data files transferred from EDG2 to APS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
594	CtrlIn2B	58	EDG	5	EDG	Control files for data files transferred from EDG2 to APS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
595	DataInECTOB	58	EDG	5	EDG	ECTO - CTO files transferred to APS	\\MBOFLG01\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
596	CtrlInECTOB	58	EDG	5	EDG	Control files for ECTO - CTO files transferred to APS	\\MBOFLG01\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
597	DataOut1W	58	EDG	5	EDG	Data files transferred from APS to EDG1	\\MWIFLG01\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
598	CtrlOut1W	58	EDG	5	EDG	Control files for data files transferred from APS to EDG1	\\MWIFLG01\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
599	DataOut2W	58	EDG	5	EDG	Data files transferred from APS to EDG2	\\MWIFLG01\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
600	CtrlOut2W	58	EDG	5	EDG	Control files for data files transferred from APS to EDG2	\\MWIFLG01\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
601	DataOutECTOW	58	EDG	5	EDG	Client Take On files transferred from APS to ECTO	\\MWIFLG01\FTMSSHR\$\FTMS-APS-ECTO-	HOARD+2880	18	4	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

602	CtrlOutECTOW	58	EDG	5	EDG	Control files for Client Take On files transferred from APS to ECTO	SOURCE\PreProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
603	DataIn1W	58	EDG	5	EDG	Data files transferred from EDG1 to APS	\\MWIFLG01\FTMSSHR\$\FTMS-APS-ECTO-SOURCE\PreProcess\Audit	HOARD+2880	18	4	1	tmp	YES	NONE
604	CtrlIn1W	58	EDG	5	EDG	Control files for data files transferred from EDG1 to APS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG1-APS-TARGET\PostProcess\Archive	HOARD+1440	18	5	24	tmp	YES	NONE
605	DataIn2W	58	EDG	5	EDG	Data files transferred from EDG2 to APS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
606	CtrlIn2W	58	EDG	5	EDG	Control files for data files transferred from EDG2 to APS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
607	DataInECTOW	58	EDG	5	EDG	ECTO - CTO files transferred to APS	\\MWIFLG01\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
608	CtrlInECTOW	58	EDG	5	EDG	Control files for ECTO - CTO files transferred to APS	\\MWIFLG01\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
726	EDG3OutDB	58	EDG	5	EDG	Data files transferred from POLFS to EDG3	\\MBOFLG01\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
727	EDG3OutDW	58	EDG	5	EDG	Data files transferred from POLFS to EDG3	\\MWIFLG01\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
728	EDG3OutCB	58	EDG	5	EDG	Control files for data files transferred from POLFS to EDG3	\\MBOFLG01\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
729	EDG3OutCW	58	EDG	5	EDG	Control files for data files transferred from POLFS to EDG3	\\MWIFLG01\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
730	EDG3InDB	58	EDG	5	EDG	Data files transferred from EDG3 to POL FS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
731	EDG3InDW	58	EDG	5	EDG	Data files transferred from EDG3 to POL FS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
732	EDG3InCB	58	EDG	5	EDG	Control files for data files transferred from EDG3 to POL FS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
733	EDG3InCW	58	EDG	5	EDG	Control files for data files transferred from EDG3 to POL FS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
734	EDG4InDB	58	EDG	5	EDG	Data files transferred from EDG4 to POL FS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
735	EDG4InDW	58	EDG	5	EDG	Data files transferred from EDG4 to POL FS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
736	EDG4InCB	58	EDG	5	EDG	Control files for data files transferred from EDG4 to POL FS	\\MBOFLG01\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
737	EDG4InCW	58	EDG	5	EDG	Control files for data files transferred from EDG4 to POL FS	\\MWIFLG01\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
738	REMLInDB	58	EDG	5	EDG	Log and SLA files from the remote FTP pull servers.	\\MBOFLG01\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
739	REMLInDW	58	EDG	5	EDG	Log and SLA files from the remote FTP pull servers.	\\MWIFLG01\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
740	REMLInCB	58	EDG	5	EDG	Control files for log and SLA files from the remote FTP pull servers.	\\MBOFLG01\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
741	REMLInCW	58	EDG	5	EDG	Control files for log and SLA files from the remote FTP pull servers.	\\MWIFLG01\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
742	CtrlOut6B	58	EDG	5	EDG	Control files transferred from APOP to EDG6	\\MBOFLG01\FTMSSHR\$\FTMS-APOP-EDG6-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
743	CtrlOut6W	58	EDG	5	EDG	Control files transferred from APOP to EDG6	\\MWIFLG01\FTMSSHR\$\FTMS-APOP-EDG6-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
744	DataOut6B	58	EDG	5	EDG	Data files transferred from APOP to EDG6	\\MBOFLG01\FTMSSHR\$\FTMS-APOP-EDG6-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
745	DataOut6W	58	EDG	5	EDG	Data files transferred from APOP to EDG6	\\MWIFLG01\FTMSSHR\$\FTMS-APOP-EDG6-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
746	EDG6InCB	58	EDG	5	EDG	Control files transferred from the EDG6 to APOP	\\MBOFLG01\FTMSSHR\$\FTMS-EDG6-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
747	EDG6InCW	58	EDG	5	EDG	Control files transferred from the EDG6 to APOP	\\MWIFLG01\FTMSSHR\$\FTMS-EDG6-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
748	EDG6InDB	58	EDG	5	EDG	Data files transferred from the EDG6 to APOP	\\MBOFLG01\FTMSSHR\$\FTMS-EDG6-APOP-	HOARD+2880	18	4	1	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

						TARGET\PostProcess\Archive									
749	EDG6InDW	58	EDG	5	EDG	Data files transferred from the EDG6 to APOP	\\MWIFLG01\FTMSSHR\$\FTMS-EDG6-APOP-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
750	EDG5InCB	58	EDG	5	EDG	Control files transferred from EDG5 to APOP	\\MBOFLG01\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
751	EDG5InCW	58	EDG	5	EDG	Control files transferred from EDG5 to APOP	\\MWIFLG01\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
752	EDG5InDB	58	EDG	5	EDG	Data files transferred from EDG5 to APOP	\\MBOFLG01\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
753	EDG5InDW	58	EDG	5	EDG	Data files transferred from EDG5 to APOP	\\MWIFLG01\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
754	APULInCB	58	EDG	5	EDG	Control files transferred from APULL to HORZ	\\MBOFLG01\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
755	APULInCW	58	EDG	5	EDG	Control files transferred from APULL to HORZ	\\MWIFLG01\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
756	APULInDB	58	EDG	5	EDG	Data files transferred from APULL to HORZ	\\MBOFLG01\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
757	APULInDW	58	EDG	5	EDG	Data files transferred from APULL to HORZ	\\MWIFLG01\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
852	HxDataOut1	58	EDG	5	EDG	Data files transferred from APS to EDG1	\\pfig001\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
853	HxCtrlOut1	58	EDG	5	EDG	Control files for data files transferred from APS to EDG1	\\pfig001\FTMSSHR\$\FTMS-APS-EDG1-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
854	HxDataOut2	58	EDG	5	EDG	Data files transferred from APS to EDG2	\\pfig001\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
855	HxCtrlOut2	58	EDG	5	EDG	Control files for data files transferred from APS to EDG2	\\pfig001\FTMSSHR\$\FTMS-APS-EDG2-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
856	HxDataOutECTO	58	EDG	5	EDG	Client Take On files transferred from APS to ECTO	\\pfig001\FTMSSHR\$\FTMS-APS-ECTO-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
857	HxCtrlOutECTO	58	EDG	5	EDG	Control files for client Take On files transferred from APS to ECTO	\\pfig001\FTMSSHR\$\FTMS-APS-ECTO-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
858	HxDataIn1	58	EDG	5	EDG	Data files transferred from EDG1 to APS	\\pfig001\FTMSSHR\$\FTMS-EDG1-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
859	HxCtrlIn1	58	EDG	5	EDG	Control files for data files transferred from EDG1 to APS	\\pfig001\FTMSSHR\$\FTMS-EDG1-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
860	HxDataIn2	58	EDG	5	EDG	Data files transferred from EDG2 to APS	\\pfig001\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
861	HxCtrlIn2	58	EDG	5	EDG	Control files for data files transferred from EDG2 to APS	\\pfig001\FTMSSHR\$\FTMS-EDG2-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
862	HxDataInECTO	58	EDG	5	EDG	CTO files transferred to APS	\\pfig001\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
863	HxCtrlInECTO	58	EDG	5	EDG	Control files for CTO files transferred to APS	\\pfig001\FTMSSHR\$\FTMS-ECTO-APS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
864	HxEDG3OutD	58	EDG	5	EDG	Data files transferred from POLFS to EDG3	\\pfig001\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
865	HxEDG3OutC	58	EDG	5	EDG	Control files for data files transferred from POLFS to EDG3	\\pfig001\FTMSSHR\$\FTMS-POLFS-EDG3-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
866	HxEDG3InD	58	EDG	5	EDG	Data files transferred from EDG3 to POL FS	\\pfig001\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
867	HxEDG3InC	58	EDG	5	EDG	Control files for data files transferred from EDG3 to POL FS	\\pfig001\FTMSSHR\$\FTMS-EDG3-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
868	HxEDG4InD	58	EDG	5	EDG	Data files transferred from EDG4 to POL FS	\\pfig001\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
869	HxEDG4InC	58	EDG	5	EDG	Control files for data files transferred from EDG4 to POL FS	\\pfig001\FTMSSHR\$\FTMS-EDG4-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
870	HxREMLInD	58	EDG	5	EDG	Log and SLA files from the remote FTP pull servers	\\pfig001\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE	
871	HxREMLInC	58	EDG	5	EDG	Control fiels for Log and SLA files from the remote FTP pull servers	\\pfig001\FTMSSHR\$\FTMS-EPULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE	
872	HxCtrlOut6	58	EDG	5	EDG	Control files transferred from APOP to EDG6	\\pfig001\FTMSSHR\$\FTMS-APOP-EDG6-	HOARD+1440	18	5	24	tmp	YES	NONE	

Archive Server Configuration
COMMERCIAL IN CONFIDENCE

873	HxDataOut6	58	EDG	5	EDG	Data files transferred from APOP to EDG6	SOURCE\PreProcess\Audit \\pfig001\FTMSSHR\$\FTMS-APOP-EDG6-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
874	HxEDG6InC	58	EDG	5	EDG	Control files transferred from the EDG6 to APOP	\\pfig001\FTMSSHR\$\FTMS-EDG6-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
875	HxEDG6InD	58	EDG	5	EDG	Data files transferred from the EDG6 to APOP	\\pfig001\FTMSSHR\$\FTMS-EDG6-APOP-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
876	HxEDG5InC	58	EDG	5	EDG	Control files transferred from EDG5 to APOP	\\pfig001\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
877	HxEDG5InD	58	EDG	5	EDG	Data files transferred from EDG5 to APOP	\\pfig001\FTMSSHR\$\FTMS-EDG5-APOP-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
878	HxAPULInC	58	EDG	5	EDG	Control files transferred from APULL to HORZ	\\pfig001\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
879	HxAPULInD	58	EDG	5	EDG	Data files transferred from APULL to HORZ	\\pfig001\FTMSSHR\$\FTMS-APULL-HORZ-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
609	DataOut1B	59	SAPADS	3	TIP	Data files transferred from POLFS to SAP ADS	\\PBORMT015\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
610	CtrlOut1B	59	SAPADS	3	TIP	Control files for data files transferred from POLFS to SAP ADS	\\PBORMT015\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
611	DataIn1B	59	SAPADS	3	TIP	Data files transferred from SAP ADS	\\PBORMT015\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
612	CtrlIn1B	59	SAPADS	3	TIP	Control files for data files transferred from SAP ADS	\\PBORMT015\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
613	DataOut1W	59	SAPADS	3	TIP	Data files transferred from POLFS to SAP ADS	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
614	CtrlOut1W	59	SAPADS	3	TIP	Control files for data files transferred from POLFS to SAP ADS	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
615	DataIn1W	59	SAPADS	3	TIP	Data files transferred from SAP ADS	\\PWIRMT050\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
616	CtrlIn1W	59	SAPADS	3	TIP	Control files for data files transferred from SAP ADS	\\PWIRMT050\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
880	HxDataOut1	59	SAPADS	3	TIP	Data files transferred from POLFS to SAP ADS	\\pplg001\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
881	HxCtrlOut1	59	SAPADS	3	TIP	Control files for data files transferred from POLFS to SAP ADS	\\pplg001\FTMSSHR\$\FTMS-POLFS-SAPADS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
882	HxDataIn1	59	SAPADS	3	TIP	Data files transferred from SAP ADS	\\pplg001\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
883	HxCtrlIn1	59	SAPADS	3	TIP	Control files for data file stransferred from SAP ADS	\\pplg001\FTMSSHR\$\FTMS-SAPADS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
617	Log1B	60	SUPCON	9	TIVOLI	This is the physical audit points where the logs are created for audit purposes.	\\SBOCON01\audit	HOARD+2880	84	7	1	tmp	YES	NONE
618	Log1W	60	SUPCON	9	TIVOLI	This is the physical audit points where the logs are created for audit purposes.	\\SWICON01\audit	HOARD+2880	84	7	1	tmp	YES	NONE
663	Log2B	60	SUPCON	9	TIVOLI	This is the physical audit points where the logs are created for audit purposes.	\\SBRCON01\audit	HOARD+2880	84	7	1	tmp	YES	NONE
884	CON1	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON001)	\\pcon001\audit	HOARD+2880	84	7	1	tmp	YES	NONE
885	CON1BR	60	SUPCON	9	TIVOLI	TBS	\\pcon001\auditsbr	HOARD+2880	84	7	1	tmp	YES	NONE
941	CON2	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON002)	\\PCON002\audit	HOARD+2880	84	7	1	tmp	YES	NONE
942	CON3	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON003)	\\PCON003\audit	HOARD+2880	84	7	1	tmp	YES	NONE
943	CON4	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON004)	\\PCON004\audit	HOARD+2880	84	7	1	tmp	YES	NONE
944	CON5	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON005)	\\PCON005\audit	HOARD+2880	84	7	1	tmp	YES	NONE
945	CON6	60	SUPCON	9	TIVOLI	Console logs created on the Aurora control tower servers (PCON006)	\\PCON006\audit	HOARD+2880	84	7	1	tmp	YES	NONE
619	SAPInB	61	SAP	18	SOLDB	Files transferred from the Horizon host to the POL	\\sbodat01\tps_polfs_audit	HOARD+4320	84	7	1	tmp	YES	NONE

COMMERCIAL IN CONFIDENCE



©Copyright Fujitsu Services Ltd 2009

Commercial in Confidence

Ref:	DEV/INF/ION/0001
Version:	1.0
Date:	21 Oct 2009
Page No:	91 of 96



Archive Server Configuration

COMMERCIAL IN CONFIDENCE



675	RDSInDW	66	POLFS	3	TIP	Data files transferred from RDS to POL FS	TARGET\PostProcess\Archive \\PWIRMT050\FTMSSHR\$\FTMS-RDS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
676	RDSInCB	66	POLFS	3	TIP	Control files for data files transferred from RDS to POL FS	\\PBORMT015\FTMSSHR\$\FTMS-RDS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
677	RDSInCW	66	POLFS	3	TIP	Control files for data files transferred from RDS to POL FS	\\PWIRMT050\FTMSSHR\$\FTMS-RDS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
678	BACSOuDB	66	POLFS	3	TIP	Data files transferred from the POL FS to BACS.	\\PBORMT015\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
679	BACSOuDW	66	POLFS	3	TIP	Data files transferred from the POL FS to BACS.	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
680	BACSOuCB	66	POLFS	3	TIP	Control files for data files transferred from the POL FS to BACS.	\\PBORMT015\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
681	BACSOuCW	66	POLFS	3	TIP	Control files for data files transferred from the POL FS to BACS.	\\PWIRMT050\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
893	HxSTAMPSID	66	POLFS	3	TIP	Data files transferred from STAMPS to POL FS	\\pplg001\FTMSSHR\$\FTMS-STAMPS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
894	HxSTAMPSIC	66	POLFS	3	TIP	Control files for data files transferred from STAMPS to POL FS	\\pplg001\FTMSSHR\$\FTMS-STAMPS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
895	HxRDSOutD	66	POLFS	3	TIP	Data files transferred from POLFS to RDS	\\pplg001\FTMSSHR\$\FTMS-POLFS-RDS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
896	HxRDSOutC	66	POLFS	3	TIP	Control files for data files transferred from POLFS to RDS	\\pplg001\FTMSSHR\$\FTMS-POLFS-RDS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
897	HxRDSInD	66	POLFS	3	TIP	Data files transferred from RDS to POL FS	\\pplg001\FTMSSHR\$\FTMS-RDS-POLFS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
898	HxRDSInC	66	POLFS	3	TIP	Control files for data files transferred from RDS to POL FS	\\pplg001\FTMSSHR\$\FTMS-RDS-POLFS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
899	HxBACSOuTD	66	POLFS	3	TIP	Files transferred from the POL FS to BACS	\\pplg001\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
900	HxBACSOuC	66	POLFS	3	TIP	Control files for data files transferred from the POL FS to BACS	\\pplg001\FTMSSHR\$\FTMS-POLFS-BACS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
682	HRSAPOutDB	67	TPS	3	TIP	Data files transferred from TPS to HRSAP	\\PBORMT015\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
683	HRSAPOutDW	67	TPS	3	TIP	Data files transferred from TPS to HRSAP	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
684	HRSAPOutCB	67	TPS	3	TIP	Control files for data files transferred from TPS to HRSAP	\\PBORMT015\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
685	HRSAPOutCW	67	TPS	3	TIP	Control files for data files transferred from TPS to HRSAP	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
686	HRSAPInDB	67	TPS	3	TIP	Data files transferred from HRSAP	\\PBORMT015\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
687	HRSAPInDW	67	TPS	3	TIP	Data files transferred from HRSAP	\\PWIRMT050\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
688	HRSAPInCB	67	TPS	3	TIP	Control files for data files transferred from HRSAP	\\PBORMT015\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
689	HRSAPInCW	67	TPS	3	TIP	Control files for data files transferred from HRSAP	\\PWIRMT050\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
690	MISOutDB	67	TPS	3	TIP	Data files transferred from TPS to POL MIS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
691	MISOutDW	67	TPS	3	TIP	Data files transferred from TPS to POL MIS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
692	MISOutCB	67	TPS	3	TIP	Control files for for data files transferred from TPS to POL MIS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
693	MISOutCW	67	TPS	3	TIP	Control files for for data files transferred from TPS to POL MIS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
694	MISInDB	67	TPS	3	TIP	Data files transferred from MIS	\\PBORMT015\FTMSSHR\$\FTMS-MIS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
695	MISInDW	67	TPS	3	TIP	Data files transferred from MIS	\\PWIRMT050\FTMSSHR\$\FTMS-MIS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
696	MISInCB	67	TPS	3	TIP	Control files for data files transferred from MIS	\\PBORMT015\FTMSSHR\$\FTMS-MIS-TPS-	HOARD+1440	18	5	24	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

697	MISInCW	67	TPS	3	TIP	Control files for data files transferred from MIS	TARGET\PostProcess\Audit \\PWIRMT050\FTMSSHR\$\FTMS-MIS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
698	FRTSOutDB	67	TPS	3	TIP	Data files transferred from TPS to POL FRTS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
699	FRTSOutDW	67	TPS	3	TIP	Data files transferred from TPS to POL FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
700	FRTSOutCB	67	TPS	3	TIP	Control files for data files transferred from TPS to POL FRTS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
701	FRTSOutCW	67	TPS	3	TIP	Control files for data files transferred from TPS to POL FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
702	FRTSInDB	67	TPS	3	TIP	Data files transferred from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
703	FRTSInDW	67	TPS	3	TIP	Data files transferred from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
704	FRTSInCB	67	TPS	3	TIP	Control files for data files transferred from FRTS	\\PBORMT015\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
705	FRTSInCW	67	TPS	3	TIP	Control files for data files transferred from FRTS	\\PWIRMT050\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
706	CTSOOutDB	67	TPS	3	TIP	Data files transferred from TPS to POL CTS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
707	CTSOOutDW	67	TPS	3	TIP	Data files transferred from TPS to POL CTS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
708	CTSOOutCB	67	TPS	3	TIP	Control files for data files transferred from TPS to POL CTS	\\PBORMT015\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
709	CTSOOutCW	67	TPS	3	TIP	Control files for data files transferred from TPS to POL CTS	\\PWIRMT050\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
710	CTSIInDB	67	TPS	3	TIP	Data files transferred from CTS	\\PBORMT015\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
711	CTSIInDW	67	TPS	3	TIP	Data files transferred from CTS	\\PWIRMT050\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
712	CTSIInCB	67	TPS	3	TIP	Control files for data files transferred from CTS	\\PBORMT015\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
713	CTSIInCW	67	TPS	3	TIP	Control files for data files transferred from CTS	\\PWIRMT050\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
808	HxFRTSInC	67	TPS	3	TIP	Control file for data files transferred from First Rate Travel Services (FRTS)	\\pplg001\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
817	HxCTSIInC	67	TPS	3	TIP	Control files for data files transferred from CTS	\\pplg001\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
820	HxCTSIInD	67	TPS	3	TIP	Data files transferred from CTS	\\pplg001\FTMSSHR\$\FTMS-CTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
837	HxCTSOOutC	67	TPS	3	TIP	Control files for data files transferred from TPS to POL CTS	\\pplg001\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
838	HxCTSOOutD	67	TPS	3	TIP	Data files transferred from TPS to POL CTS	\\pplg001\FTMSSHR\$\FTMS-TPS-CTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
901	HxHRSAPOD	67	TPS	3	TIP	Data files transferred from TPS to HRSAP	\\pplg001\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
902	HxHRSAPOC	67	TPS	3	TIP	Control files for data files transferred from TPS to HRSAP	\\pplg001\FTMSSHR\$\FTMS-TPS-HRSAP-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
903	HxHRSAPInD	67	TPS	3	TIP	Data files transferred from HRSAP	\\pplg001\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
904	HxHRSAPInC	67	TPS	3	TIP	Control files for data files transferred from HRSAP	\\pplg001\FTMSSHR\$\FTMS-HRSAP-TPS-TARGET\PostProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
905	HxMISOD	67	TPS	3	TIP	Data files transferred from TPS to POL MIS	\\pplg001\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
906	HxMISOC	67	TPS	3	TIP	Control files for data files transferred from TPS to POL MIS	\\pplg001\FTMSSHR\$\FTMS-TPS-MIS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
907	HxMISInD	67	TPS	3	TIP	Data files transferred from MIS	\\pplg001\FTMSSHR\$\FTMS-MIS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
908	HxMISInC	67	TPS	3	TIP	Control files for data files transferred from MIS	\\pplg001\FTMSSHR\$\FTMS-MIS-TPS-	HOARD+1440	18	5	24	tmp	YES	NONE

**Archive Server Configuration**
COMMERCIAL IN CONFIDENCE

909	HxFRTSOD	67	TPS	3	TIP	Data files transferred from TPS to First Rate Travel Services (FRTS)	\\pplg001\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
910	HxFRTSOC	67	TPS	3	TIP	Control file for data files transferred from TPS to First Rate Travel Services (FRTS)	\\pplg001\FTMSSHR\$\FTMS-TPS-FRTS-SOURCE\PreProcess\Audit	HOARD+1440	18	5	24	tmp	YES	NONE
911	HxFRTSInD	67	TPS	3	TIP	Data files transferred from First Rate Travel Services (FRTS)	\\pplg001\FTMSSHR\$\FTMS-FRTS-TPS-TARGET\PostProcess\Archive	HOARD+2880	18	4	1	tmp	YES	NONE
963	POLMIB	67	TPS	18	SOLDB	Horizon POLMI audit data from the Solaris Host	\\sbodat01\POLMISAUDIT\$	HOARD+2880	18	7	1	tmp	YES	NONE
964	POLMIW	67	TPS	18	SOLDB	Horizon POLMI audit data from the Solaris Host	\\swidat01\POLMISAUDIT\$	HOARD+2880	18	7	1	tmp	YES	NONE
965	HxPOLMI	67	TPS	18	SOLDB	HNG-X POLMI audit data from the Solaris Host	\\M_DB_SRV\POLMISAUDIT\$	HOARD+2880	18	7	1	tmp	YES	NONE
758	APOPAudB	68	APOPDB	18	SOLDB	APOP database audit files	\\SBODAT01\apoproot\$\support\apopaudit	HOARD+2880	84	7	1	tmp	YES	NONE
759	APOPAudW	68	APOPDB	18	SOLDB	APOP database audit files	\\SWIDAT01\apoproot\$\support\apopaudit	HOARD+2880	84	7	1	tmp	YES	NONE
760	APOPArcB	68	APOPDB	18	SOLDB	APOP database archive files	\\SBODAT01\apoproot\$\support\apoparchive	HOARD+2880	84	7	1	tmp	YES	NONE
761	APOPArcW	68	APOPDB	18	SOLDB	APOP database archive files	\\SWIDAT01\apoproot\$\support\apoparchive	HOARD+2880	84	7	1	tmp	YES	NONE
814	HxAPOPArc	68	APOPDB	18	SOLDB	Archiving the APOP database on the Solaris host	\\pnas002\NAS_AOPROOT\$\support\apoparchive	HOARD+2880	84	7	1	tmp	YES	NONE
816	HxAPOPAud	68	APOPDB	18	SOLDB	APOP database audit data	\\pnas002\NAS_AOPROOT\$\support\apopaudit	HOARD+2880	84	7	1	tmp	YES	NONE
786	SUPP	69	BRDB	6	BRDB	Branch Database archive data and reports	\\pnas002\NAS_BDB_SUP\$	HOARD+2880	84	7	1	tmp	YES	NONE
805	AUD	69	BRDB	6	BRDB	HNG-X counter transaction data from the Branch database	\\pnas002\NAS_BDB_AUD\$\counteraudit	HOARD+2880	84	7	1	tmp	YES	GZIP
962	HOST	69	BRDB	6	BRDB	HNG-X BRDB Oracle audit data	\\pnas002\NAS_BDB_AUD\$\hostaudit	HOARD+2880	84	7	1	tmp	YES	NONE
966	TCT	69	BRDB	6	BRDB	HNG-X BRDB Transaction Correction Tool audit data	\\pnas002\NAS_BDB_AUD\$\tctaudit	HOARD+2880	84	7	1	tmp	YES	NONE
956	KMN1	70	KMN	19	KMS	HNG-X Key management server (PKMN001)	\\pkmn001\AUDIT\$	HOARD+10080	84	7	1	tmp	YES	NONE
957	KMN2	70	KMN	19	KMS	HNG-X Key management server (PKMN002)	\\pkmn002\AUDIT\$	HOARD+10080	84	7	1	tmp	YES	NONE