

**Service Level Target and Liquidated Damages Exclusions**
Commercial in Confidence

Document Title: Service Level Target and Liquidated Damages Exclusions

Document Type: Process – Joint Working Document

Release: HNG-X, HNG-X Application Roll Out Transitional Period and Pre-HNG-X Application Roll Out

Abstract: Joint Working Document to support the Service Level Target & Liquidated Damages Exclusions applicable to the Engineering Service, Branch Network Service and Data Centre Operations Service

Document Status: APPROVED

Author & Dept: Jan Ambrose, Fujitsu Services

Internal Distribution:

External Distribution:

UNCONTROLLED IF PRINTED

Approval Authorities:

Name	Role	Signature	Date
Adam Martin	Post Office: Service Improvement Manager (Systems)		
Liz Melrose	Fujitsu Services: Service Delivery Team Manager, RMGA		

Note: See Post Office Account HNG-X Reviewers/Approvers Role Matrix (PGM/DCM/ION/0001) for guidance.



Service Level Target and Liquidated Damages Exclusions
Commercial in Confidence



0 Document Control

0.1 Table of Contents

0	DOCUMENT CONTROL.....	2
0.1	Table of Contents.....	2
0.2	Document History.....	4
0.3	Review Details.....	4
0.4	Associated Documents (Internal & External).....	4
0.5	Abbreviations.....	5
0.6	Glossary.....	5
0.7	Changes Expected.....	5
0.8	Accuracy.....	5
0.9	Copyright.....	5
1	SUMMARY.....	6
2	EXTENSION CRITERIA - ENGINEERING SERVICE.....	6
2.1	Branch with half day closing.....	6
2.2	Branch with full day closing.....	6
3	EXCLUSION CRITERIA - ENGINEERING SERVICE AND BRANCH NETWORK SERVICE.....	6
4	EXCLUSION CRITERIA - DATA FILE DELIVERY.....	7
5	EXCLUSION DETAILS - ENGINEERING SERVICE AND BRANCH NETWORK SERVICE.....	8
5.1	Access times.....	8
5.2	Engineer refused access to Branch.....	8
5.3	Tivoli indicates Branch/Counter operational.....	8
5.4	Functionality not impacted by fault.....	8
5.5	Call reclassification (ND to HD).....	8
5.6	Incident passed out of Fujitsu domain.....	9
5.7	Unable to contact Branch to progress resolution.....	9
5.8	Clear time requires adjustment.....	9
5.9	Delay in resolution – Not Fujitsu default.....	9
5.10	Branch in OBC status.....	9
5.11	Agreed pilot site.....	9
5.12	Fault due to enforced closure, third party or user error/damage/negligence.....	9
5.13	Call cancelled by Branch.....	9
5.14	Duplicate call raised by Branch.....	10
5.15	No fault found by engineer.....	10
5.16	Engineer performed off-site base unit build.....	10
5.17	Monitor fault – Able to trade at position.....	10
5.18	Keyboard fault – Able to trade at position.....	10
5.19	Training site call.....	10



Service Level Target and Liquidated Damages Exclusions
Commercial in Confidence



5.20	POA internally raised call.....	10
5.21	Indeterminate resolution.....	10
5.22	Service disabled by agreement with POL.....	10
5.23	Network wide failure.....	11
6	EXCLUSION DETAILS - DATA FILE DELIVERY.....	11
6.1	Access times.....	11
6.2	Branch in OBC status.....	11
6.3	Fault due to enforced closure, third party or user error/damage/negligence.....	11
6.4	Engineer unable to access Branch and/or kit.....	11
6.5	Let agreed by POL/Fujitsu.....	11

UNCONTROLLED IF PRINTED



Service Level Target and Liquidated Damages Exclusions
Commercial in Confidence



0.2 Document History

Version No.	Date	Summary of Changes and Reason for Issue	Associated Change - CP/PEAK/PPRR Reference
0.1	10/08/06	Issued for review as CCD	
0.2	21/03/07	Issued for review as JWD including reviewers' comments and SLT extension criteria for Engineering Service incidents	
1.0	19/06/07	Reviewers comments included and document issued for approval	
1.1	02/10/07	Addition of exclusions in respect of training sites, duplicate calls, off site builds and faults which do not prevent trading	
2.0	20/11/07	Reviewers comments included and document issued for approval	

0.3 Review Details

Review Comments by :	19/10/07
Review Comments to :	Jan Ambrose & PostOfficeAccountDocumentManagement; GRO
Mandatory Review	
Role	Name
Post Office: Operations Support	Adam Martin *
Fujitsu Services: CS	Liz Melrose *
Optional Review	
Role	Name
Post Office: Head of Systems Operations	Dave Hulbert
Fujitsu Services: CS	Steve Denham
Issued for Information – Please restrict this distribution list to a minimum	
Position/Role	Name

(*) = Reviewers that returned comments

0.4 Associated Documents (Internal & External)

Reference	Version	Date	Title	Source
PGM/DCM/TEM/0001 (DO NOT REMOVE)			Fujitsu Services Post Office Account HNG-X Document Template	Dimensions
SVM/SDM/SD/0002			Engineering Service: Service Description	Dimensions
SVM/SDM/SD/0003			Data Centre Operations Service: Service Description	Dimensions



Service Level Target and Liquidated Damages Exclusions

Commercial in Confidence



SVM/SDM/SD/001 1			Branch Network: Service Description	Dimensions
SVM/SDM/SD/001 4			Operational Business Change (Branch Change) Service: Service Description	Dimensions
SVM/SDM/SD/001 8			POA Customer Service Incident Management Process	Dimensions

Unless a specific version is referred to above, reference should be made to the current approved versions of the documents.

0.5 Abbreviations

Abbreviation	Definition
BNR	Branch Network Resilience
BT	British Telecom
OBC	Operational Business Change
POA	Fujitsu Services Post Office Account
POL	Post Office Ltd
SLT	Service Level Target

0.6 Glossary

Term	Definition

0.7 Changes Expected

Changes
Potential changes resulting from HNG-X developments

0.8 Accuracy

Fujitsu Services endeavours to ensure that the information contained in this document is correct but, whilst every effort is made to ensure the accuracy of such information, it accepts no liability for any loss (however caused) sustained as a result of any error or omission in the same.

0.9 Copyright

© Copyright Fujitsu Services Limited (2006). All rights reserved. No part of this document may be reproduced, stored or transmitted in any form without the prior written permission of Fujitsu Services.



Service Level Target and Liquidated Damages Exclusions

Commercial in Confidence



1 Summary

This document defines the exclusions applicable to the calculation of:

- Branch Network Service – Time to Repair Service Level Targets;
- Engineering Service – Time to Repair Service Level Targets;
- Branch Network Service – Branch and Counter Availability Service Level Targets;
- Data Centre Operations Service – Data File Delivery Service Level Targets;
- Branch Network Service – Counter Availability Liquidated Damages, and;
- Data Centre Operations Service – Data File Delivery Liquidated Damages.

2 Extension Criteria - Engineering Service

Where the Time to Repair Service Level Target (SLT) for the Engineering Service, as defined in the CCD entitled: *“Engineering Service: Service Description” (SVM/SDM/SD/0002)*, is 95% resolved by 18.30 next Working Day, this SLT may be extended in the event of half day or full day closing.

2.1 Branch with half day closing

If a branch is open less than or equal to 5 hours on the next working day, the SLT will be the closure time (taken from the next working day) on the following working day.

Examples:

- Call opened Monday, office closed 13:00 Tuesday, SLT will be 13:00 Wednesday
- Call opened Thursday, office closed 12:00 Friday, SLT will be 12:00 Monday

2.2 Branch with full day closing

If a branch is closed for a full day on the next working day, the SLT will be suspended until 18:30 on the following working day.

Examples:

- Call opened Monday, office closed Tuesday, SLT will be 18:30 Wednesday
- Call opened Thursday, office closed Friday to Wednesday, SLT will be 18:30 on the following Thursday

3 Exclusion Criteria - Engineering Service and Branch Network Service

Engineering Service and Branch Network Service Incidents may be excluded partially or totally from SLTs and Liquidated Damages as defined below:

- Partial exclusion allows the call to be suspended for part of the call;
- Total exclusion allows the call to be suspended for the duration of the call i.e. from its open time to its clear time.

Incidents may be excluded in accordance with the criteria set out in Table 1:



Service Level Target and Liquidated Damages Exclusions
Commercial in Confidence



Table 1

Reason for exclusion	Partial Exclusion	Total exclusion
Access Times	*	
Engineer refused access to Branch		*
Tivoli indicates Branch/Counter operational	*	
Functionality not impacted by fault	*	
Call reclassification (ND to HD)	*	
Incident passed out of Fujitsu domain	*	
Unable to contact Branch to progress resolution	*	
Clear time requires adjustment	*	
Delay in resolution – Not Fujitsu default	*	
Branch in OBC status		*
Agreed pilot site		*
Fault due to enforced closure, third party or user error/damage/negligence		*
Call cancelled by Branch		*
Duplicate call raised by Branch		*
No fault found by engineer		*
Engineer performed off-site base unit build		*
Monitor fault – Able to trade at position		*
Keyboard fault – Able to trade at position		*
Training site call		*
POA internally raised call		*
Indeterminate resolution		*
Service disabled by agreement with POL		*
Network wide failure		*

Further details of the exclusion criteria relating to Engineering Service and Branch Network Service incidents are provided in Section 5.

4 Exclusion Criteria - Data File Delivery

Data File Delivery Transactions may be excluded from SLTs and Liquidated Damages in accordance with the criteria set out in Table 2:

**Service Level Target and Liquidated Damages Exclusions**
Commercial in Confidence**Table 2**

Reason for exclusion
Access times
Branch in OBC status
Fault due to enforced closure, third party or user error/damage/negligence
Engineer unable to access Branch and/or kit
Let agreed by POL/Fujitsu

Further details of the exclusion criteria relating to Data File Delivery transactions are provided in Section 6.

5 Exclusion Details - Engineering Service and Branch Network Service

Further details of the reasons for exclusion listed in Table 1 are provided below. Unless otherwise stated, the exclusions will apply to all faults and relate to both Service Level Targets and Liquidated Damages.

5.1 Access times

Calls will be suspended for any time outside the access hours as provided by the branch, which may be greater or more restrictive than the opening hours. In the case of portables the access times are when the engineer can have access to the portable at the location at which the fault can be resolved. Calls may also be suspended if the branch requests a call back or an engineer visit at a specific time. The call is suspended from the time when the branch gave the instruction until the time the branch requested the call/visit.

5.2 Engineer refused access to Branch

Where an engineer has visited the branch within the specified access times but has been refused access to the branch. This exclusion will apply to all engineer visits e.g. Fujitsu engineer, BT engineer.

5.3 Tivoli indicates Branch/Counter operational

Calls will be suspended when the event management system indicates that the branch/counter is operational. This will allow for accurate suspension on intermittent communications faults and also when the engineer is delayed in returning the call closure notification. This exclusion will apply to Hardware base unit and Branch Network Incidents only.

5.4 Functionality not impacted by fault

Where the fault does not have a consistent effect on the operation of the branch e.g. reboot required each morning but thereafter service is fully operational for the remainder of the day, whilst awaiting engineer visit. This is not applicable to portables at the storage location, see 5.1.



5.5 Call reclassification (ND to HD)

If during the investigation of a network fault (ND) it is identified that the fault is with the base unit, the call will be recoded to HD. The call will be suspended from the open time until the call is passed to engineering, which may include the time the call is with BT. This exclusion will apply to Hardware base unit incidents only, which have been recoded from ND to HD.

5.6 Incident passed out of Fujitsu domain

Where the incident has been passed out of the Fujitsu domain e.g. where the branch details are passed to BT or referral to POL agreed. The call is suspended from the time the call was passed out of the Fujitsu domain until the time the call is passed back to Fujitsu Services.

5.7 Unable to contact Branch to progress resolution

Where the Service Desk or Third Line Support have been unable to contact the branch to arrange an engineer visit or provide remote assistance. It should be evident within the call that reasonable endeavours were used to contact the branch. The call is suspended after reasonable endeavours to contact the branch were made until the time that contact with the branch is established.

5.8 Clear time requires adjustment

Where it is evident that the service became operational prior to the clear time specified in the call. The call is suspended from the time that the service became operational until the clear time.

5.9 Delay in resolution – Not Fujitsu default

Where an engineer has been delayed in visiting branch(es) in a geographical area due to reasons completely out of the control of Fujitsu Services. The call is suspended from the time that access is prevented until the time it becomes available again. Details of the delay in resolution must be recorded and exclusion agreed with Post Office Operations Control.

When the build of a gateway is delayed due to an incorrectly filtered Redcare alarm, and the engineer has to leave site to obtain a specialist filter (non standard equipment), the call will be suspended from the time the engineer leaves site to collect the filter to the time that he/she returns to resolve the fault. This suspension equates to the time it takes for the engineer to receive the specialist filter plus the return journey to branch, and must not include the time spent on other calls, whilst in possession of the filter.

5.10 Branch in OBC status

Where the fault relates to an OBC Branch Change which is in the course of completion.

5.11 Agreed pilot site

Where the fault relates to a pilot site which is excluded from SLTs and Liquidated Damages as agreed by POL.

5.12 Fault due to enforced closure, third party or user error/damage/negligence

Where it is evident within the call that the fault has been caused by circumstances of enforced closure, user or third party error, damage or negligence.



5.13 Call cancelled by Branch

Where the branch has taken action to resolve the fault, or the fault has resolved itself, and the call has subsequently been cancelled.

5.14 Duplicate call raised by Branch

Where an earlier call has been logged by the branch relating to the same incident and which has been progressed to resolve the fault.

5.15 No fault found by engineer

Where an engineer has visited the branch but has taken no action due to the service being fully operational. This exclusion will apply to Hardware Incidents only.

5.16 Engineer performed off-site base unit build

Where it is evident that an engineer performed a base unit build at another branch (usually a crown office). This request is usually logged as three separate incidents (all to be excluded) – one to collect the kit, one to build the base unit and one to return the base unit and set up BNR. This type of build must be authorised by the Branch Network Service team.

5.17 Monitor fault – Able to trade at position

Where a monitor fault has not prevented the position from being able to trade e.g. touchscreen fault, keyboard used as workaround. This exclusion will apply to Counter Availability Service Level Targets and Liquidated Damages only as specified in 'Branch Network: Service Description' [Ref. SVM/SDM/SD/0011].

5.18 Keyboard fault – Able to trade at position

Where a keyboard fault has not prevented the position from being able to trade e.g. card reader fault, keyboard used as workaround. This exclusion will apply to Counter Availability Service Level Targets and Liquidated Damages only as specified in 'Branch Network: Service Description' [Ref. SVM/SDM/SD/0011].

5.19 Training site call

Where the call has been logged by a POL training site.

5.20 POA internally raised call

Where the call has been incorrectly logged against a live branch when it has been internally raised by POA.

5.21 Indeterminate resolution

Where a fault has been resolved but both its cause and resolution are unclear. For example, where a fault is investigated by a number of areas, say, HSD, SSC, BT and POL, who all undertake actions to try and resolve the fault but, although the fault is resolved, its cause and the resolving action are unclear. It should be evident within the call that reasonable endeavours were used to diagnose the cause of the fault and to resolve it.



5.22 Service disabled by agreement with POL

Where the service has been disabled by agreement with POL e.g. for protection against a computer virus.

5.23 Network wide failure

Where the fault results from failure of the HNG-X Central Infrastructure and/or the Central Telecom Infrastructure which results in a loss of the availability of one or more branches and counter positions. Such faults will be included in the Network Wide Failure unavailability figures and therefore individual calls in respect of this failure may be excluded.

6 Exclusion Details - Data File Delivery

Further details of the reasons for exclusion listed in Table 2 are provided below. The exclusions relate to both SLTs and Liquidated Damages.

6.1 Access times

Calls will be suspended for any time outside the access hours as provided by the branch, which may be greater or more restrictive than the opening hours. In the case of portables the access times are when the engineer can have access to the portable at the location at which the fault can be resolved. Calls may also be suspended if the branch requests a call back or an engineer visit at a specific time. The call is suspended from the time when the branch gave the instruction until the time the branch requested the call/visit.

6.2 Branch in OBC status

See Section 5.10

6.3 Fault due to enforced closure, third party or user error/damage/negligence

See Section 5.12

6.4 Engineer unable to access Branch and/or kit

Where the engineer has been unable to gain access to the branch/kit e.g. refused by PM or for Health and Safety reasons.

6.5 Let agreed by POL/Fujitsu

Where a let for a branch has been jointly agreed by POL and Fujitsu Services.