Version: 6.0 COMPANY IN CONFIDENCE Date: 14/01/02

Document Title: Group Definitions for the Secure NT Build

Document Type: Requirement Definition

Release: CSR+

Abstract: The ACP requires that access to Pathway systems be

controlled by the use of pre defined roles to which users can be assigned. Such roles will allow users to access only those parts of the system, with associated objects, they need in order to complete the tasks associated with that particular role. This document summarises this requirement and defines the roles, with associated objects, domains and

access requirements.

Document Status: APPROVED

Originator & Dept: Mark Ascott, Secure Builds/IPDU

Contributors: Alan D'Alvarez

Reviewed By: Distribution List recipients listed by bold text.

Comments By:

Comments To:

Distribution:

Alan D'Alvarez	BRA01	Geoffrey Vane	FEL01	Jonathon Oakes	FEL01
Alex Robinson	BRA01	Nial Finnegan	FEL01	Glenn Stephens	FEL01
Pete Dreweatt	BRA01	Brian Bradley	FEL01	Simon Fawkes	MAN27
Tom Northcott	BRA01	Ian Morrison	FEL01	Pat Lywood	BRA01
Aaron Torrens	FEL01	Mik Peach	BRA01		
Dave Tanner	FEL01	Frank Loftus	KID01	Warren Welsh	FEL01
Graham Hooper	FEL01	Will Dawson	BRA01	lain Janssens	FEL01
Suzanne Gordon	BRA01	Gerry Boyce	IRE11	Debbie Richardson	BRA01
Julie Slocombe	FEL01	Nigel Taylor	BRA01	Colin Mills	MAN27

COMPANY IN CONFIDENCE

Version: 6.0 Date: 14/01/02

lan Cooley	LSA01	Mike Conneely	LSA01	

0.0 Document Control

0.1 Document History

This table records the document history of RS/REQ/016, which is based on an identical copy of RS/REQ/012 v5.2. V1

Version No.	Date	Reason for Issue	Associated CP/PinICL No.
0.1	11/10/99	Initial draft for PVCS review cycle.	
0.2	03/11/99	Incorporates comments received from Barry Procter and Patrick Weightman resulting from PVCS review cycle.	
1.0	04/11/99	V1.0 APPROVED BASELINE	CSR+
1.1	12/11/99	Amendments since document set to approved.	
1.2	25/11/99	Updated to clarify toolsets for KMS SYSADM and KMS DBA roles.	
1.3	07/12/99	Updated to identify toolsets for OCMS Admin & OCMS User roles.	
1.4	17/12/99	Updated to further clarify tools sets for KMS roles	
1.5	10/01/00	Updated to cater for CP2373 and CP2308	CP2373 & CP2308
1.6	23/01/00	Updated to cater for CP2330 FTMS – OCMS links in FRODB	CP2330
2.0	30/01/00	V2.0 APPROVED BASELINE	CI3_2
2.1	10/03/00	Updated to cater for CP2377 (WARWTIP), CP2373 (EPOSS Reports), CP2272 (MIS Client Build) and CP2458 (OCMS).	CP2377 & CP2373 & CP2272 & CP2458
2.2	19/04/00	Updated to cater for CP2502 (KMS Roles Printing to Network Printer).	CP2502
2.3	05/05/00	Updated to cater for CP2485 (APS User role and CS Admin roles added in, RDMC Admin role will be removed at some point in the future).	CP2485
2.4	09/05/00	Updated to address pinicl 43816, document requirement for Printer access from all the RODB User groups, CP2591.	CP2591 & PC0043816

Version: 6.0

COMPANY IN CONFIDENCE

Date: 14/01/02

2.5	07/06/00	Updated to address pinicl 46827, operational requirement for all KMS roles to view NT Event Logs.	PC0046827
2.6	21/06/00	Updated to address pinicl 44842, CS Admin & RDMC User roles updated to include shortcut pointing to MessageSubmissionApplication.exe.	PC0044842
2.7	30/06/00	Updated to change Domain name WARWTIP to PDRTIP as per CP2537 where PDR stands for Pocl Disaster Recovery.	CP2537
2.8	24/07/00	Updated to remove all references to FRODB domain and RODB roles as per CP2630.	CP2630
2.9	08/08/00	Updated to address comments received from Frank Loftus, new Platforms TDA, main changes to Physical Platform Configuration design docment references.	
2.9A	14/08/00	KMS SSC APPS SUP role updated with the addition of Explorer.exe & Cmd.exe as per PinICL 52072.	PC0052072
2.10	24/08/00	Updated to include comments received from PVCS Document Review Cycle.	
2.11	18/09/00	Auditor role updated to include new tool as per PinICL 53666	PC0053666
2.12	09/10/00	OCMS Roles updated as per CP2672 taking input from SD/DES/176 v0.3	CP2672
3.0	09/10/00	V3.0 APPROVED BASELINE	CI4LP
3.1	26/10/00	Addressed comments received from PIT which were preventing SECURENT B008 build	
3.2	02/11/00	CP2582 RDMC-UKSS FTMS Link details	CP2582
3.3	14/11/00	PinICL 57685 Floppy Access for selected APS Clients	PC0057685
3.4	27/11/00	Document reworked using latest Pathway template	
3.5	28/11/00	New APS Client Users for Scottish and Southern Energy SSE	CP2692
3.6	14/12/00	OCMS User & OCMS DBC roles modified slightly	PC58136
3.7	19/12/00	New APS Client Users for Northern Ireland Electricity NIE	CP2647 CP2809
3.8	05/01/01	SLAM User Role updated to remove redundant tools.	PC59100

Version: 6.0

COMPANY IN CONFIDENCE

Date: 14/01/02

3.9	09/01/01	New APS Client Users for SWALEC and Welsh Water	CP2808
3.10	10/01/01	Clarification of Business Objects V4.1.2a functionality required for OCMS User role	CP2672
4.0	06/02/01	APPROVED Baseline corresponding to CI4M1 following review cycle	CI4M1
4.1	06/02/01	New APS Client Users for Royal Sun Alliance	CP2825
4.2	14/02/01	New APS Client Users for Standard Life	CP2860
4.3	20/02/01	Updated to include Performance Monitoring System Phase 2 Resource Domain access, Outlet Monitoring Authentication Domain roles and access and New APS Client for DVLNI	CP2790 CP2840 CP2826
4.4	14/03/01	OCMS User Role updated	CP2926
4.5	26/03/01	New APS Clients Users for British Telecom & TVL and address comments raised by Colin Mills against V4.3. Further detail for CP2790 added, primarily GMETCONS in Appendix A Reference to RS/REQ/020 which describes the NT platforms which are installed and configured with Anti Virus protection software	CP2893 CP2945 CP2960
4.6	20/04/01	Updates for RDMC User, APS User and CS Admin Roles	CP2695 CP2831 CP2935
4.7	26/04/01	New APS Client for Alternative Collection Point (ACP) Remove ECCO MIG Users OCP3656 Security Auditor and Pathway Security Manager roles updated with Firewall Management Tools	CP2949 CP2903 OCP3656
4.8	05/06/01	New APS Client for BBC (CCM)	CP2972
4.9	01/05/01	Addressed minor comments from Review Cycle	
5.0	05/06/01	APPROVED BASELINE	CI4S03

Version: 6.0 Date: 14/01/02

5.1	20/06/01	New Secure Role GSYSMANDEV	CP2987
5.2	30/07/01	New APS Client for TALEXUS and new APS Human Client User for HSH	CP2988
5.3	09/08/01	New APS Clients for DVLA and Quantrill	CP3017 CP3079
5.4	30/08/01	Updated RDMC User and APS User with WordPad menu entry and tool access.	PC69205
5.5	18/09/01	Updated with new Appendix D to identify the menus and toolset changes required to support SQL 2000	CP3058
		Updated to identify the introduction of IE5.5	CP3057
5.6	22/10/01	New APS Client for AON Limited	CP3122
5.7	09/11/01	New APS Client for ESP	CP3129
5.8	20/11/01	Removal of APS Client RSA who withdrew from the APS programme	CP3103
5.9	22/11/01	Add new role for PWYKMS Domain, KMS APPS TRACE	CP3058
5.10	12/12/01	Updated Appendix D OCMS DBA and User roles with SQL 2000 tools	PC71197
6.0	14/01/02	Updated to Approved status following PVCS review cycle. Updated with new APS client details for National Savings (NASA)	CP3157

0.2 Approval Authorities

Name	Position	Signature	Date
Pete Dreweatt	Security Delivery Unit Manager		
Geoffrey Vane	Security TDA		
Graham Hooper	Pathway Security Manager		

0.3 Associated Documents

Reference	Version	Date	Title	Sourc e
PA/TEM	2.0	?	This document is created from this version of PA/TEM/001	PVCS

Version: 6.0 Date: 14/01/02

ACP	3.0	18/12/98	RS/POL/0003 – Access Control Policy	PVCS
SFS	3.0	03/12/97	RS/FSP/0001 – Security Functional Specification	PVCS
NT DOM	4.0	01/02/01	RS/DES/0051 – CSR+ NT Domain Design	PVCS
NT ROLES	5.0	04/06/99	RS/REQ/012 – NT Groups Definition for NR2	PVCS
FTMSAP	0.9	12/03/01	TD/ION/029 – FTMS Configurations for AP Clients at CSR+	PVCS
ANTIVI	0.4	06/03/01	RS/REQ/020 – Implementation of Anti- Virus Requirements	C.Billin gs
DMZ	0.3	21/02/01	RS/DES/075 – Communication Monitoring System DMZ Security Overview	G.Van e

0.4 Abbreviations/Definitions

Abbreviation	Definition
BDC	Windows NT Backup Domain Controller Server
CSR+	Core Services Release +
Local	Access via the console attached directly to an NT platform
PDC	Windows NT Primary Domain Controller Server

0.5 Changes in this Version

Version	Changes
V6.0	Approved Baseline for Release BI1
V5.10	Adjusted SQL 2000 menus & tools for OCMS DBA and OCMS User roles
V5.9	Add new KMS APPS TRACE role in Appendix D
V5.8	Remove APS Client RSA
V5.7	CP3129 New APS Client ESP
V5.6	CP3122 New APS Client for AON Limited
V5.5	Addresses changes required due to IE5.5 and SQL 2000
V5.4	Fix PinICL 69205 for RDMC User and APS User roles
V5.3	CP3017 and 3079 New APS Clients DVLA and Quantrill
V5.2	CP2988 New APS Client for TALEXUS
V5.1	CP2987 New Secure role for System Management Devt staff
V5.0	APPROVED BASELINE for CI4S03

Version: 6.0

14/01/02

Date:

ICL Pathway Group Definitions for the Secure NT Build Ref: RS/REQ/016

COMPANY IN CONFIDENCE

V4.9	Addressed minor comments received from document review cycle
V4.8	CP2972 New APS Client for BBC
V4.7	CP2949 New APS Client ACP, CP2903 and OCP3656 Secure Role
V4.6	Updates
\/4.5	CP2695, 2831, 2935 Toolset updates for RDMC/RDT workstations & roles
V4.5	CP2893 DPC (BT) APS Client, CP2960 TVL APS Client and CP2790 Human User Access role updates for STPDB Server in PERFMAN
	Resource Domain
V4.4	
V4.3	CP2926 Ad Hoc Reporting for OCMS (part2)
	CP2826 DVLNI APS Client
	CP2840 Outlet Monitoring
	CP2790 Performance Monitoring System Phase2
	Appendix B and C update for GAPSSTLF & FTMSSTLF
	Appendix A and C updated for GAPSRSA & FTMSRSA
	Appendix A OCMS User role
	Appendix B and C updated for GAPSSWAL, GAPSWELW & FTMSWELW
	Appendix A and B updated for GAPSNIE & FTMSNIE
	Appendix B and C updated for GAPSSSE
	Appendix A and C updated for GAPSKNBC and GAPSOXSS
	Appendix C updated
	Restricted Desktop Menu added to Appendix A
	Menu Type Column added to Appendices B & C
	Spaces removed for KMAService and InteractiveService service user names
	PWYKMS Domain Secure Role SSC APPS SUP renamed KMS APPS SUP

0.6 Changes Expected

C	h	-	n	~	^	_	
U	а.	а	ш	ч	C	3	

All new APS Client CPs

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

0.7 Table of Contents

1	Introduction	10
2	Scope	10
3	Requirements	10
4	Implementation	11
	4.1 NT Administrator User	11
5	Notes that apply to Annex A	12
6	APPENDIX A – Human User Roles	13
7	APPENDIX B – Service User Accounts	17
8	APPENDIX C – Remote Domain FTP Access Users	17
9	APPENDIX D – SQL 2000 Toolset Updates	17

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

1 Introduction

The nature of the Pathway system requires that access to the core systems should be strictly controlled. [ACP] states that effective control depends on having a clear definition of the roles and responsibilities of all personnel who need some form of access to the system. Users will gain access by being assigned to these roles. This will be core to Pathway implementing the principles of least privilege.

This document summarises the requirement and defines the human roles that will be implemented for NT platforms; which objects will be used by each role; the domains each role will function within; access point for the role; and associated privileges.

2 Scope

This document addresses the roles to be implemented as part of the Pathway central NT systems and access rights assigned to each role. Each role within this document access the datacentre through the Pathway NT Domain Structure referenced in [NT DOM].

Roles used by SMC, SMG and Girobank are specifically excluded from this document as they are authenticated on separate NT systems which form part of a managed service.

Roles used and defined by OSD are described in this document for completeness. Configuration of these roles in the live estate may be partly provided by SDU and T&I PIT or completely by OSD.

Pathway Human Roles configured with Secured Desktops are described in Appendix A.

Pathway Service User Accounts are defined in Appendix B

FTMS APS Clients for FTP and NTFS Share Access Types are defined in Appendix C

3 Requirements

The requirement to implement a role based access control system emanates from [ACP]. [ACP] further defines the roles that are required for access to the Pathway Systems and the responsibilities of these roles.

It should be noted that the Pathway solution has moved on since Version 2 of the ACP was issued and, as such, the Groups defined at Appendix A do not always correlate with the roles defined in [ACP]. This will be addressed by feeding these role definitions into the current review of the ACP which will be subject to a CP once all necessary changes have been agreed.

Version: 6.0 Date: 14/01/02

COMPANY IN CONFIDENCE

4 Implementation

Each role will be set up as a Group within NT. Individual users will be assigned to these Groups in which access to objects, domains, servers and associated privileges will be controlled. These Groups are defined in Appendix A.

Roles will have defined access points which will have an accompanying Platform Design Document. Access to objects will be made available to each role at the relevant access point. This document specifically covers the Groups accessing the data centres. The Horizon Helpdesk and SMC/SMG roles are the responsibility of the appropriate managed service for the provision of suitable client systems compliant to the SFS and ACP.

The definition of the users will be held in a spreadsheet, or similar, and automated tools will be used for the production of the relevant command scripts.

Human roles and service users, as defined in this document, will be implemented using automated command scripts. By doing this, it will simplify the implementation and maintenance of the roles and service users defined in Annex A and B. Exceptions to this are those roles within the support services, ICL Outsourcing and SSC, who will also access toolsets via the command line. All roles only have authority to access the toolsets specified in this document.

Human users created from the defined roles may only be members of one role/Group definition. This is required to ensure the user is only provided with one appropriate toolset.

Implementation of the toolsets for the ICL Outsourcing roles will be the responsibility of the managed service and profiles will be set up locally on the NT client. In these instances there will be no user profile on the PDC.

Implementation of the menu structure for each Group will ensure that users assigned to that Group will be able to access the application set necessary for them to fulfil their duties. Not all tools will be available through a direct menu option; for example, Business Objects Universes will be accessed via a Business Object menu option. The Business Objects Administrator will be responsible for allocating the appropriate universes to users. Those 'tools' prefixed with '>' will not typically be assigned as a menu option through the PDC.

4.1 NT Administrator User

The Windows NT operating system is provided with a super user known as the 'Administrator'. This user has full administration and configuration privileges which is exercised at both system/server and domain level. This capability cannot be removed from Windows NT. Pathway recognises the power that this user has and the ability that a human user, using the administrator user, has to interfere with the day to day operation of the Pathway solution.

Version: 6.0 Date: 14/01/02

COMPANY IN CONFIDENCE Date:

To address this issue, Pathway will limit and restrict the use of the NT Administrator User. This will be achieved by:

Renaming the Administrator User on all NT Servers so that it is hidden from the system. The account name and password will be specified by the Pathway Security Manager, which will be strictly controlled and stored in a secure safe.

➤ Restrict full administrator privileges to the 'Operational Management' role. Use of this role will be subject to the management and procedural controls set out in the 'Pathway Code of Practice', PA/STD/010.

5 Notes that apply to Annex A

Those 'tools' prefixed with '>' will not be assigned as a menu option from the users workstation/access point. Instead the tool will be made available to the user from the Command Line.

The term NT Resource Kit will mean the full complement of NT Resource Kit utilities will be made available to the user role.

The term NT Resource Kit* {Toolname} will mean only the specific Resource Kit utility or utilities specified by {Toolname} will be made available to the user role.

The term NT Server Tools will mean the default Administrative Tools (Common) executables delivered with the NT Operating System.

Reference ANTIVI describes all the NT platforms that are installed with Anti-Virus protection software. It also describes the configuration details. Anti-Virus configuration details are not duplicated in this document.

Page: 11 of 19

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

6 APPENDIX A - Human User Roles

Group Name to be implemented	Tools	NT Servers	Access Rights	Authenticatio n Domain	Resource Domain access	Access Point	ACP Equivalent
ICL Outsourcing							
Application SUP	➤ Discoverer 2000	B/W SLAM	Read / Write / Execute	PWYDCS	B/WSLAM	OSD NT Client PC	Application Support (OSD)
304	> PC Xware	Domain User Access to Sequent		PWYHQ	PERFMAN		
Restricted Desktop Menu	Microsoft Office			HUTHTIP		Third Party Supplier PC	
	Onnnet (telnet/ftp)			FARNHAPS			
	➤ Patrol v3.2.05			LEICHAPS			
	Legato Administrator			PDRTIP			
	➤ IE5.5						
	> SQL Server Admin						
	> CMD prompt						
	➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD.						
	Athene Analyst						
	Analyst						
	ViewDB Storage						
	Athene Automatic Reporting						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Define A Report			
	Schedule Editor			
	View Processed Reports			
Atl	hene Client-Server			
	Client-Server			
Atl	hene CustomDB			
	CustomDB			
	Schedule Editor			
	Web Log Parser			
Atl	hene Explorer			
	Define A Report			
	Explore Reports			
Atl	hene Planner			
	Build Baseline Model			
	Calibrate Baseline Model			
	Delete Models			
	Edit baseline Model			
	Edit Reference Tables			
	Edit Thresholds			
	Evaluate Model			
	Modify Model			
	View Results			
Atl	hene Sentinel			
I				

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Alert Summary Sentinel						
Base Installation & Configuration (not an account template - no system policy)	NT Administrator	All Servers	Administrative Full	Local	Server Console	Server Console	Base Installation & Configuration (OSD)
Engineer Non Restricted Desktop	Normal Full NT Desktop	Assign as member of power users group	Read / Execute	PWYDCS PWYHQ PWYKMS PWYFTMS PWYCSM HUTHTIP FARNHAPS LEICHAPS PDRTIP	SEQSUP ORASUP B/WSLAM B/WPOCL B/WBOOT B/WOPSS PWYMAS PERFMAN BRASUP FELUSRS SIGF CONFMAN CORPPWY	Server Console	Engineers (NT Data Centres)
Security Managers Restricted Desktop Menu	 NT User Manager SQL Server Admin SQL Server SecurityManager 	All Servers	Read / Write	PWYDCS PWYHQ PWYFTMS HUTHTIP	All	OSD NT Client PC Third Party Supplier PC	Security Management

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

_	➤ CMD prompt			FARNHAPS			
				LEICHAPS			
				PDRTIP			
KMS SYSADMs	 NT Resource Kit Version supplied with Supplement 4 	All KMS Servers	Administrative	PWYKMS	N/A	KMS Admin Workstation	Operational Management (OSD)
Restricted Desktop Menu	NT Server Tools					SD/DES/135	
Desktop Menu	CMD Prompt					SD/DES/135	
	Explorer.exe						
	This role requires access to the network printer which should be configures on the KMS Admin Workstation						
Operational MAN	Compaq systems reference libraryInsight Manager	All Servers Access to	Administrative Full	PWYDCS PWYHQ PWYFTMS	All	OSD NT Client PC Third Party	Operational Management (OSD)
Restricted Desktop Menu	> SQL Server Admin	Sequent		HUTHTIP	P APS	Supplier PC	Riposte Management
Desktop Mena	> Technet			FARNHAPS			Wanagement
	Microsoft Office			LEICHAPS			
	➤ NT Resource Kit			PDRTIP			
	Onnnet (telnet/ftp)						
	➤ Patrol v3.2.05						
	Legato Administrator						
	> nt srvtools						
	Tivoli desktop						
	> IE5.5 for access to Tivoli web						
	> NT resource kit remote						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

console server							
➤ PC Xware							
➤ CMD prompt							
➤ VPNDiagClient.exe							
Notepad							
SVPNTSTN.exe (Utimaco API Function Tool)							
➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD.							
Athene Analyst							
Analyst							
ViewDB Storage							
Athene Automatic Reporting							
Define A Report							
Schedule Editor							
View Processed Reports							
Athene Client-Server							
Client-Server							
Athene CustomDB							
CustomDB							
Schedule Editor							
Web Log Parser							
_	 CMD prompt VPNDiagClient.exe Notepad SVPNTSTN.exe (Utimaco API Function Tool) ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst Analyst ViewDB Storage Athene Automatic Reporting Define A Report Schedule Editor View Processed Reports Athene Client-Server Athene CustomDB CustomDB Schedule Editor 	 ➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst Allyst ViewDB Storage Athene Automatic Reporting Define A Report Schedule Editor View Processed Reports Athene Client-Server Client-Server Athene CustomDB CustomDB Schedule Editor 	 ➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst Analyst ViewDB Storage Athene Automatic Reporting Define A Report Schedule Editor View Processed Reports Athene Client-Server Client-Server Athene CustomDB CustomDB Schedule Editor 	 ➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst	➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst ViewDB Storage Athene Automatic Reporting Define A Report Schedule Editor View Processed Reports Athene Client-Server Client-Server Athene CustomDB CustomDB Schedule Editor	 ➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessibile either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst Analyst ViewDB Storage Athene Automatic Reporting Define A Report Schedule Editor View Processed Reports Athene Client-Server Client-Server Athene CustomDB CustomDB Schedule Editor 	 ➤ CMD prompt ➤ VPNDiagClient.exe ➤ Notepad ➤ SVPNTSTN.exe (Utimaco API Function Tool) ➤ ALL ATHENE CMDs will be accessible either from the command line or by a menu and toolset produced and provided on the ISD Desktop by ISD. Athene Analyst

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Athene Explorer						
	Define A Report						
	Explore Reports						
	Athene Planner						
	Build Baseline Model						
	Calibrate Baseline Model						
	Delete Models						
	Edit baseline Model						
	Edit Reference Tables						
	Edit Thresholds						
	Evaluate Model						
	Modify Model						
	View Results						
	Athene Sentinel						
	Alert Summary						
	Sentinel						
Network	> Telnet			PWYDCS	N/A	Network Client	Network
Managers	Router Configuration Software					PC Third Party	Management Configurer
Restricted Desktop Menu	Network Diagnostic software					Supplier PC	
	> CMD prompt						
	➤ VPNDiagClient.exe						
Sequent Support	> PC Anywhere	Access to Sequent	Read	PWYDCS	SEQSUP	Sequent Client PC	Sequent Support

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	> Hyper Terminal						
Non Restricted Role at Present							
Oracle Support	> Telnet	Access to Sequent	Read	PWYDCS	ORASUP	Oracle Client PC	Oracle Support
Non Restricted Role at Present							
EMC Support	EMC proprietaryClient software	Access to Sequent	Read	PYWDCS	N/A	EMC Client PC	None
Non Restricted Role at Present							
SSC Apps MAN	CMD prompt	All Servers	Read / Write / Execute	PWYDCS PWYHQ	All	SSC NT Client PC	Application Support (SSC)
Restricted Desktop Menu	 Tivoli Remote Console Rclient Rconsole RiposteGetMessage.exe RiposteIndex.exe RiposteNode.exe RiposteObjectSecurity. Exe 	Also; Access to Sequent		PWYFTMS HUTHTIP FARNHAPS LEICHAPS PDRTIP		SD/DES/172	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	RipostePriorityMessage. exe
	➤ RiposteQueryUK.exe
	➤ RiposteNextMessage.exe
	➤ RipostePutMessage.exe
	➤ RiposteScanMessage.
	➤ RiposteStatus.exe
	➤ RODBClient.exe
	➤ SQLServer V6.5 client utilities
	ExCeed for Windows NT (V 6.1)
	➤ Visual Basic I.D.E.
	Telnet
	NT utilities
	FTP (To Host Sequent, and other POCL Services)
	Microsoft Diagnostics
	NT Event Viewer
	WinZip/Pkzip
	CD Rom writing software
	Textpad
	NotePad
	Microsoft Word
	Microsoft Excel
	Microsoft Access
I	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Microsoft Explorer			
Internet Explorer (c/w SSC default links page)			
Full NT Control Panel			
Performance Monitor Registry editor			
<u>In-house Utilities</u>			
> Archive Viewer			
> Expiry Reporter			
> Stops Reporter			
➤ Formatted File Utility			
➤ MessageStore Utility			
➤ EndOfDay Reporter			
➤ MessageStore Sort Utility			
<u>VPN Utilities</u>			
➤ VPNDiagClient.exe			
> SVPNTSTN.exe			
Athene Analyst			
Analyst			
ViewDB Storage			
Athene Automatic Reporting			
Define A Report			
Schedule Editor			
View Processed Reports			
Athene Client-Server			

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Client-Server						
	Athene CustomDB						
	CustomDB						
	Schedule Editor						
	Web Log Parser						
	Athene Explorer						
	Define A Report						
	Explore Reports						
	Athene Planner						
	Build Baseline Model						
	Calibrate Baseline Model						
	Delete Models						
	Edit baseline Model						
	Edit Reference Tables						
	Edit Thresholds						
	Evaluate Model						
	Modify Model						
	View Results						
	Athene Sentinel						
	Alert Summary						
	Sentinel						
SSC Apps SUP	CMD prompt	All Servers	Read / Execute	PWYDCS PWYHQ	All	SSC NT Client PC	Application Support (SSC)

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Restricted	Tivoli Remote Console		PWYFTMS		
Desktop Menu	> Rclient	Also;	HUTHTIP	SD/DES/172	
	> Rconsole	Access to	FARNHAPS		
	> RiposteGetMessage.exe	Sequent	LEICHAPS		
	> RiposteIndex.exe		PDRTIP		
	> RiposteNode.exe				
	> RiposteObject.exe				
	RipostePing.exe				
	RipostePriorityMessage.e xe				
	> RiposteNextMessage.exe				
	RiposteQueryUK.exe				
	> RiposteScanMessage.exe				
	RiposteStatus.exe				
	> RODBClient.exe				
	SQLServer V6.5 client utilities				
	ExCeed for Windows NT (V 6.1)				
	➤ Visual Basic I.D.E.				
	Telnet				
	NT utilities				
	> FTP (To Host Sequent, and other POCL Services)				
	Microsoft Diagnostics				
	W Event Viewer				
	WinZip/Pkzip				

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

CD Rom writing software				
Textpad				
Microsoft Word				
Microsoft Excel				
Microsoft Access				
Microsoft Explorer				
Internet Explorer (c/w SSC default links page)				
Full NT Control Panel				
CMD Prompt				
Performance Monitor				
In-house Utilities				
> Archve Viewer				
> Expiry Reporter				
➤ Stops Reporter				
➤ Formatted File Utility				
➤ MessageStore Utility				
➤ EndOfDay Reporter				
➤ MessageStore Sort Utility				
VPN Utilities				
VPNDiagClient.exe				
Athene Analyst				
Analyst				
ViewDB Storage				
Athene Automatic Reporting				
Define A Report				

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Schedule Editor				
View Processed Reports				
Athene Client-Server				
Client-Server				
Athene CustomDB				
CustomDB				
Schedule Editor				
Web Log Parser				
Athene Explorer				
Define A Report				
Explore Reports				
Athene Planner				
Build Baseline Model				
Calibrate Baseline Model				
Delete Models				
Edit baseline Model				
Edit Reference Tables				
Edit Thresholds				
Evaluate Model				
Modify Model				
View Results				
Athene Sentinel				
Alert Summary				

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Tables						
	Edit Thresholds						
	Evaluate Model						
	Modify Model						
	View Results						
	Athene Sentinel						
	Alert Summary						
	Sentinel						
	Athene Control Centre						
	Athene Database Converter						
	Capture and Collection						
	Control Centre						
	Control File Editor						
	Data Management						
	Define DB User Details						
	Define Thresholds						
	Define User Data Processing Options						
	Maintain DBF Files						
	View Control Centre Error Logs						
GSMCDBA	Oracle Enterprise Manager	SMDB Primary	Database	PWYCSM	None	SMDB Server	None
	Backup Manager	and Hot Standby	Administrative			Local Console	
Restricted	Data Manager		Full				Note: The

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Desktop Menu	 Instance Manager Schema Manager SQL Worksheet Security Manager Storage Manager 					SD/DES/206	SYSMAN Domain DBA_TECHNICIA N Role will also be trusted to operate within PWYCSM via its membership of the groups setup for SMCDBA
GSMDBOPMA N Restricted Desktop Menu	 NT Server Tools Technet NT Resource Kit Tivoli desktop Internet Explorer 5.5 for access to Tivoli web NT resource kit remote console server CMD prompt Notepad 	SMDB Primary and Hot Standby	Administrative Full	PWYCSM	None	SMDB Server Local Console SD/DES/206 And/or SMC NT Client PC Third Party Supplier PC	Operational Management Note: The SYSMAN Domain NT_TECHNICIAN S Role will also be trusted to operate within PWYCSM via its membership of the groups setup for SMDBOPMAN. CP3057

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Group Name to be implemented	Tools	NT Servers	Access rights	Authenticatio n Domain	Resource Domain access	Access Point	ACP Equivalent
Pathway Roles							
Auditors	Legato client.exe	Audit Archive and	Read /	PWYDCS	B/WOPSS	Audit PC	NAO Auditor
	RiposteRQueryUK	Retrieval Server	Execute				POCL Auditor
Restricted	Oracle Discoverer	Correspondence Server				SD/DES/140	Pathway Business
Desktop Menu	Counter Determinant						Functions Auditor
	SQL 2000 Profiler						
	MS Word						
	MS Access						
	MS Excel						
	MS Word Pad						
	Note Pad						
	WinZip v63						
	CD Writer Software						
	Windows Explorer						
	Printer						
	DLT						
	MS Backup						
	Audit Extractor Client						
ACDB Admin	ACDB Client.exe	Auto-	Read /Write /	PWYDCS	B/WOPSS	Auto-	None
Restricted Desktop Menu	 assign member of ACDB Admin Group 	Configuration Server	Execute			Configuration Client PC SD/DES/141	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

ACDB User	ACDB Client.exe	Auto-	Read / Write /	PWYDCS	B/WOPSS	Auto-	None
Restricted	(assign member of ACDB User Group)	Configuration Server	Execute			Configuration Client PC	
Desktop Menu						SD/DES/141	
Business	RiposteQueryUK.exe	Access to	Read /	PWYHQ	B/WOPSS	Business	Business Support
Support	Business Objects	Correspondence Server	Execute		CORPPWY	Support Client PC	Pathway
	➤ TPF	Server				SD/DES/092	Management
Restricted Desktop Menu	Business Objects Designer					SLAM Client	
Dontop mond	Oracle Forms SUPF					PC	
	Series (Helpdesk)						
SLAM Users	CON SQL* Forms	B/WSLAM	Read /	PWYHQ	B/WSLAM	SLAM Client	Implicit in text
	CCS SQL* Forms		Execute		B/WOPSS	PC	
Restricted	Business Objects v4.1.10				(SSCSS svrs)	00/050/404	
Desktop Menu	Business Objects Designer					SD/DES/181	
	Business Objects Supervisor						
	Business Objects Reporter						
	Business Objects Document Agent						
	Reference Data						
	Windows Explorer						
	MS Word						
	MS Excel						
	Winzip v6.3						
	Printer to local printer						
	3.5 floppy						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	CD ROM access CD ROM Writer & Software						
MIS BUS DEV Users	Business Objects > Business Universe	B/WSLAM	Read / Execute	PWYHQ	B/WSLAM	SLAM Client PC	Implicit in text
Restricted Desktop Menu	Windows Explorer MS Word MS Excel Printer	Access to Data Warehouse				SD/DES/181	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

CS Admin	APS User Maintenance	RDMC/RDDS	Read / Write /	PWYDCS	FELUSRS	RDMC	Secure role
	RDMC Access Control		Execute			Administrator Workstation	previously known as RDMC Admin
Restricted Desktop Menu	RDMC Interactive Data Loader						
	RDMC Release Manager					SD/DES/167	
	RDMC Reports						
	RDMC Send						
	MS Word						
	MS Excel						
	Winzip						
	Oracle Discoverer 2000						
	RDT Reference Data Monitoring Tool (RDT produced Applictaion)						
	Maestro Remote Console						
	SQL Worksheet						
	SQL Plus						
	Shortcut pointing to MessageSubmissionApplicat ion.exe						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

RDMC User	RDMC Interactive Data Loader	RDMC/RDDS	Read / Execute	PWYDCS	FELUSRS	RDMC Administrator	
Restricted	RDMC Release Manager					Workstation	
Desktop Menu	RDMC Reports						
	MS Word					SD/DES/167	
	MS Excel		Read / Write /				
	WordPad		Execute			Note: As a result of	
	Winzip					CP2441, Paul	
	Oracle Discoverer 2000					Curley will operate 1	
	RDT Reference Monitoring Tool (RDT produced application)					RDMC at BRA01 with MemoView	
	Maestro Remote Console					Added to the workstation	
	SQL Worksheet						
	SQL Plus Internet Explorer 5.5* Relient * Shortcut pointing to MessageSubmissionApplication .exe						
	Note: * Both of these tools are retricted to RDMC Workstations located at BRA01 only						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

APS User	APS Service Agreement Manager	APS	Read / Execute	PWYDCS	FELUSRS	RDMC Administrator	
Restricted	APS System Parameters					Workstation	
Desktop Menu	APS Trans Except						
	APS Client Service Manager					SD/DES/167	
	MS Word						
	MS Excel		Read / Write /				
	WordPad		Execute				
	Winzip						
	Oracle Discoverer 2000						
OCMS DBA	OCMS Client	OCMS Server	Read /	PWYDCS	BOPSS	OCMS Client	None
Restricted	SQL Server 6.5 Client Configuration Utility	FTMS Gateway in PWYFTMS			WOPSS PWYFTMS	PC	CP2591
Desktop Menu	SQL Server 6.5 SP5a					SD/DES/176	
	ODBC V2.65		Full Control to Share point				
	Business Objects V4.1.10		OCMSRPTS				
	Event Viewer		located on OCMS Server				
	MS Backup						
	MS Query						
	Notepad						
	Performance Monitor						
	Wordpad						
	User Manager						
	Windows NT Explorer						
	Requires access to a locally connected printer.						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

OCMS Users	OCMS Client	OCMS Server	Read /	PWYDCS	BOPSS	OCMS Client	None
Restricted Desktop Menu	SQL Server 6.5 Client configuration Utility	(ACDB server in BOPSS/WOPSS)	Execute within SQL DB		WOPSS	PC	CP2033 CP2672
	Business Objects V4.1.10		Full Control to Share point OCMSRPTS			SD/DES/176	CP2972
	+ Designer V4.1.10						01 2920
	+ Supervisor V4.1.10		located on OCMS Server				Secure role previously known
	Requires access to Floppy Disc drive.						as OCMS_Users
	Requires access to a locally connected printer.						
GSYSMANDEV	Tivoli Web Browser	All	Read /	PWYDCS	All	SecurID	None this is a new
	MS Access		Execute	PWYHQ		Admin W/S	role based on the Pathway Security
Restricted				PWYFTMS		00/050/474	Event Auditor
Desktop Menu						SD/DES/171	
Security	SecurID admin.client	All Access to Enterprise Server (SecurID)	Read / Execute	PWYDCS	All	SecurID	Pathway Security
Auditors	Event Viewer			PWYHQ	Admin VV/S	Admin W/S	Event Auditor
Restricted Desktop Menu	Tivoli Web Browser			PWYFTMS		SD/DES/171	
	MS Access			HUTHTIP			
	Firewall1 Log Viewer			FARNHAPS			
	Firewall1 System Status			LEICHAPS			
	Firewall1 Policy			PDRTIP			

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Pathway SECMAN Restricted Desktop Menu	SecurID admin.client Event Viewer Tivoli Web Browser MS Access Firewall1 Log Viewer Firewall1 System Status Firewall1 Policy	All Access to Enterprise Server (SecurID)	Read / Execute	PWYDCS PWYHQ PWYFTMS PWYCSM HUTHTIP FARNHAPS LEICHAPS PDRTIP	All	SecurID Admin W/S SD/DES/171	Pathway Security Manager
GSMDBUser Null Menu THIS ROLE IS NOT USED AT THE INITIAL INTRODUCTIO N OF CP2840 BUT IS PROVIDED READY FOR POSSIBLE USE AT LATER DEVELOPMEN T PHASES OF THE PWYCSM DOMAIN.	This user is provided with a null menu. They access the SMDB Server via Internet Explorer or other Web Browser that is installed on the ICL Corporate Desktop/Laptop. The user accounts created from this role forces the user to be authenticated by Windows NT at the PWYCSM Domain. This enables an audit trail for user access and attempted access to be maintained.	SMDB Primary and SMDB Hot Standby	Read / Execute	PWYCSM	None	ICL Corporate Desktop or Dial-in Laptop connected to the ICL Corporate Network	None
Key Managers	KMA GUI NT Event Viewer	KMA Server	Read / Execute	PWYKMS	N/A	KMA Workstation	Cryptographic Key Manager

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Restricted Desktop Menu							
Desktop Wellu	Crystal Report Designer					SD/DES/134	
	Crystal SQL Designer						
	ODBC Administrator						
	Runtime File Requirements						
	Seagate Crystal Reports Developer's Help						
	Seagate Crystal Reports Help						
	Seagate Crystal Reports Readme						
	Winhelp.exe						
	Winhlp32.exe						
	NOTE						
	Do not install						
	Crystal Query Client						
	Crystal Query Server						
	Web Report Server						
	This role requires access to the network printer which should be configured on the KMS Admin Workstation						
Data Managers	KMA GUI	KMA Server	Read /	PWYKMS	N/A	KMA	KMA Data Manager
	NT Event Viewer		Execute			Workstation	
Restricted Desktop Menu	Crystal Report Designer					SD/DES/134	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	Crystal SQL Designer						
	ODBC Administrator						
	Runtime File Requirements						
	Seagate Crystal Reports Developer's Help						
	Seagate Crystal Reports Help						
	Seagate Crystal Reports Readme						
	Winhelp.exe						
	Winhlp32.exe						
	NOTE						
	Do not install						
	Crystal Query Client						
	Crystal Query Server						
	Web Report Server						
	This role requires access to the network printer which should be configured on the KMS Admin Workstation						
KMS SecMANs	SQL Server Admin	All KMS Servers	Read /	PWYKMS	N/A	KMS Admin	Security Manager
	Including	and Domain Workstations	Execute			Workstation	
Restricted Desktop Menu	SQL Server Security Manager	***ONGIGUOTIS				SD/DES/135	
	MS Query						
	SQL Trace Utility						
	SQL Server Books Online						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	CMD Prompt						
	Usrmgr.exe						
	NT Event Viewer						
	This role requires access to the network printer which should be configured on the KMS Admin Workstation						
KMS APPS	SQL Profiler	All KMS Servers	Read /	PWYKMS	N/A	KMS Admin	None
TRACE	Performance Monitor		Execute			Workstation	
Restricted Desktop Menu						SD/DES/135	CP3058
KMS DBA	SQL Server V6.5 Client	KMA Server	Read /	PWYKMS	N/A	KMS Admin	Database
KWIS DBA	Utilities including	KIVIA Server	Execute	PVVYKIVIS	IN/A	Workstation	Administrator
Restricted Desktop Menu	Enterprise Manager					SD/DES/135	
Desktop Menu	MS Query					00/020/100	
	SQL Trace Utility						
	SQL Server Books Online NT Event Viewer						
	Crystal Report Designer						
	Crystal SQL Designer						
	ODBC Administrator						
	Runtime File Requirements						
	Seagate Crystal Reports Developer's Help						

Group Definitions for the Secure NT Build

Version: 6.0 Date: 14/01/02

Ref:

RS/REQ/016

COMPANY IN CONFIDENCE

	Seagate Crystal Reports Help						
	Seagate Crystal Reports Readme						
	Winhelp.exe						
	Winhlp32.exe						
	NOTE						
	Do not install						
	Crystal Query Client						
	Crystal Query Server						
	Web Report Server						
	This role requires access to the network printer which should be configured on the KMS Admin Workstation						
KMS APPS SUP	SQL Server V6.5 Client Utilities including ISQL/W	KMA Server	Read / Execute	PWYKMS	N/A	KMS Admin Workstation	Application Support (SSC)
Restricted	Enterprise Manager					SD/DES/135	
Desktop Menu	MS Query					00/020/100	
	SQL Server Books Online						
	Crystal Report Designer						
	Crystal SQL Designer						
	ODBC Administrator						
	Runtime File Requirements						
	Seagate Crystal Reports Developer's Help						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE Date

Version:	6.0
Date:	14/01/02

RS/REQ/016

Ref:

	Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NT Event Viewer Explorer.exe Cmd.exe NOTE: Do not install Crystal Query Client Crystal Query Server Web Reports Server This role requires access to the network printer which should be configured on the KMS Admin Workstation						
KMS Auditors	MS Word MS Access	KMA Server	Read / Execute	PWYKMS	N/A	KMS Admin Workstation	NAO Auditor POCL Auditor
Restricted	MS Excel					00/050/405	Pathway Business
Desktop Menu	MS Word Pad					SD/DES/135	Functions Auditor
	Note Pad						
	Windows Explorer						
	NT Event Viewer						
	Printer						
	This role requires access to						

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

	the network printer which should be configured on the KMS Admin Workstation						
GAPSKNBC Restricted Desktop Menu	Windows Explorer Must be able to access Floppy Disc Drive and D: Drive	MKNRAP01 MKNRAP02	Read / Execute	PWYFTMS	N/A	Remote APS Gateway for Knowsley BC	None
GAPSOXSS Restricted Desktop Menu	Windows Explorer Must be able to access Floppy Disc Drive and D: Drive	MOXRAP01 MOXRAP02	Read / Execute	PWYFTMS	N/A	Remote APS Gateway for Oxfordshire Social Services TD/ION/029	None
GAPSDVNI Restricted Desktop Menu	Windows Explorer Must be able to access Floppy Disc Drive and D: Drive	MCORAP01 MCORAP02	Read / Execute	PWYFTMS	N/A	Remote APS Gateway forDVLNI TD/ION/029	None

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

7 APPENDIX B – Service User Accounts

This table lists by Domain those service users that are configured on the Domain PDC.

Service User Account Name	Domain Account Created In	Comments	Menu Type
ACDBsql	BOPSS	MSSQLServer and SQLExecutive Services	None
OCMSsql		MSSQLServer and SQLExecutive Services	None
FTMS		FTMS User	Null Menu as default state
MAESTRO		MAESTRO User	None
Signing		Signing Service	None
KMHarvester		KM Key Object Harvester	None
KMLoader		KM Key Object & Memo Loaders	None
FTMS	BPOCL	FTMS User	Null Menu as default state
MAESTRO		MAESTRO User	None
VPNPMCSVC	BVPN	VPN Service User	None
VPNPMSSVC		VPN Service User	None
FTMS	FARNHAPS	FTMS User	Null Menu as default state
POCLHAPS		POCL HAPS Service	Null Menu
FTMS	HDHORIZON	FTMS User	Null Menu as default state
HHDBTX		Horizon Helpdesk BTX User	No Policy Entry
HHDMitel		Horizon Helpdesk Mitel User	No Policy Entry
HHDSorbus		Horizon Helpdesk Sorbus User	No Policy Entry
FTMS	HUTHTIP	FTMS User	Null Menu as default state
POCLRDB		POCL RDB Service	Null Menu
POCLRDT		POCL RDT Service	Null Menu

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

POCLRMAIL		POCL RMAIL Service	Null Menu
POCLTIP		POCL TIP Service	Null Menu
POSAPADS		POSAPADS Service	Null Menu
FTMS	LEICHAPS	FTMS User	Null Menu as default state
POCLHAPS		POCL HAPS Service	Null Menu
ORA_BACKUPSERVICE	PWYCSM	Oracle Backup Service	None
ORA_SMDB		Oracle SMDB Service User	None
VeritasBackup		VeritasBackup Service User	None
WWW_User		Oracle Web Server Service User	None
MAESTRO	PWYDCS	MAESTRO User	None
RDMC		RDMC Service User	None
MAESTRO	PWYFTMS	MAESTRO User	None
FTMSAPS		FTMS APS Service User (Local Gateway)	Null Menu
FTMSGENERAL		FTMS General Service User for ICL FTMS	Null Menu
FTMSBGT		FTMS Service User for BGT client	Null Menu
FTMSCQO		FTMS Service User for CQO client	Null Menu
FTMSMDKW		FTMS Service User for Mid Kent Water client	Null Menu
FTMSHCC		FTMS Service User for Hampshire CC client	Null Menu
FTMSYE		FTMS Service User for Yorkshire Elec client	Null Menu
FTMSKNBC		FTMS Service User for Knowsley BC client	Null Menu
FTMSGIRO		FTMS Service User for GiroBank client	Null Menu
FTMSMAN		FTMS Service User for OBCS	Null Menu
FTMSSTEV		FTMS Service User for OBCS	Null Menu
FTMSUKSS		FTMS Service User for OCMS/RDMC	Null Menu
FTMSOXSS		FTMS Service User for Oxford SS client	Null Menu

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

FTMSSSE		FTMS Service User for Scottish & Southern Energy	Null MenuNull Menu
		client	Null Menu
FTMSNIE		FTMS Service User for Northern Ireland Electricity client	Null Menu
FTMSWELW		FTMS Service User for SWALEC & Welsh Water	Null Menu
FTMSSTLF			Null Menu
FTMSDVNI		FTMS Service User for Standard Life	Null Menu
FTMSDPC		FTMS Service User for DVLNI	Null Menu
FTMSTVL		FTMS Service User for DPC (British Telecom)	Null Menu
FTMSACP		FTMS Service User for TVL	Null Menu
FTMSCCM		FTMS Service User for ACP	Null Menu
FTMSTALX		FTMS Service User for CCM (BBC)	Null Menu
FTMSDVLA		FTMS Service User for TALEXUS	Null Menu
FTMSQUAN		FTMS Service User for DVLA	Null Menu
FTMSAON		FTMS Service User for QUAN	Null Menu
FTMSESP		FTMS Service User for AON	Null Menu
FTMSNASA		FTMS Service User for AON	Null Menu
		FTMS Service User for NASA	
DBABatch	PWYKMS	Maestro DBA Service User	None
InteractiveService		Interactive service Account	None
KMABatch		KMA Maestro SQL Service	None
KMAService		KMA Service Account	None
MAESTRO		MAESTRO User	None
KMSsql		KMA SQL Service User	None

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Signing	SIGF	Signing Service	None
FTMS	PDRTIP	FTMS User	Null Menu as default state
POCLRDB		POCL RDB Service	Null Menu
POCLRDT		POCL RDT Service	Null Menu
POCLRMAIL		POCL RMAIL Service	Null Menu
POCLTIP		POCL TIP Service	Null Menu
POSAPADS		POSAPADS Service	Null Menu
ACDBsql	WOPSS	MSSQLServer and SQLExecutive Services	None
OCMSsql		MSSQLServer and SQLExecutive Services	None
FTMS		FTMS User	Null Menu as default state
MAESTRO		MAESTRO User	None
Signing		Signing Service	None
KMHarvester		KM Key Object Harvester	None
KMLoader		KM Key Object & Memo Loaders	None
FTMS	WPOCL	FTMS User	Null Menu as default state
MAESTRO		MAESTRO User	None
FTMS	WSLAM	FTMS User	Null Menu as default state
MAESTRO		MAESTRO User	None
VPNPMCSVC	WVPN	VPN Service User	None
VPNPMSSVC		VPN Service User	None

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

8 APPENDIX C - Remote Domain FTP Access Users

This table lists by Domain those service users that are configured on the Domain PDC.

FTP User Account Name / Ggroup Name	Domain Account Created In	Comments	Menu Type
	BPOCL		
	WPOCL		
POCLHAPS (GPOCLHAPS)	FARNHAPS		Null Menu
POCLHAPS (GPOCLHAPS)	LEICHAPS		Null Menu
POCLRDB (GPOCLRDB)	HUTHTIP		Null Menu
POCLRMAIL (GPOCLRMAIL)			Null Menu
POCLTIP (GPOCLTIP)			Null Menu
POCLRDT (GPOCLRDT)			Null Menu
POSAPADS (GPOSAPADS)			Null Menu
POCLRDB (GPOCLRDB)	PDRTIP		Null Menu
POCLRMAIL (GPOCLRMAIL)			Null Menu
POCLTIP (GPOCLTIP)			Null Menu
POCLRDT (GPOCLRDT)			Null Menu
POSAPADS (GPOSAPADS)			Null Menu
APSBGT (GAPSBGT)	PWYFTMS		Null Menu
APSCQO (GAPSCQO)			Null Menu
APSMDKW (GAPSMDKW)			Null Menu
APSHCC (GAPSHCC)			Null Menu
APSSCC (GAPSSCC)			Null Menu
APSYE (GAPSYE)			Null Menu

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

APSSSE (GAPSSE)		Null Menu
APSSWAL (GAPSSWAL)		Null Menu
APSWELW (GAPSWELW)		Null Menu
APSSTLF (GAPSSTLF)		Null Menu
OCMSUKSS (GOCMSUKSS)		Null Menu
OBCSSTEV (GOBCSSTEV)		Null Menu
OBCSMAN (GOBCSMAN)		Null Menu
OCMSUKSS (GOCMSUKSS)		Null Menu
RDMCUKSS(GRDMCUKSS)		Null Menu
APSDPC (GAPSDPC)		Null Menu
APSTVL (GAPSTVL)		Null Menu
APSACP (GAPSACP)		Null Menu
APSCCM (GAPSCCM)		Null Menu
APSTALX (GAPSTALX)		Null Menu
APSHELP (GAPSHELP)		Null Menu
APSDVLA (GAPSDVLA)		Null Menu
APSQUAN (GAPSQUAN)		Null Menu
APSAON (GAPSAON)		Null Menu
APSESP (GAPSESP)		Null Menu
APSNASA (GAPSNASA)		Null Menu

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

9 APPENDIX D – SQL 2000 Toolset Updates

This appendix lists the Secure Roles that require Menu and Toolset refreshes as a result of implementing CP3058 Upgrading SQL Server application from SQL Server V6.5 to SQL Server V2000.

This appendix covers privileged and non privileged Human User roles and Secured Service User accounts with detail provided in the following tables.

Privileged User Roles

Group Name to be implemented	Tools	NT Servers	Access Rights	Authenticatio n Domain	Resource Domain access	Access Point	ACP Equivalent
ICL Outsourcing							
Security Managers Restricted Desktop Menu	 NT User Manager SQL Server Admin SQL Server Enterprise Manager CMD prompt 	All Servers	Read / Write	PWYDCS PWYHQ PWYFTMS HUTHTIP FARNHAPS LEICHAPS PDRTIP	All	OSD NT Client PC Third Party Supplier PC	Security Management CP3058

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

Non Privileged User Roles

Group Name to be implemented	Tools	NT Servers	Access rights	Authenticatio n Domain	Resource Domain access	Access Point	ACP Equivalent
Pathway Roles			Animalian				
ACDB Admin Restricted Desktop Menu	ACDB Client.exe > assign member of ACDB Admin Group	Auto- Configuration Server	Read /Write / Execute	PWYDCS	B/WOPSS	Auto- Configuration Client PC SD/DES/141	None No change resulting from CP3057 or 3058
ACDB User Restricted Desktop Menu	ACDB Client.exe (assign member of ACDB User Group)	Auto- Configuration Server	Read / Write / Execute	PWYDCS	B/WOPSS	Auto- Configuration Client PC SD/DES/141	None No change resulting from CP3057 or 3058

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

OCMS DBA		OCMS Server	Read /	PWYDCS	BOPSS	OCMS Client	None
	ODBC V2.65	(ACDB server in	Execute within SQL DB		WOPSS	PC	CP2591
Restricted	Business Objects V5.1.2 SP1	BOPSS/WOPSS)			PWYFTMS		CP3057
Desktop Menu	Event Viewer	FTMS Gateway in PWYFTMS	Full Control to			SD/DES/176	CP3058
	MS Backup		Share point				
	MS Query		OCMSRPTS located on				
	Notepad		OCMS Server				
	Performance Monitor						
	Wordpad						
	User Manager						
	Windows NT Explorer						
	Internet Explorer 5.5						
	Requires access to a locally connected printer.						
OCMS Users	OCMS Client	OCMS Server	Read /	PWYDCS	BOPSS	OCMS Client	None
	Business Objects V5.1.2	(ACDB server in	Execute within SQL DB		WOPSS	PC	CP2033
Restricted	+ Designer V5.1.2	BOPSS/WOPSS)	Full Control to				CP2672
Desktop Menu	+ Supervisor V5.1.2		Share point			SD/DES/176	CP2926
	Internet Explorer 5.5		OCMSRPTS located on				CP3057
	Requires access to Floppy Disc drive. Requires access to a locally		OCMS Server				CP3058
	connected printer.						Secure role previously known as OCMS_Users
KMS APPS	SQL Profiler	All KMS Servers	Read /	PWYKMS	N/A	KMS Admin	None
TRACE	Performance Monitor		Execute			Workstation	

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Restricted Desktop Menu						SD/DES/135	CP3058
KMS SecMANs Restricted Desktop Menu	SQL Server Admin Including SQL Enterprise Manager MS Query SQL Profiler Utility SQL Server Books Online CMD Prompt Usrmgr.exe NT Event Viewer Internet Explorer 5.5 This role requires access to	All KMS Servers and Domain Workstations	Read / Execute	PWYKMS	N/A	KMS Admin Workstation SD/DES/135	Security Manager CP3057 CP3058
	the network printer which should be configured on the KMS Admin Workstation						
KMS DBA	SQL Server 2000 Client Network Utility	KMA Server	Read / Execute	PWYKMS	N/A	KMS Admin Workstation	Database Administrator
Restricted Desktop Menu	SQL Query Analyzer SQL Enterprise Manager SQL Profiler Utility SQL Server Books Online MS Query NT Event Viewer					SD/DES/135	CP3057 CP3058

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Network Utility SQL Query Analyzer		LACCULE				CP3057
SQL Server 2000 Client	KMA Server	Read /	PWYKMS	N/A	KMS Admin	Application Support (SSC)
This role requires access to the network printer which should be configured on the KMS Admin Workstation						
Web Report Server						
Crystal Query Server						
Crystal Query Client						
Do not install						
NOTE						
1						
Seagate Crystal Reports						
Seagate Crystal Reports Help						
Seagate Crystal Reports Developer's Help						
Runtime File Requirements						
ODBC Administrator						
Crystal SQL Designer						
Crystal Report Designer						
	Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility	Crystal Report Designer Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility SQL Query Analyzer KMA Server	Crystal Report Designer Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility SQL Query Analyzer KMA Server Read / Execute	Crystal Report Designer Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility SQL Query Analyzer KMA Server Read / Execute	Crystal Report Designer Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility SQL Query Analyzer KMA Server Read / Execute PWYKMS N/A	Crystal Report Designer Crystal SQL Designer ODBC Administrator Runtime File Requirements Seagate Crystal Reports Developer's Help Seagate Crystal Reports Help Seagate Crystal Reports Readme Winhelp.exe Winhlp32.exe NOTE Do not install Crystal Query Client Crystal Query Server Web Report Server This role requires access to the network printer which should be configured on the KMS Admin Workstation SQL Server 2000 Client Network Utility SQL Query Analyzer KMA Server Read / Execute PWYKMS N/A KMS Admin Workstation

Group Definitions for the Secure NT Build

Version: 6.0

Ref:

Date:

RS/REQ/016

14/01/02

COMPANY IN CONFIDENCE

SQL Server Books Online				
Crystal Report Designer				
Crystal SQL Designer				
ODBC Administrator				
Runtime File Requirements				
Seagate Crystal Reports Developer's Help				
Seagate Crystal Reports Help				
Seagate Crystal Reports Readme				
Winhelp.exe				
Winhlp32.exe				
Explorer.exe				
Cmd.exe				
MS Query				
NT Event Viewer				
Internet Explorer 5.5				
NOTE: Do not install Crystal Query Client				
Crystal Query Server				
Web Reports Server				
This role requires access to the network printer which				

ICL Pathway Group Definitions for the Secure NT Build

Ref: RS/REQ/016

COMPANY IN	CONFIDENCE
------------	------------

should be configured on the KMS Admin Workstation			

Group Definitions for the Secure NT Build

COMPANY IN CONFIDENCE

Ref: RS/REQ/016

Version: 6.0 Date: 14/01/02

Secure Service Users

Service User Account Name	Domain Account Created In	Comments	Menu Type
ACDBsql	BOPSS	MSSQLServer and SQLServerAgent	None
OCMSsql		MSSQLServer and SQLServerAgent	None
KMSsql	PWYKMS	KMA SQL Service User	None
ACDBsql	WOPSS	MSSQLServer and SQLServerAgent	None
OCMSsql		MSSQLServer and SQLServerAgent	None