

# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



**Document Title:** Application Support Service (Fourth Line): Service Description

**Document Reference:** SVM/SDM/SD/0005

Release: Not Applicable

Abstract: Service description of the Application Support Service (Fourth Line)

provided under contract to Post Office

**Document Status:** APPROVED

Author & Dept: Mukesh Mehta, Fujitsu Services

**External Distribution:** For POA Document to distribute following approval

Security Risk YE Assessment Confirmed

YES security risk has been considered, see section 0.9 for details.

**Approval Authorities:** 

Name	Role	Signature	Date
Andy Garner	Post Office: Head of IT Service, FS, Sales & Network	See Dimensions	for record
Steve Bansal	Fujitsu Services: POA Business & Application Services Lead	See Dimensions	for record

See POA Reviewers/Approvers Matrix (PGM/DCM/ION/0001) for guidance on who should approve.

Ref: SVM/SDM/SD/0005 Version: 7.0

Date: 29-Nov-2016 Page No: 1 of 9





# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)

# 0 Document Control

## 0.1 Table of Contents

0.1       Table of Contents       2         0.2       Document History       3         0.3       Review Details       3         0.4       Associated Documents (Internal & External)       4         0.5       Abbreviations       5         0.6       Glossary       5         0.7       Changes Expected       5         0.8       Security Risk Assessment       6         1       SERVICE SUMMARY       6         1.1       The Application Support Service (Fourth Line) provides:       6         2       HNG-X       6         2.1       Service Definition       6         2.1       Service Definition       6         2.1       Service Availability       7         2.2       Service Availability       7         2.3       Service Levels and Remedies       7         2.3       Service Levels Releif       7         2.3.1       General Principles       7         2.3.2       Service Levels for which Liquidated Damages Apply       7         2.3.5       Service Levels for which Liquidated Damages Apply       7         2.3.5       Service Limits and Volumetrics       7         2.3       Servic	0	DOCUMENT CONTROL	2
0.3       Review Details	0.1	Table of Contents	2
0.4 Associated Documents (Internal & External).       4         0.5 Abbreviations.       5         0.6 Glossary.       5         0.7 Changes Expected.       5         0.8 Security Risk Assessment.       5         1 SERVICE SUMMARY.       6         1.1 The Application Support Service (Fourth Line) provides:       6         2 HNG-X.       6         2.1 Service Definition.       6         2.1 Service Availability.       7         2.3 Service Levels and Remedies.       7         2.3.1 General Principles.       7         2.3.2 Service Level Relief.       7         2.3.3 Rectification Plan.       7         2.3.4 Service Levels for which Liquidated Damages Apply.       7         2.3.5 Service Levels for which Liquidated Damages Do Not Apply.       7         2.3.6 Operational Level Targets.       7         2.3.7 Performance Metrics.       7         2.3.8 Design Targets.       7         2.5.1 Assets.       5         2.5.2 Licences.       5         2.6 Charges.       5         2.6.1 Operational Fixed Charge.       5         2.6.2 Operational Variable Charge.       5         2.6.1 Third Line Support Service.       5         2.8 Post	0.2	Document History	3
0.5       Abbreviations       5         0.6       Glossary       5         0.7       Changes Expected       5         0.8       Security Risk Assessment       5         1       SERVICE SUMMARY       6         1.1       The Application Support Service (Fourth Line) provides:       6         2       HNG-X       6         2.1       Service Definition       6         2.1.1       Software Support       6         2.2       Service Availability       7         2.3       Service Levels and Remedies       7         2.3.1       General Principles       7         2.3.2       Service Level Relief       7         2.3.3       Rectification Plan       7         2.3.4       Service Levels for which Liquidated Damages Apply       7         2.3.5       Service Levels for which Liquidated Damages Do Not Apply       7         2.3.7       Performance Metrics       7         2.3.7       Performance Metrics       7         2.3.8       Design Targets       7         2.4       Service Limits and Volumetrics       8         2.5       Licences       8         2.5.1       Assets <td< th=""><th>0.3</th><th>Review Details</th><th>3</th></td<>	0.3	Review Details	3
0.6       Glossary.       5.         0.7       Changes Expected.       5.         0.8       Security Risk Assessment.       5.         1       SERVICE SUMMARY.       6.         1.1       The Application Support Service (Fourth Line) provides:       6.         2       HNG-X.       6.         2.1       Service Definition.       6.         2.1       Service Availability.       7.         2.3       Service Levels and Remedies.       7.         2.3.1       General Principles.       7.         2.3.2       Service Level Relief.       7.         2.3.3       Rectification Plan.       7.         2.3.4       Service Levels for which Liquidated Damages Apply.       7.         2.3.5       Service Levels for which Liquidated Damages Do Not Apply.       7.         2.3.6       Operational Level Targets.       7.         2.3.7       Performance Metrics.       7.         2.3.7       Performance Metrics.       7.         2.3.8       Design Targets.       7.         2.4       Service Limits and Volumetrics.       8.         2.5       Licences.       8.         2.5.1       Assets.       8.         <	0.4	Associated Documents (Internal & External)	4
0.7       Changes Expected.       5         0.8       Security Risk Assessment.       5         1       SERVICE SUMMARY.       6         1.1       The Application Support Service (Fourth Line) provides:       6         2       HNG-X.       6         2.1       Service Definition.       6         2.1.1       Software Support.       6         2.2.2       Service Availability.       7         2.3.3       Service Levels and Remedies.       7         2.3.1       General Principles.       7         2.3.2       Service Level Relief.       7         2.3.3       Rectification Plan.       7         2.3.4       Service Levels for which Liquidated Damages Apply.       7         2.3.5       Service Levels for which Liquidated Damages Do Not Apply.       7         2.3.6       Operational Level Targets.       7         2.3.7       Performance Metrics.       7         2.3.8       Design Targets.       7         2.4       Service Limits and Volumetrics.       8         2.5       Assets and Licences.       8         2.5.1       Assets.       6         2.5.2       Licences.       8         2.6<	0.5	Abbreviations	5
0.7       Changes Expected.       5         0.8       Security Risk Assessment.       5         1       SERVICE SUMMARY.       6         1.1       The Application Support Service (Fourth Line) provides:       6         2       HNG-X.       6         2.1       Service Definition.       6         2.1.1       Software Support.       6         2.2.2       Service Availability.       7         2.3.3       Service Levels and Remedies.       7         2.3.1       General Principles.       7         2.3.2       Service Level Relief.       7         2.3.3       Rectification Plan.       7         2.3.4       Service Levels for which Liquidated Damages Apply.       7         2.3.5       Service Levels for which Liquidated Damages Do Not Apply.       7         2.3.6       Operational Level Targets.       7         2.3.7       Performance Metrics.       7         2.3.8       Design Targets.       7         2.4       Service Limits and Volumetrics.       8         2.5       Assets and Licences.       8         2.5.1       Assets.       6         2.5.2       Licences.       8         2.6<	0.6	Glossary	5
1 SERVICE SUMMARY	0.7		
The Application Support Service (Fourth Line) provides:   6	0.8	Security Risk Assessment	5
The Application Support Service (Fourth Line) provides:   6		·	
2 HNG-X	1	SERVICE SUMMARY	6
2 HNG-X	4 4	The Application Support Service (Fourth Line) provides:	6
2.1 Service Definition	1.1	The Application Support Service (Fourth Line) provides	O
2.1.1       Software Support.       6         2.2       Service Availability	2	HNG-X	6
2.2       Service Availability	2.1	Service Definition	.6
2.2       Service Availability	2.1.	1 Software Support	6
2.3       Service Levels and Remedies	2.2		
2.3.2       Service Level Relief       7         2.3.3       Rectification Plan       7         2.3.4       Service Levels for which Liquidated Damages Apply       7         2.3.5       Service Levels for which Liquidated Damages Do Not Apply       7         2.3.6       Operational Level Targets       7         2.3.7       Performance Metrics       7         2.3.8       Design Targets       7         2.4       Service Limits and Volumetrics       8         2.5       Assets and Licences       8         2.5.1       Assets       8         2.5.2       Licences       8         2.6.1       Operational Fixed Charge       8         2.6.2       Operational Variable Charge       8         2.6.3       Additional Operational Variable Charges       8         2.7.1       Third Line Support Service       8         2.8       Post Office Dependencies and Responsibilities       8         2.9       Business Continuity       9         2.9.1       Fujitsu Services Responsibility       9         2.9.2       Major Business Continuity Incident (MBCI) management process	2.3		
2.3.3       Rectification Plan	2.3.	1 General Principles	7
2.3.4       Service Levels for which Liquidated Damages Apply	2.3.	Service Level Relief	7
2.3.5       Service Levels for which Liquidated Damages Do Not Apply       7         2.3.6       Operational Level Targets       7         2.3.7       Performance Metrics       7         2.3.8       Design Targets       7         2.4       Service Limits and Volumetrics       8         2.5       Assets and Licences       8         2.5.1       Assets       8         2.5.2       Licences       8         2.6.1       Operational Fixed Charge       8         2.6.2       Operational Variable Charge       8         2.6.3       Additional Operational Variable Charges       8         2.7       Dependencies and Interfaces with other Operational Services       8         2.7.1       Third Line Support Service       8         2.8       Post Office Dependencies and Responsibilities       8         2.9       Business Continuity       9         2.9.1       Fujitsu Services Responsibility       9         2.9.2       Major Business Continuity Incident (MBCI) management process       9	2.3.		
2.3.5       Service Levels for which Liquidated Damages Do Not Apply       7         2.3.6       Operational Level Targets       7         2.3.7       Performance Metrics       7         2.3.8       Design Targets       7         2.4       Service Limits and Volumetrics       8         2.5       Assets and Licences       8         2.5.1       Assets       8         2.5.2       Licences       8         2.6.1       Operational Fixed Charge       8         2.6.2       Operational Variable Charge       8         2.6.3       Additional Operational Variable Charges       8         2.7       Dependencies and Interfaces with other Operational Services       8         2.7.1       Third Line Support Service       8         2.8       Post Office Dependencies and Responsibilities       8         2.9       Business Continuity       9         2.9.1       Fujitsu Services Responsibility       9         2.9.2       Major Business Continuity Incident (MBCI) management process       9	2.3.	Service Levels for which Liquidated Damages Apply	7
2.3.6       Operational Level Targets	2.3.		
2.3.7       Performance Metrics       7         2.3.8       Design Targets       7         2.4       Service Limits and Volumetrics       8         2.5       Assets and Licences       8         2.5.1       Assets       8         2.5.2       Licences       8         2.6.1       Operational Fixed Charge       8         2.6.2       Operational Variable Charge       8         2.6.3       Additional Operational Variable Charges       8         2.7       Dependencies and Interfaces with other Operational Services       8         2.7.1       Third Line Support Service       8         2.8       Post Office Dependencies and Responsibilities       8         2.9       Business Continuity       9         2.9.1       Fujitsu Services Responsibility       9         2.9.2       Major Business Continuity Incident (MBCI) management process       9	2.3.		
2.3.8 Design Targets       7         2.4 Service Limits and Volumetrics       8         2.5 Assets and Licences       8         2.5.1 Assets       8         2.5.2 Licences       8         2.6 Charges       8         2.6.1 Operational Fixed Charge       8         2.6.2 Operational Variable Charge       8         2.6.3 Additional Operational Variable Charges       8         2.7 Dependencies and Interfaces with other Operational Services       8         2.7.1 Third Line Support Service       8         2.8 Post Office Dependencies and Responsibilities       8         2.9 Business Continuity       9         2.9.1 Fujitsu Services Responsibility       9         2.9.2 Major Business Continuity Incident (MBCI) management process       9	2.3.		
2.4       Service Limits and Volumetrics	2.3.		
2.5.1       Assets       8         2.5.2       Licences       8         2.6       Charges       8         2.6.1       Operational Fixed Charge       8         2.6.2       Operational Variable Charges       8         2.6.3       Additional Operational Variable Charges       8         2.7       Dependencies and Interfaces with other Operational Services       8         2.7.1       Third Line Support Service       8         2.8       Post Office Dependencies and Responsibilities       8         2.9       Business Continuity       9         2.9.1       Fujitsu Services Responsibility       9         2.9.2       Major Business Continuity Incident (MBCI) management process       9	2.4		
2.5.2 Licences	2.5	Assets and Licences	8
2.6 Charges       8         2.6.1 Operational Fixed Charge       8         2.6.2 Operational Variable Charge       8         2.6.3 Additional Operational Variable Charges       8         2.7 Dependencies and Interfaces with other Operational Services       8         2.7.1 Third Line Support Service       8         2.8 Post Office Dependencies and Responsibilities       8         2.9 Business Continuity       9         2.9.1 Fujitsu Services Responsibility       9         2.9.2 Major Business Continuity Incident (MBCI) management process       9	2.5.	1 Assets	8
2.6 Charges       8         2.6.1 Operational Fixed Charge       8         2.6.2 Operational Variable Charge       8         2.6.3 Additional Operational Variable Charges       8         2.7 Dependencies and Interfaces with other Operational Services       8         2.7.1 Third Line Support Service       8         2.8 Post Office Dependencies and Responsibilities       8         2.9 Business Continuity       9         2.9.1 Fujitsu Services Responsibility       9         2.9.2 Major Business Continuity Incident (MBCI) management process       9	2.5.		
2.6.2 Operational Variable Charge	2.6	Charges	8
2.6.2 Operational Variable Charge	2.6.	1 Operational Fixed Charge	8
2.6.3 Additional Operational Variable Charges	2.6.	2 Operational Variable Charge	8
2.7 Dependencies and Interfaces with other Operational Services	2.6.		
2.7.1 Third Line Support Service	2.7		
2.8 Post Office Dependencies and Responsibilities       8         2.9 Business Continuity       9         2.9.1 Fujitsu Services Responsibility       9         2.9.2 Major Business Continuity Incident (MBCI) management process       9	2.7.		
2.9.1 Fujitsu Services Responsibility	2.8	Post Office Dependencies and Responsibilities	8
2.9.2 Major Business Continuity Incident (MBCI) management process	2.9	Business Continuity	9
2.9.2 Major Business Continuity Incident (MBCI) management process			9
· · · · · · · · · · · · · · · · · · ·	2.9.	2 Major Business Continuity Incident (MBCI) management process	9
2.10 Documentation Set Supporting the Service	2.10	Documentation Set Supporting the Service	9

Ref:

Page No:

SVM/SDM/SD/0005

29-Nov-2016

7.0

2 of 9



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



# 0.2 Document History

Version No.	Date	Summary of Changes and Reason for Issue	Associated Change – CP/PEAK/PPRR Reference
1.0	24/08/06	Agreed	
1.1	15/08/08	Revisions made as a result of personnel changes	
2.0	27/01/09	Document Approved	
2.1	7/10/09	Updated to include off shore 4 <sup>th</sup> line service	
3.0	29/10/2009	Document Approved (went to review instead)	
3.1	11/01/2010	Updates following review	
3.2	15/06/2010	Updates following review	
3.3	24/08/2010	Updates following review	
4.0	24/08/2010	Approval version	
4.1	25/10/2010	Updated to include POLSAP	CCN1270
4.2	09/11/2010	Updated to remove all HNG-X rollout & pre-rollout requirements	
4.3	11/03/2013	Updates following regular review	
4.4	22/03/2013	Updated following comments from commercial manager	CCN1332a
5.0	13-Sep-2013	Approval version	
5.1	25-Feb-2014	TSS CCN (1400) requires that we remove all scope relating to the POLSAP Services as a new document SVM/SDM/SD/2306 covers it.	CCN1400
5.2	13-Mar-2014	Summary of changes in 5.1 added above.	CCN1400
6.0	13-Mar-2014	Approval version	CCN1400
6.1	10-July_2014	Removal of references to Service Desk and other surplus text	CCN1409
6.2	01-Oct-2014	Minor revisions following internal review: remove Accuracy Statement and Service Desk SD reference; add CCN ref.	CCN1409
7.0	29-Nov-2016	Approval version	

### 0.3 Review Details

See POA Reviewers/Approvers Matrix (PGM/DCM/ION/0001) for guidance on completing the lists below. You may include additional reviewers if necessary, but you should generally **not exclude** any of the mandatory reviewers shown in the matrix for the document type you are authoring.

Review Comments by:	
Review Comments to:	Mukesh.Mehta GRO &
	PostOfficeAccountDocumentManagement GRO

If preferred you can delete the following Mandatory and Optional reviewer tables and paste in the appropriate list copied from POA Reviewers/Approvers Matrix (PGM/DCM/ION/0001).

**Mandatory Review** 

© Copyright Fujitsu Services 2016

FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)

Ref: SVM/SDM/SD/0005 Version: 7.0

UNCONTROLLED WHEN PRINTED OR STORED OUTSIDE DIMENSIONS

Version: 7.0
Date: 29-Nov-2016
Page No: 3 of 9



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



Role	Name
Post Office: Service Delivery	Scott Somerside; David H Wright
Post Office: Senior Commercial Manager	Liz Tuddenham
Fujitsu Services: Senior Commercial Manager	Sarah Guest
Fujitsu Services – BAS	Steve Bansal
Fujitsu Services – MIS	Alex Kemp
Fujitsu Services: SSC	Steve Parker; SSC Duty Manager
Fujitsu Services : AMO	Keith Tarran

Optional Review			
Role	Name		
Post Office Commercial Manager	Sue Stewart		
Fujitsu Services Commercial Manager	Adrian McMahon Stone		
Fujitsu Services MIS Manager	Mark L Jones		

#### ( \* ) = Reviewers that returned comments

Issued for Information – Please restrict this distribution list to a minimum	
Position/Role	Name
Post Office: Contact Centre and IT Services Senior Service Delivery Manager	Steve Beddoe
Fujitsu Services: Delivery Executive	Peter Thompson

# 0.4 Associated Documents (Internal & External)

References should normally refer to the latest approved version in Dimensions; only refer to a specific version if necessary.

Reference	Version	Date	Title	Source
PGM/DCM/TEM/0001 (DO NOT REMOVE)	See note above		POA Generic Document Template	Dimensions
PGM/DCM/ION/0001 (DO NOT REMOVE)			POA Document Reviewers/Approvers Role Matrix	Dimensions
CON/MGM/005 (BP/DOC/021)			Post Office Ltd and Fujitsu Services Business Continuity Interface Agreement	PVCS
SVM/SDM/OLA/0017			Operational Level Agreement for Application 4 <sup>th</sup> line support of HNGX	Dimensions
PGM/DCM/PRO/000 1			HNG-X Document Control Process	Dimensions
SVM/SDM/POL/0012			Royal Mail Group Security Design & Testing Policy (s18)	Dimensions
SVM/SDM/SD/0004			Third Line Support Service: Service Description	Dimensions
SVM/SDM/SD/0006			Systems Management Service:	Dimensions

© Copyright Fujitsu Services 2016

FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)

Ref: SVM/SDM/SD/0005 Version: 7.0

UNCONTROLLED WHEN PRINTED OR STORED OUTSIDE DIMENSIONS

Date: 29-Nov-2016 Page No: 4 of 9



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



		Service Description	
SVM/SDM/SD/0007		Service Management Service: Service Description	Dimensions
SVM/SDM/SIP/0001		HNG-X Business Continuity Framework	Dimensions

## 0.5 Abbreviations

Abbreviation	Definition
Release Authorisation Process	means the process defined in Annex A (Release Management Service) of the CCD entitled: "Service Management Service, Service Description" (SVM/SDM/SD/0007)

# 0.6 Glossary

Term	Definition	

# 0.7 Changes Expected

# Changes

Expected changes should the HNG-X design or solution require amendment to the service provided by Fujitsu Services.

# 0.8 Security Risk Assessment

Security risks have been assessed and it is considered that there are no security risks relating specifically to this document.

Ref: SVM/SDM/SD/0005

Version: 7.0
Date: 29-Nov-2016
Page No: 5 of 9



#### **FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)**



#### **Service Summary** 1

# The Application Support Service (Fourth Line) provides:

The Application Support Service (Fourth Line) provides:

- (a) application support in terms of Software fixes to the Business Capabilities and Support Facilities using appropriately trained operational staff;
- (b) investigation and resolution of new Software Incidents within the Branch Infrastructure and HNG-X Central Infrastructure environments which cannot be otherwise resolved either due to technical or resource limitations by the Third Line Support Service.

#### 2 **HNG-X**

#### Service Definition

#### 2.1.1 **Software Support**

The Application Support Service (Fourth Line) will provide Software support by:

- (a) receiving from the Third Line Support Service, Software related Incidents which cannot be resolved by the Third Line Support Service. Such Incidents will have been originally logged by the Service Desk following a call from a Branch, or having been logged by the Systems Management Service, the Central Network Service or the Data Centre Operations Service;
- (b) identifying a "known error" following receipt of the Incident from the Third Line Support Service, where this information will be communicated to the Third Line Support Service and the appropriate Known Error Log (KEL) will be updated and the information disseminated to the Service Desk to enable the resolution of similar Incidents:
- (C) ensuring the internal Fujitsu Services Incident management systems are updated with the Incident resolution details prior to return to the Third Line Support Service together with the method of recreation of the problem;
- (d) ensuring that the Third Line Support Service is made aware of the symptoms which generate an Incident. This will be documented by the Application Support Service (Fourth Line) and be available to both the Service Desk and the Systems Management Service;
- (e) ensuring that any resolutions or workarounds which are returned to the Third Line Support Service have been tested (including regression testing) and have been correctly authorised in accordance with the Release Authorisation Process:
- (f) providing the Third Line Support Service with documentation and source code relating to new Releases in sufficient time to enable the Third Line Support Service to become familiar with the new product or service prior to its Release into the Branch Infrastructure or HNG-X Central Infrastructure environments. This documentation will be in the form of a "support guide" which is defined in the Working Document entitled: "Operational Level Agreement for Application 4<sup>th</sup> line support of HNGX" (SVM/SDM/OLA/0017);

UNCONTROLLED WHEN PRINTED OR STORED OUTSIDE DIMENSIONS

Date: 29-Nov-2016

Page No:

Ref:

6 of 9

SVM/SDM/SD/0005



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



- (g) liaising with Fujitsu Services' subcontractors / suppliers, or Post Office's suppliers, if the Parties consider it is appropriate, as and when an additional level of Software support is required;
- (h) delivering secure coding training on an annual basis;
- (i) maintaining the secure guidelines on an annual basis; and
- (j) maintaining the secure coding template on an annual basis.

## 2.2 Service Availability

The Application Support Service (Fourth Line) is not directly available to Post Office. It is a service internal to Fujitsu Services and is available between 09:00hrs to 17:30hrs Monday to Friday. The Application Support Service (Fourth Line) will provide an out of hours service when requested provided notification is given in advance, the service out of hours will be on a reasonable endeavours basis.

#### 2.3 Service Levels and Remedies

#### 2.3.1 General Principles

This section is not applicable to the Application Support Service (Fourth Line).

#### 2.3.2 Service Level Relief

This section is not applicable to the Application Support Service (Fourth Line).

#### 2.3.3 Rectification Plan

This section is not applicable to the Application Support Service (Fourth Line).

#### 2.3.4 Service Levels for which Liquidated Damages Apply

There are no specific SLTs for which liquidated damages apply that are linked directly with the Application Support Service (Fourth Line).

### 2.3.5 Service Levels for which Liquidated Damages Do Not Apply

There are no specific SLTs for which liquidated damages apply that are linked directly with the Application Support Service (Fourth Line).

### 2.3.6 Operational Level Targets

There are no OLTs associated with the Application Support Service (Fourth Line).

#### 2.3.7 Performance Metrics

There are no performance metrics associated with the Application Support Service (Fourth Line).

#### 2.3.8 Design Targets

There are no design targets associated with the Application Support Service (Fourth Line).

STORED OUTSIDE DIMENSIONS

Ref: SVM/SDM/SD/0005 Version: 7.0

Date: 29-Nov-2016 Page No: 7 of 9



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



#### 2.4 Service Limits and Volumetrics

There are no service limits and volumetrics associated with the Application Support Service (Fourth Line).

#### 2.5 Assets and Licences

#### 2.5.1 Assets

There are no assets associated with the Application Support Service (Fourth Line).

#### 2.5.2 Licences

There are licenses associated with the Application Support Service (Fourth Line) e.g. ConnectDirect, JScape, etc. These will be renewed as required by the Service Delivery Manager.

# 2.6 Charges

#### 2.6.1 Operational Fixed Charge

See Schedule D1 of the Agreement.

#### 2.6.2 Operational Variable Charge

There are no Operational Variable Charges applicable to the Application Support Service (Fourth Line).

## 2.6.3 Additional Operational Variable Charges

There are no additional Operational Variable Charges applicable to the Application Support Service (Fourth Line).

# 2.7 Dependencies and Interfaces with other Operational Services

Any changes agreed between Post Office and Fujitsu Services to the scope or availability of the Application Support Service (Fourth Line) and/or any of the other Operational Services will be agreed in accordance with the Change Control Procedure. This section describes the interfaces with the other Operational Services as at the Amendment Date, as follows:

### 2.7.1 Third Line Support Service

The Third Line Support Service works closely with the Applications Support Service (Fourth Line) to provide bug fixes to enable the resolution of Software Incidents.

# 2.8 Post Office Dependencies and Responsibilities

Except for the generic responsibilities which shall apply as set out in Schedule A5 of the Agreement, there are no Post Office dependencies and responsibilities associated with the Application Support Service (Fourth Line).

Ref:

Version: 7.0
Date: 29-Nov-2016

SVM/SDM/SD/0005

Page No: 8 of 9



# FUJITSU RESTRICTED (COMMERCIAL IN CONFIDENCE)



# 2.9 Business Continuity

### 2.9.1 Fujitsu Services Responsibility

Fujitsu Services is responsible for maintaining business continuity arrangements for the Application Support Service (Fourth Line) and sharing this information with Post Office, as requested.

# 2.9.2 Major Business Continuity Incident (MBCI) management process

Fujitsu Services and Post Office Business Continuity Managers, will agree a plan of action in accordance with the Major Business Continuity Incident (MBCI) management process as set out in the Working Document entitled: "Post Office Ltd and Fujitsu Services Business Continuity Interface Agreement" (CON/MGM/005).

## 2.10 Documentation Set Supporting the Service

See the associated documents set out at section 0.4 of this Application Support Service (Fourth Line) Service Description.

L IN Ref:

SVM/SDM/SD/0005

Version: 7.0 Date: 29-Nov-2016

Page No: 29-No