

COMMERCIAL IN CONFIDENCE

Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

# **EMV** – Banking and Retail

### **Horizon - Card Account Mapping**

ROLE	Name	AREA OF RESPONSIBILITY	SIGNATURE	DATE
Authors	Chris Bailey on behalf of Post Office Ltd	Business Architecture		
		Product Deployment		
FS Architecture		Technical Architecture		
DA Sign-off (Peer Reviewer)	lan Trundell	Design Authority		
Project Manager	Paul Summers	Project Delivery		



COMMERCIAL IN CONFIDENCE

Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

# 1 Document Control

### 1.1 Document Information

Horizon Release No:	XR2+	
Document Title:	EMV Banking and Retail – Horizon - Card Account Mapping	
Document Type:	Application Interface Specification	
Abstract: This document details the mapping of messages between Hor Card Account		
Document Status: Approved		
Originator &	lan Trundell	
Department:	Design Authority	
Contributors:		
Post Office	Design Authority – Robert Eriksson	
Distribution:	POL Document Control – Post Office Programme Office	
Supplier Distribution:	HP: Tony Boys	
	Fujitsu Services: David Court	
Client Distribution:	N/A	

**Table 1: Document Information** 

### 1.2 Document History

Version	Date	Date Reason for Issue	
0.1	15 March 2004	First working draft. Based on document supplied by IBM, ref [3], but changed to map the messages processed by NBX, and to include ICC fields.	
0.2	1 April 2004	Updated as a result of comments	
0.3	16 April 2004	Minor corrections	
0.4	28 May 2004	Further minor corrections and issued for review within Fujitsu Services	
0.5	19 Oct 2004	Updated as a result of comments and changed to the form of a Post Office document.	
1.0	05 Nov 2004	Incorporation of review comments and minor clarifications. Issued for approval.	
1.1	19 May 2008	Addition of new message variants and new responses to the embedded spreadsheet to reflect changes required by Withdrawal Corrections	Tbs
1.2	29 May 2008	Amended to reflect use of Chip and PIN as per	



Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

COMMERCIAL IN CONFIDENCE

		requirements of CAPO card.	
1.3	9 Jun 2008	Amended Approvers and Reviewers in light of comments	
1.4	13 Jun 208	Correction to spreadsheet. Amended fields are highlighted in yellow.	
2.0	30 Jun 2008	Issued for Approval	
		Minor corrections in spreadsheet – highlighted in yellow	
2.1	13 May 2010	Updated for Saving Gateway accounts.	Tbs
		New pages added to spreadsheet for deposit and deposit response	
2.2	24 May 2010	Changes as a result of review	
		Minor typos in spreadsheet– highlighted in yellow	
		Reviewers and Approvers amended	
2.3	27 Jul 2010	Removed references to Saving Gateway since the project has been withdrawn, but retained amendments reflecting changes for HNGx	N/A
3.0	12 Aug 2010	Approval version	

**Table 2: Document History** 

# 1.3 Change Process

Any changes to this issued version of this document will be made, controlled and distributed by: - Robert Eriksson via Post Office Document Management

FIT Controlled Decimand Deciman	
[IT.Controlled.Document.Review	/ GRO
[11:Controlled:Boodinent:review	U

#### 1.4 Review Details

Review Comments by :	25 May 2010
Review Comments to :	Chris Bailey, Fujitsu Services

Mandatory Review Authority	Name
Post Office Ltd	
Project Manager	Paul Summers
Design Authority	Ian Trundell
Security Manager	Sue Lowther
Fujitsu Services Ltd	
Architecture	Pete Jobson
Security Architect	Tom Lillywhite
Solution Design	Andy Williams
SSC	Steve Parker



Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

#### COMMERCIAL IN CONFIDENCE

JPMorgan Europe Limited	
Project Manager	Gerrard Burras
Architecture	Derek Smallworth
НР	Tony Boys
Optional Review / Issued for Information	tion
Post Office Ltd	
Test Manager	Paul Cherry
Fujitsu Services Ltd	
Release Manager	David Court
Application Architecture	Gareth Jenkins
Network Architecture	Mark Jarosz,
Security & Risk Team	CSPOA.Security( GRO
Infrastructure Design	Pat Lywood (or nominees)
HNG-X R1 Programme Manager	Geoff Butts
Testing Manager	Debbie Richardson
RV Manager	James Brett (POL, JTT)
LST Manager	Sheila Bamber
LST	John Rogers
SV&I Manager	Chris Maving
Test Design	George Zolkiewka
VI Manager	Mark Ascott

## 1.5 Changes in this Version

Version	Changes the Well and the many strength in the Well and th
2.3	Removed references to Saving Gateway since the project has been withdrawn, but retained amendments reflecting changes for HNGx
2.2	Changes as a result of review
	Minor typos in spreadsheet– highlighted in yellow
	Reviewers and Approvers amended
2.1	Updated for Saving Gateway accounts.
	New pages added to spreadsheet for deposit and deposit response
	Pages for Withdrawal correction renamed to avoid confusion with deposit transactions.

Table 3: Changes in this Version

## 1.6 Key Contacts

Name	Position	Phone Number
lan Trundell	Design Authority	GRO



Project:
Doc Ref:

EMV – Banking and Retail

COMMERCIAL IN CONFIDENCE

NB/IFS/031

**Table 4: Key Contacts** 

### 1.7 Associated Documents

	Reference	Version	Date	Title	Source
	ISO8583:1987(E)		Aug 1987	Bank Card Originated Messages	ISO
	DES/NET/TIS/0006			Card Account Post Office - HNG-X TECHNICAL INTERFACE SPECIFICATION	Dimensions
		2.0	Jan 2003	Network Banking Engine Horizon - POCA Mapping	Post Office
	DES/APP/IFS/0006			Network Banking Message Flows and Interfaces	Fujitsu Services
-	NB/IFS/025			NBX-CAPO Application Interface Specification (AIS)	Post Office

**Table 5: Associated Documents** 

Unless a specific version is referred to above, reference should be made to the current approved versions of the documents.

#### 1.8 Abbreviations/Definitions

Abbreviation	Definition	
AIS	Application Interface Specification	
Authorisation Agent	The part of the NBX which interfaces to FIs and carries out the message mapping.	
BCD	Binary Coded Decimal	
CAPO	Card Account Post Office – end point for POCA.	
FI	Financial Institution	
NBE	Network Banking Engine	
NBX	The term used to describe the NBE functionality absorbed into the Horizon domain.	
POCA	Post Office Card Account	

**Table 6: Abbreviations/Definitions** 

In addition, the message names [A1], [R3], [E1], [E2] and the abbreviations for their field formats are used as in ref [2] which replaces ref [5], while the names and field format abbreviations for the messages [R1], [A3], [C0] are as in ref [4]



COMMERCIAL IN CONFIDENCE

Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

### **Table of Contents**

1	DOCUMENT CONTROL	2
1.1	Document Information	2
1.2	Document History	2
1.3	Change Process	3
1.4	Review Details	3
1.5	Changes in this Version	4
1.6	Key Contacts	4
1.7	Associated Documents	5
1.8	Abbreviations/Definitions	5
2	INTRODUCTION	7
2.1	Scope	7
2.2	Structure	7
3	NOTES ON THE SPREADSHEET	8
4	MESSAGE MAPPING SPREADSHEET	10



COMMERCIAL IN CONFIDENCE

Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

### 2 Introduction

This document identifies the data mapping between the various message elements of the message sets where NBX acts as the conduit between Horizon and POCA. It should be used in conjunction with the AIS (Ref [2]). Any translations that need to be performed to convert from one particular message format to another are identified, together with how the translation is achieved, where possible. In addition, the data that is required by a message, but which is not present in the source message from another message set, is identified together with an alternative source.

The following sources can be used to populate a message:

Transaction messages Data is mapped from a message element in one message to a

corresponding message element in another, possibly undergoing

translation.

Configuration The exact locations of configuration data will be specified in the design

documentation, but the essential property of values that are stated to be

configurable is that they can accommodate rapid amendment or

extension as required. Note that where a field is common to a number of messages, configurable mappings are based on configuration data that is also common to all the messages. So the mapping of such common fields can be configured only once and applies to all POCA messages, it

is not configured individually on a per-message basis.
The date as held on the NBX Authorisation Agent system.
The time as held on the NBX Authorisation Agent system.

Fixed Value Data that always has a fixed value

#### 2.1 Scope

System Date System Time

The document considers the following message mappings:

Balance Enquiry[R1] to [R3] 0100Financial Transaction[R1] to [R3] 0200Pin Change[R1] to [R3] 0100

Balance Enquiry Response [A1] 0110 (or [R1]) to [A3] Financial Transaction Response [A1] 0210 (or [R1]) to [A3] Pin Change Response [A1] 0110 (or [R1]) to [A3]

Reversal Request [R3],[A1] and possibly [C0] to [E1] 0420/0421

Response Code Mapping Reversal Reason Code Mapping

Reversal Request Response [E2] messages received from POCA are only used internally within the NBX (i.e. they are not mapped to a Horizon message), and so are not within the scope of this document.

#### 2.2 Structure

The message mappings are contained in an Excel spreadsheet, which has been embedded in this document. To open the spreadsheet, double-click on the attachment icon. The first sheet contains a summary of the message mappings that are included in the scope of this document. Subsequent sheets detail each of the mappings in turn.



COMMERCIAL IN CONFIDENCE

Project:

EMV - Banking and Retail

Doc Ref:

NB/IFS/031

## 3 Notes on the Spreadsheet

For each message pair, the triggered message is shown on the left, with the triggering (or source) message on the right. The exception to this is the "Reversal Request" [E1] message, which can be triggered either by a [C0] message, or by a late [A1] Approve response from POCA, and is populated from a number of other messages. In this case the right of the sheet contains elements from each of these messages, and an additional column has been included to indicate which message the element comes from.

The "Source" column contains the details of how the message element in the triggered message is populated, including the mapping between message elements in each of the messages where applicable. The "Source" column also includes a description of any translations that need to take place in the NBX.

A greyed out row in the triggering message indicates that there is a field in the triggered message that is not populated from data contained in that source message. In these cases, the triggered message field may be populated from a different message, determined by the NBX or taken from Reference Data. Fields that have been identified as being not required in the NBX – POCA Application Interface Specification document, Reference [2], have not been included in the message.

A greyed out row in the triggered message column indicates that there is a field in the triggering message that has no corresponding field in the triggered message.

For example, fields provided in a POCA message that do not map onto a Horizon field, are not passed on by the NBX, but are logged.

Similarly there are fields provided in a Horizon message that do not map onto a POCA field, and are not passed on. The full list of fields in Horizon messages and their definitions and uses can be found in [4]; the following fields which are not directly mapped to POCA messages are nevertheless relevant to NBX for the following purposes:

Clerk Identity Records identity of clerk operating at the outlet workstation (also

known as node or counter). This is required for audit purposes.

Client\_ld Identifies a client of POL that is the end bank (card issuer) for a

transaction. This element is needed for reconciliation and

reports.

Digital Signature Used in conjunction with Signature\_Type to check that the

message is valid.

Issuer\_Scheme\_Id A code to identify the Issuer Scheme, set from Reference Data at

the counter.

Message\_Type Classifies the type of message being sent. e.g. R1 or C0.

Signature\_Type Used in conjunction with Digital Signature to check that the

message is valid.

Transactions are uniquely identified in the system by a combination of the Riposte Group ID and Node ID of the originating counter, together with the receipt transaction date (year and day), and the last 6 digits of the message number component of the Horizon\_Txn\_Num field of the message which originated the transaction. In messages to POCA this information is held in the form of the Terminal Identification (which is made up from the Riposte Group ID and Node ID) and the Retrieval Reference Number (which includes the receipt transaction date and message number information).

The following point should be noted with regard to the use of binary coded decimal fields in ICC data: in communication with the counter this data is transferred using one character for each decimal digit, but if there is an odd number of digits, an extra padding character, a zero, is included at the start of the number. It follows, for example, that a field shown in the spreadsheet as having 3 BCD digits would actually be transmitted from or to the counter as 4 characters, the first being a zero used for padding. This encoding facilitates the counter's



Project:

EMV – Banking and Retail

Doc Ref:

NB/IFS/031

COMMERCIAL IN CONFIDENCE

communications with the Pin Pad. The spreadsheet indicates in such cases whether or not the padding is retained when mapping the messages for POCA.

(The spreadsheet also contains some historical information about the mappings performed by the original NBE system, but the rows and columns containing this information are hidden and so are not seen when looking at the spreadsheet. They do not need to be considered with regard to the NBX system.)



Project:

EMV - Banking and Retail

Doc Ref:

NB/IFS/031

COMMERCIAL IN CONFIDENCE

Horizon - Card
Account Mapping.x Message Mapping Spreadsheet



**END OF DOCUMENT**