

ICL Pathway	Direct Interface Testing Specification - Pathway to HAPS	Ref: VI/SPE/0001 Version: 1.1 Date: 23/06/97
--------------------	---	--

Document Title: Direct Interface Testing Specification - Pathway to HAPS

Document Type: Specification

Abstract: The purpose of this document is to define the Direct Interface Test Specification for the Pathway/HAPS interface.

Status: Issued

Distribution: Simon Palladino
Chris Pibworth
John Hunt
Grant Punchard (IT Services)
Bob Booth(PDA)
John Bruce(PDA)
Martin Renwick(PDA)
Mark Reader(POCL)
Library

Author: Habib Ziaullah

Comments to: Author

Comments by:

© 1997 ICL Pathway Ltd

© 1997 ICL Pathway Ltd

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

0 Document control**0.1 Document history**

Version	Date	Reason
0.1	21/04/97	Initial draft for comment
0.2	23/05/97	Comments included from PDA review meeting.
1.0	12/06/97	Comments included from PDA/POCL/Pathway meeting.
1.1	19/06/97	Comments included from PDA QA Review.

0.2 Approval authorities

Name	Position	Signature	Date
Simon Palladino	Testing & Integration Manager (Pathway)		
Mark Reader	POCL		
John Bruce	PDA		

0.3 Associated documents

Reference	Vers	Date	Title	Source
AP/IFS/001	1.0	10/3/97	Pathway to HAPS Interface Specification	
T.Peppin	1.0	7/2/97	Requirements Letter (iT Concept 2000)	
PDA/TAS/HAPS/ WP/001	1.0		Pathway - HAPS DIT Requirements	

0.4 Abbreviations

AIS	Application Interface Specification
AP	Automated Payments
APS	Automated Payments Service

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**

Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

DIT	Direct Interface Testing
FT	File Transfer
HAPS	(POCL) Host Automated Payments Service
PDA	Programme Delivery Authority
POCL	Post Office Counters Ltd

0.5 Changes in this version

Version 0.2 - Included details from 'Pathway - HAPS Requirements'.

Version 1.0 - Included comments from meeting held at PDA Office, Feltham on the 9th June 1997.

Version 1.1 - Tidied the last bullet point in Section 3.5.1 and removed Section 8 HAPS Tests.

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

0.6 Table of content

1 Introduction.....	5
2 Scope.....	6
3 Requirements.....	7
3.1 Overview.....	7
3.2 Architecture.....	7
3.3 FAD Codes.....	7
3.4 Steps.....	7
3.5 Testing Requirements.....	8
3.5.1 Counter Level Tests.....	8
3.5.2 File Level Tests.....	9
3.5.3 Infrastructure Tests.....	9
3.5.4 Documentation Required To Support The Tests.....	10
4 Fault Reporting.....	11
5 Entry Criteria.....	11
6 Success Criteria.....	11
7 Responsibilities.....	11
7.1 Test Sign off.....	12
7.2 Test Execution.....	12

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**

Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

1 Introduction


This document details the Direct Interface Test Specification between Pathway AP System and POCL HAPS System. It identifies the requirements that will be used to accomplish direct interface testing between POCL and Pathway, as such this document must be owned and approved by POCL, Pathway and the PDA.

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

2 Scope

The scope of Direct Interface Testing is to ensure that the system interface between Pathway APS and POCL HAPS works at both the technical and application level. It excludes end-to-end, model office rehearsal and model office test.

Direct Interface Testing only covers the transition of transaction data, captured at the APS counter, from Pathway Central Systems to HAPS (shown within dotted lines).

**Key:**

Legacy Systems	represents the provision of the Automated Payments Service using Automated Payments Terminals, ECCO equipment or ALPS equipment.
HAPS	is the Host Automated Payments System operated by IT SERVICES on behalf of POCL.
APACHI	is the Automated Payments at Chesterfield Interface, the link to POCL's client accounting and settlement processes.
DPC	is the Document Processing Centre, the location at which paper Automated Payments sales vouchers are converted into electronic format.
AP Clients	is the base of Automated Payments Clients on behalf of whom business is conducted at Post Office outlets.
APS Counter	is the Pathway Automated Payments Service at Post Office outlets.
Pathway	represents the systems, located outside Post Office outlets, that

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

Central Systems	process APS transactions and present them to the Pathway to HAPS interface.
-----------------	---

3 Requirements

3.1 Overview

Direct interface testing is to ensure that the Pathway AP System and the POCL HAPS System operate in accordance with the 'Pathway to HAPS Interface Specification'. Interface testing must satisfy a successful file transfer taking place and ensure the contents of the files includes data to support the Interface Specification. Thus the DIT objective is to prove the interface only.

3.2 Architecture

Pathway will have a system test configuration consisting of a Sequent Server (the Host) and a Correspondence Server supporting several outlets, at least one outlet having more than one counter position. All system testing will be carried out by Pathway testers under the direction of the Pathway System Test Manager. It will encompass operation at a variety of outlets & counter positions.

3.3 FAD Codes.

The valid FAD Code to be used in the testing interface file header record is 9990771.

The valid outlet FAD codes to be used are dependant on the Reference Data Project provided by POCL in Chesterfield. Outlets will be constructed using these FAD codes and the information supplied to HAPS prior to commencing Direct Interface Tests.

3.4 Steps

The tests encompass the following steps.

- Perform counter transactions on the Pathway test cells.
- Harvest the transactions on to the Oracle Host and generate a transmission file.
- Send the transmission file from the Gateway PC at Feltham to the Gateway PC at Farnborough via Wigan, making the AP transmission file available to POCL HAPS.
- POCL HAPS rename the files to notify Pathway that the files have been transferred successfully.

- Check the integrity and content of the file conforms to the AIS.

3.5 Testing Requirements

3.5.1 Counter Level Tests

- A swiped magnetic card transaction, paid by cash.
- A keyed magnetic card transaction, paid by cash.
- A swiped magnetic card transaction, paid by cheque.
- A keyed magnetic card transaction, paid by cheque.
- A swiped magnetic card transaction, paid by cash, that has been reversed.
- A reversal of the above transaction.
- A keyed magnetic card transaction, paid by cheque, that has been reversed.
- Reversal of the above transaction.
- A scanned bar code transaction, paid by cash.
- A keyed bar code transaction, paid by cash.
- A scanned bar code transaction, paid by cheque.
- A keyed bar code transaction, paid by cheque.
- A scanned bar code transaction, paid by cheque, that has been reversed.
- Reversal of the above transaction.
- A keyed bar code transaction, paid by cash, that has been reversed.
- Reversal of the above transaction.
- A magnetic card recovery transaction.
- A magnetic card fall back recovery transaction.
- A bar coded bill recovery transaction.
- A bar coded bill fall back recovery transaction.

The above transactions will be captured from more than one Post Office outlet. Transactions will be for more than one client including multiple schemes for a client that has many schemes. Counter transactions will be performed on different days although included in the same file. Additionally some transactions will be captured at a Post Office outlet that has not had its end of day marker set for seven days.

3.5.2 File Level Tests

- Large transfer file (i.e. maximum size as defined in the interface specification ref 0.2.4).
- Null transfer file (i.e. header and trailer only).
- File of magnetic card transactions only. (Including reversed and reversal transactions.)
- File of bar code transactions only. (Including reversed and reversal transactions.)
- File of mixed magnetic card and bar code transactions. (Including reversed and reversal transactions.)
- More than one transfer file.
- Duplicate transmission i.e. same file sent twice with the same file name.
- Transfer file sent out of sequence.
- Break in transmission of transfer file.
- Re-transmission of above file to same gateway PC.
- Re-transmission of above file to alternative PC.
- File or a multiple number of files, containing one transaction for each magnetic card and bar coded bill available at Pathway.

3.5.3 Infrastructure Tests

- Hardware failures of encryption box, router, hub and gateway PC.
- Password failure at the gateway PC.
- Operation with and without encryption devices.
- Digital signature verification.

3.1.4 Documentation Required To Support The Tests

- Detailed transaction report per office per test day.
- APS reconciliation reports.
- Test timetable showing the days on which HAPS is required for Direct Interface Testing.
- Test schedule showing the tests that will be performed on each day, their sequence and their duration.
- Specific Automated Payments Clients lists to be provided by POCL.

4 Fault Reporting

Each party will use its own fault reporting system. Pathway will log any incidents using the fault reporting system PinICL. The incident number will be passed back for future progression and clearance.

IT SERVICES will fax details of incidents raised to Pathway, if any incidents are found to be software or hardware faults these will be entered into PinICL. A copy of the PinICL report will be faxed to HAPS.

A weekly testing progress meeting to be held during DIT.

5 Entry Criteria

The criteria for entry to DIT are:

- All hardware installed, tested and commissioned as per Pathway to HAPS Interface Specification, Reference 0.2.4.

Test scripts produced for review.

Test schedule produced for review.

Test timetable produced for review.

6 Success Criteria

The criteria for successful completion of DIT are:

- Conformance to Interface Specification Reference 0.2.4.
- Successful transaction validation by HAPS.
- Technical performance of link.
- Test results are as expected and any differences successfully resolved.
- No critical or severe incidents outstanding, as agreed by PDA, Pathway and POCL outlet systems.
- All scheduled tests completed successfully or agreement reached on any tests not performed.

7 Responsibilities

7.1 Test Sign off

This will be via a hand over meeting at which the interfacing systems will give their

**ICL Pathway Direct Interface Testing Specification -
Pathway to HAPS**

Ref: VI/SPE/0001
Version: 1.1
Date: 23/06/97

approvals as follows:

- POCL - Mark Reader
- PDA - John Bruce
- Pathway - Simon Palladino

7.2 Test Execution

IT Services - Testing Support:

Grant Punchard and Sheena Kilcast (Tel:)

IT Services- Fault Fixing and Technical Support:

Mike Hoare (Tel:)

IT Services- Fault Reporting:

Grant Punchard (Tel:) Fax:

ICL Pathway

Habib Ziaullah (Tel:) Fax

Marcia Petterson (Tel:)