



AUDIT DATA EXTRACTION PROCESS

Commercial In Confidence

**Document Title:** AUDIT DATA EXTRACTION PROCESS**Document Reference:** SVM/SEC/PRO/0018

(Please visit the [RMGA HNG-X Document Management Web](#) to request a reference)

Document Type: Process**Release:** Draft

Abstract: This document establishes the process undertaken by the Royal Mail Group Account, Customer Service, Security Litigation Support Section to provide audit data for despatch to authorised requesters

Document Status: For Review**Author & Dept:** Penny Thomas**External Distribution:** Jane Owen, POL Security Team

Security Risk Assessment Confirmed

Approval Authorities:

Name	Role	Signature	Date
James Davidson	CS Director		
Tom Lillywhite	CS CISO		

See *HNG-X Reviewers/Approvers Matrix (PGM/DCM/ION/0001)* for guidance on who should approve.



0 Document Control

0.1 Table of Contents

0 DOCUMENT CONTROL.....	2
0.1 Table of Contents.....	2
0.2 Document History.....	3
0.3 Review Details.....	3
0.4 Associated Documents (Internal & External).....	3
0.5 Abbreviations.....	4
0.6 Glossary.....	4
0.7 Changes Expected.....	4
0.8 Accuracy.....	4
0.9 Security Risk Assessment.....	5
1 INTRODUCTION.....	6
2 SCOPE.....	6
3 AUDIT DATA.....	6
3.1 Audit Data Integrity.....	6
3.2 Archive Requirements and Support.....	7
3.3 Retrieval of Audit Data.....	7
3.4 Audit System Audit Trail.....	7
3.5 Retention of Retrieved Audit Data.....	7
4 AUTHORISED REQUESTS FOR AUDIT DATA.....	7
4.1 Audit Record Query.....	7
4.1.1 Specific Audit Record Query Request Detail.....	7
4.2 Banking Record Queries (BQs).....	8
4.2.1 Specific BQ Request Detail.....	8
4.3 Internal (Fujitsu) Requests for Audit Data.....	8
4.3.1 Specific Internal (Fujitsu) Request Detail.....	8
4.4 Finalising and Returning the Audit Data.....	8
4.4.1 Encryption of Data.....	8
4.4.2 Returning ARQ Requests.....	8
4.4.3 Returning BQ Requests.....	9
4.4.4 Returning Internal (Fujitsu) Requests.....	9
4.5 Retention of Records.....	9



AUDIT DATA EXTRACTION PROCESS

Commercial In Confidence



0.2 Document History

Version No.	Date	Summary of Changes and Reason for Issue	Associated Change - CP/PEAK/PPRR Reference
0.1	27-Oct-2009	Initial Draft	
0.2	25-Aug-2010	For Review	

0.3 Review Details

See HNG-X Reviewers/Approvers Matrix (PGM/DCM/ION/0001) for guidance on completing the lists below. You may include additional reviewers if necessary, but you should generally **not exclude** any of the mandatory reviewers shown in the matrix for the document type you are authoring.

Review Comments by :	6 September 2010
Review Comments to :	penny.thomas@ RMGADocumentManagement.co.uk GRO
Mandatory Review	
Role	Name
Security Service Manager	Donna Munro
RMGA Quality Manager	David Parker
Optional Review	
Role	Name
Issued for Information – Please restrict this distribution list to a minimum	
Position/Role	Name
Security Operations	Rajbinder Bains

(*) = Reviewers that returned comments

0.4 Associated Documents (Internal & External)

Reference	Version	Date	Title	Source
PGM/DCM/TEM/0001 (DO NOT REMOVE)	4.0	21-Nov-2008	RMGA HNG-X Generic Document Template	Dimensions
DEV/GEN/MAN/0015	1.0	26-Oct-2009	Audit Extraction Client User Manual	Dimensions
SVM/SDM/SD/0017	1.0	27-Oct-2009	Service Description for the Security Management Service	Dimensions
SVM/SEC/POL/0003	5.0	15-Sep-2009	RMGA Information Security Polity	Dimensions
SVM/SEC/PRO/0017	1.0	27-Oct-2009	Management of the Litigation	Dimensions



AUDIT DATA EXTRACTION PROCESS

Commercial In Confidence



			Support Service	
CR/FSP/006	11.4	For review	Audit Trail Functional Specification	Dimensions
DEV/APP/SPG/0020	2.1	29-Jul-10	HNG-X Audit Server Support Guide	Dimensions
DEV/APP/SPG/0016	2.0	14-Jun-10	Audit Extraction Client Support Guide	Dimensions

Unless a specific version is referred to above, reference should be made to the current approved versions of the documents.

0.5 Abbreviations

Abbreviation	Definition
ARQ	An Audit Record Query that is not a Banking Transaction Record Query and which relates to Transactions
AUW	Audit Workstation
BQ	Banking Record Query
CS	Customer Services
POL	Post Office Limited
POLIA	Post Office Limited Internal Audit
RMGA	Royal Mail Group Account

0.6 Glossary

Term	Definition
Audit Record Query (ARQ)	An Audit Record Query that is not a Banking Transaction Record Query and which relates to Transactions.
Audit Record Query Form	The form used by POL to request detailed transaction data.
Banking Record Query	A Record query in respect of a Banking Transaction which the Data Reconciliation Service has reconciled or has reported as an exception, the result or records of which are subsequently queried or disputed by Post Office Ltd or a third party.
Branch Code	A Post Office outlet unique identifier
Prosecution	Civil or criminal court or statutory tribunal proceedings related to transactions or fraudulent actions conducted at a Post Office Outlet

0.7 Changes Expected

Changes

0.8 Accuracy



AUDIT DATA EXTRACTION PROCESS

Commercial In Confidence



Fujitsu Services endeavours to ensure that the information contained in this document is correct but, whilst every effort is made to ensure the accuracy of such information, it accepts no liability for any loss (however caused) sustained as a result of any error or omission in the same.

0.9 Security Risk Assessment

Security risks have been assessed and it is considered that there are no security risks relating specifically to this document.



1 Introduction

The Horizon and Horizon Online system generates transaction data that is of interest to Post Office Ltd Internal Audit (POLIA) and other groups. Subject to certain constraints the audit data must be made available to POLIA or other authorised groups within timescales established in the Service Description for the Security Management Service, SVM/SDM/SD/0017.

This document establishes the process for requesting audit data extractions and subsequent activities undertaken to provide to authorised requesters.

This document is without prejudice to any of the parties and nothing contained herein shall be deemed or construed as affecting contractual obligations or creating new contractual obligations between any of the parties.

2 Scope

If future releases of Horizon Online bring about changes to the way that data is requested or extracted this process will be updated to reflect those changes.

This process applies to all audit data extraction requests, namely:

- Audit Record Queries (ARQs)
- Banking Record Queries (BQs)
- Internal Fujitsu requests

3 Audit Data

3.1 Audit Data Integrity

The integrity of audit data must be guaranteed at all times from its origination, storage and retrieval to subsequent despatch to the requester. Controls have been established to provide assurances to POLIA that this integrity is maintained.

During audit data extractions the following controls apply:

- Extractions can only be made via dedicated Audit Workstations (AUWs) which exist at Bracknell and Lewes. The AUWs are subject to rigorous physical security controls, located in secure rooms, in secure areas, subject to proximity pass access within a secured Fujitsu (UK & Ireland) site.
- Logical access to the AUWs and their functionality is controlled by dedicated logins, 2-factor authentication password control and is in accordance with the RMGA Information Security Policy, SVM/SEC/POL/0003.
- All extractions are logged on the Audit System and supported by documented ARQs, BQs or internal requests, all authorised by nominated persons within POL and Fujitsu. This log can be scrutinised on the AUWs.
- Extractions will only be undertaken by individuals previously notified to POLIA. Currently this is limited to the RMGA CS Security Litigation Support and the RMGA Audit Development personnel. Any additions will be notified to POLIA in advance.



- Checksum seals are calculated for audit data files when they are written to audit archive and re-calculated when the files are retrieved. The result is maintained in a check seal table.
- Windows events generated by the counters within the branch/timeframe in question are checked to ensure the counters were functioning correctly
- Agreement has been reached with POLIA regarding their rights to witness extractions without warning or to request repeat extractions that they can witness.

3.2 Archive Requirements and Support

Historic Horizon and Horizon Online transaction data is held securely on the Audit Servers in accordance with CR/FSP/006, Audit Trail Functional Specification. Audit data is archived in accordance with HNG-X Audit Servicer Support Guide, DEV/APP/SPG/0020 and the audit extraction client is supported in accordance with DEV/APP/SPG/0016, Audit Extraction Client Support Guide.

3.3 Retrieval of Audit Data

Archive audit data is retrieved in accordance with instructions contained in Audit Extraction Client User Manual, DEV/GEN/MAN/0015.

3.4 Audit System Audit Trail

The audit trail records the date and time of each audit request process carried out on the Horizon Audit System. The search criteria and request identifier shall be used to create the directory structure of each audit trail. An audit trail is produced only when an audit request is marked as completed on the Extractor Client. (The audit trail is not the Prosecution Support Database).

The Prosecution Support Databases hold information relating to when an ARQ, BQ or internal PEAK was received, the SLA return date (if appropriate), who completed and checked the return.

3.5 Retention of Retrieved Audit Data

Retrieved data is held securely on the AUWs.

4 Authorised Requests for Audit Data

4.1 Audit Record Query

An ARQ is a request to the Royal Mail Group Account (RMGA) for transaction data required to support a POL investigation or litigation activity. The transaction data provided is held on the Audit Archive. The request is received from the POL Casework Manager, or his nominated representative, and contains specific search criteria. The stipulated criteria and the format of the returned data are as referenced in the document Security Management Service - Service Description, SVM/SDM/SD/0017.

The agreed annual quotas and return timeframes for ARQ requests are as referenced in the document Security Management Service - Service Description, SVM/SDM/SD/0017.

4.1.1 Specific Audit Record Query Request Detail

When creating a new request for a formal ARQ on the Audit Extraction Client the 'requester' selected is 'POLIA'. This identifies the retrieval as a formal ARQ request from POL Casework Team.



4.2 Banking Record Queries (BQs)

A BQ is a request to RMGA for confirmation of transaction detail due to a query or dispute by POL or a third party. Requests are only received from nominated representatives of Product & Branch Accounting, Banking & Financial Services or Revenue Protection Departments.

Requests are received via e-mail.

The agreed annual quotas and return timeframes for BQ requests are as referenced in the document Security Management Service - Service Description, SVM/SDM/SD/0017.

4.2.1 Specific BQ Request Detail

When creating a new request for a BQ on the Audit Extraction Client the 'requester' selected is 'POCL Other'. This identifies the retrieval as a formal BQ request from POL Financial Departments. The stipulated criteria and the format of the returned data are as referenced in the document Security Management Service - Service Description, SVM/SDM/SD/0017.

4.3 Internal (Fujitsu) Requests for Audit Data

Other internal agencies may require copies of historic records which are held only on the Audit Archive. Requests are made via the internal PEAK system. The specific details required include outlet, branch code, timeframe, output file, etc.

4.3.1 Specific Internal (Fujitsu) Request Detail

When creating a new request for an Internal (Fujitsu) request on the Audit Extraction Client the 'requester' selected is 'Pathway SSC'. This identifies the retrieval as a formal Internal (Fujitsu) request.

4.4 Finalising and Returning the Audit Data

4.4.1 Encryption of Data

It is a mandatory requirement that all sensitive data communicated either by disc or e-mail is to be encrypted. The PGP SDA Encryption tool has been selected for this use. The sender uses the functionality of PGP encryption, producing an sda.exe file, which requires only the password for access and decryption by the recipient. The recipient does not need PGP functionality.

See separate process, attached.



PGP SDA Encryption
Process.doc

4.4.2 Returning ARQ Requests

ARQ requests are burnt to CD and the CD prevented from accepting further files or records. The CD is labelled and the relevant detail relating to the original request is written on it. The transaction data on the CD is checked by another member of the team to ensure completeness of the return. The CD is also checked for viruses before being sent via Royal Mail's Special Delivery Service to the notified contact as detailed in SVM/SEC/PRO/0017.



4.4.3 Returning BQ Requests

BQ requests are checked by another member of the team to ensure completeness of the return. The response is then returned via e-mail to approved contacts.

4.4.4 Returning Internal (Fujitsu) Requests

Files/records are returned to the requestor via the internal PEAK system.

4.5 Retention of Records

Detailed records are maintained on the Prosecution Support Databases relating to when an ARQ, BQ or internal PEAK was received, the SLA return date (if appropriate), who completed and checked the return, and when and how it was returned.